

Supplemental Table 2.

Gene	Colocalizing cell/tissue	Existing evidence
<i>ABO</i>	Adrenal gland (Severe) - Hazardous Artery tibial (Severe) – Hazardous Breast Mammary Tissue (Susceptible) – Hazardous Esophagus mucosa (Susceptible) - Hazardous Esophagus muscularis (Severe) - Hazardous Heart Left Ventricle (Severe and Hospitalized) – Hazardous Liver (Hospitalized) - Hazardous Muscle skeletal (Severe) - Hazardous Testis (All) - Hazardous Whole blood COVID+ Symptoms+ (Hospitalized) - Protective	MR in non-GTEx and GTEx eQTL and pQTL datasets for lung and whole blood (Baranova et al. 2022; Hernandez Cordero et al. 2021)
<i>ADAM15</i>	T central memory Stim 5d (Susceptible) - Hazardous	MR with colocalization in GTEx did not observe colocalization (Wang et al. 2022)
<i>ATP11A</i>	Artery Aorta (Hospitalized) - Protective	Fine mapping (Kousathanas et al. 2022)
<i>ATP5PO</i>	Lung (Hospitalized) - Hazardous	Associational (Li et al. 2022)
<i>CNPY4</i>	Testis (Severe) - Protective	None
<i>COPS6</i>	Esophagus muscularis (Hospitalized) - Protective	None
<i>DLX3</i>	Lung (Hospitalized) - Hazardous	MR with colocalization in lung (Hernandez Cordero et al. 2021)
<i>DPP9</i>	Skin sun exposed lower leg (All) - Protective	Associational data in blood (Sharif-Zak et al. 2022)
<i>FAM55C</i>	Esophagus muscularis (Susceptible) - Hazardous	None
<i>GBA</i>	Nerve Tibial (Susceptible) - Hazardous Thyroid (Susceptible) - Hazardous	None
<i>GBAP1</i>	Breast Mammary Tissue (Susceptible) - Hazardous Cultured Fibroblasts (Susceptible) - Hazardous Colon Sigmoid (Susceptible) - Hazardous Lung (Susceptible) - Hazardous Nerve Tibial (Susceptible) - Hazardous Small Intestine Terminal Ileum (Susceptible) - Hazardous Stomach (Susceptible) - Hazardous	MR with colocalization for splice isoform (Nakanishi et al. 2022)
<i>HIP1</i>	Breast mammary tissue (Severe) - Hazardous Nerve tibial (Severe) - Hazardous Whole blood COVID- Symptoms- (Severe) - Protective	None
<i>IFNAR2</i>	Cells cultured fibroblasts (Severe and hospitalized) - Protective Esophagus mucosa (Susceptible) - Protective Whole blood COVID- Symptoms+ (Hospitalized) - Protective Whole blood COVID+ Symptoms+ (Severe) - Protective	MR with colocalization for GTEx v.7 eQTLs and pQTLs for whole-blood and lung (Baranova et al. 2021; Fricke-Galindo et al. 2022; Krishnamoorthy et al. 2023; Liu et al. 2021; Pairo-Castineira et al. 2021)
<i>IL10RB</i>	Cells Cultured fibroblasts (All) - Protective Esophagus Gastroesophageal junction (All) - Hazardous Skeletal muscle (Susceptible) - Hazardous Nerve tibial (All) - Hazardous	MR with colocalization for eQTLs and pQTLs, did not study excitatory neurons (Gaziano et al. 2021)
<i>KCNC3</i>	Tibial nerve (Severe and Hospitalized) – Hazardous	TWAS (Krishnamoorthy et al. 2023)
<i>LINC01301</i>	Breast mammary tissue (Hospitalized) – Protective Skin not sun exposed (Hospitalized) - Protective	TWAS (Pairo-Castineira et al. 2022)
<i>LINC02210</i>	Artery tibial (Severe) – Protective	MR with colocalization (Baranova et al. 2021)
<i>Lnc-INTS12-1</i>	Artery aorta (Severe) – Protective Thyroid (Severe) - Protective	None
<i>Lnc-THBS3-1</i>	Whole blood COVID- Symptoms- (Susceptible) - Protective	None
<i>MAMSTR</i>	Skin Sun Exposed (Hospitalized) – Protective	TWAS (Krishnamoorthy et al. 2023)

<i>MUC1</i>	Nerve tibial (Severe and Hospitalized) - Hazardous	MR from GTEx v.7 against HGI release 6 found signal in blood (Krishnamoorthy et al. 2023)
<i>MUC5B</i>	Lung (Severe) - Protective	MR only for lung eQTLs GTEx release 7 (Liu et al. 2021)
<i>NAPSA</i>	CD4 Naïve Stim 40h (Susceptible) - Hazardous Esophageal mucosa (Severe and Hospitalized) - Protective T effector memory Stim 40h (All) - Hazardous T naïve (Hospitalized and Susceptible) - Hazardous Testis (Hospitalized) - Protective	MR with colocalization for eQTLs, did not study CD4+ T cells (Degenhardt et al. 2022)
<i>NAPSB</i>	Artery Coronary (Susceptible) - Protective	None
<i>NTN5</i>	Colon sigmoid (Hospitalized) - Protective Esophageal Gastroesophageal junction (Hospitalized) - Protective Esophagus mucosa (Severe and Hospitalized) - Protective	None
<i>OASI</i>	Adipose subcutaneous (Hospitalized) - Protective Artery tibial (Susceptible) - Protective Esophagus mucosa (Hospitalized) - Hazardous Nerve tibial (Susceptible) - Hazardous Skin not sun exposed (Severe and Susceptible) - Protective Skin sun exposed (All) - Protective	MR with colocalization of eQTL and pQTL (Zhou et al. 2021)
<i>PDCL3P4</i>	Brain Caudate Basal Ganglia (Susceptible)	Colocalization (D'Antonio et al. 2021)
<i>RAB2A</i>	Adipose subcutaneous (Hospitalized) - Hazardous Artery aorta (Hospitalized) - Hazardous Artery tibial (Hospitalized) - Hazardous CD4 Memory Stim 40h (Hospitalized) - Hazardous CD4 Naïve Stim 16h (Hospitalized) - Hazardous CD4 Naïve Stim 40h (Hospitalized) - Hazardous Esophagus mucosa (Hospitalized) - Hazardous Esophagus muscularis (Hospitalized) - Hazardous Liver (Hospitalized) - Hazardous Lung (Hospitalized) - Hazardous Skin not sun exposed (Hospitalized) - Hazardous T naïve Stim 40h (Hospitalized) - Hazardous	MR and colocalization for pQTLs, but not for eQTLs (Pietzner et al. 2022)
<i>RALGDS</i>	T effect memory Stim 16h (Severe and Susceptible) - Protective	None
<i>RASIP1</i>	Esophageal Gastroesophageal junction (Severe and Hospitalized) - Protective Esophagus muscularis (Severe) - Protective	None
<i>SLC22A31</i>	Heart left ventricle (Severe and Hospitalized) – Hazardous	PheWAS linked (Covid-19 Host Genetics Initiative 2022)
<i>SLC6A20</i>	Breast mammary tissue (Severe and Hospitalized) – Hazardous	GWAS (Severe Covid et al. 2020)
<i>WNT3</i>	Adrenal Gland (Hospitalized) - Hazardous Artery Aorta (Severe and Hospitalized) - Protective Colon Transverse (Severe) - Hazardous Nerve Tibial (Severe) - Hazardous Thyroid (Severe and Hospitalized) - Hazardous	Fine mapped (Wu et al. 2021)

References

- Baranova A, Cao H, Chen J, Zhang F (2022) Causal Association and Shared Genetics Between Asthma and COVID-19. *Front Immunol* 13: 705379. doi: 10.3389/fimmu.2022.705379
- Baranova A, Cao H, Zhang F (2021) Unraveling Risk Genes of COVID-19 by Multi-Omics Integrative Analyses. *Front Med (Lausanne)* 8: 738687. doi: 10.3389/fmed.2021.738687
- Covid-19 Host Genetics Initiative (2022) A first update on mapping the human genetic architecture of COVID-19. *Nature* 608: E1-E10. doi: 10.1038/s41586-022-04826-7

- D'Antonio M, Nguyen JP, Arthur TD, Matsui H, Initiative C-HG, D'Antonio-Chronowska A, Frazer KA (2021) SARS-CoV-2 susceptibility and COVID-19 disease severity are associated with genetic variants affecting gene expression in a variety of tissues. *Cell Rep* 37: 110020. doi: 10.1016/j.celrep.2021.110020
- Degenhardt F, Ellinghaus D, Juzenas S, Lerga-Jaso J, Wendorff M, Maya-Miles D, Uellendahl-Werth F, ElAbd H, Ruhleman MC, Arora J, Ozer O, Lenning OB, Myhre R, Vadla MS, Wacker EM, Wienbrandt L, Blandino Ortiz A, de Salazar A, Garrido Chercoles A, Palom A, Ruiz A, Garcia-Fernandez AE, Blanco-Grau A, Mantovani A, Zanella A, Holten AR, Mayer A, Bandera A, Cherubini A, Protti A, Aghemo A, Gerussi A, Ramirez A, Braun A, Nebel A, Barreira A, Lleo A, Teles A, Kildal AB, Biondi A, Caballero-Garralda A, Ganna A, Gori A, Gluck A, Lind A, Tanck A, Hinney A, Carreras Nolla A, Fracanzani AL, Peschuck A, Cavallero A, Dyrhol-Riise AM, Ruello A, Julia A, Muscatello A, Pesenti A, Voza A, Rando-Segura A, Solier A, Schmidt A, Cortes B, Mateos B, Nafria-Jimenez B, Schaefer B, Jensen B, Bellinghausen C, Maj C, Ferrando C, de la Horra C, Quereda C, Skurk C, Thibault C, Scollo C, Herr C, Spinner CD, Gassner C, Lange C, Hu C, Paccapelo C, Lehmann C, Angelini C, Cappadona C, Azuure C, Covicat study group AS, Bianco C, Cea C, Sancho C, Hoff DAL, Galimberti D, Prati D, Haschka D, Jimenez D, Pestana D, Toapanta D, Muniz-Diaz E, Azzolini E, Sandoval E, Binatti E, Scarpini E, Helbig ET, et al. (2022) Detailed stratified GWAS analysis for severe COVID-19 in four European populations. *Hum Mol Genet* 31: 3945-3966. doi: 10.1093/hmg/ddac158
- Fricke-Galindo I, Martinez-Morales A, Chavez-Galan L, Ocana-Guzman R, Buendia-Roldan I, Perez-Rubio G, Hernandez-Zenteno RJ, Veronica-Aguilar A, Alarcon-Dionet A, Aguilar-Duran H, Gutierrez-Perez IA, Zaragoza-Garcia O, Alanis-Ponce J, Camarena A, Bautista-Becerril B, Nava-Quiroz KJ, Mejia M, Guzman-Guzman IP, Falfan-Valencia R (2022) IFNAR2 relevance in the clinical outcome of individuals with severe COVID-19. *Front Immunol* 13: 949413. doi: 10.3389/fimmu.2022.949413
- Gaziano L, Giambartolomei C, Pereira AC, Gaulton A, Posner DC, Swanson SA, Ho YL, Iyengar SK, Kosik NM, Vujkovic M, Gagnon DR, Bento AP, Barrio-Hernandez I, Ronnblom L, Hagberg N, Lundtoft C, Langenberg C, Pietzner M, Valentine D, Gustincich S, Tartaglia GG, Allara E, Surendran P, Burgess S, Zhao JH, Peters JE, Prins BP, Angelantonio ED, Devineni P, Shi Y, Lynch KE, DuVall SL, Garcon H, Thomann LO, Zhou JJ, Gorman BR, Huffman JE, O'Donnell CJ, Tsao PS, Beckham JC, Pyarajan S, Muralidhar S, Huang GD, Ramoni R, Beltrao P, Danesh J, Hung AM, Chang KM, Sun YV, Joseph J, Leach AR, Edwards TL, Cho K, Gaziano JM, Butterworth AS, Casas JP, Initiative VAMVPC-S (2021) Actionable druggable genome-wide Mendelian randomization identifies repurposing opportunities for COVID-19. *Nat Med* 27: 668-676. doi: 10.1038/s41591-021-01310-z
- Hernandez Cordero AI, Li X, Milne S, Yang CX, Bosse Y, Joubert P, Timens W, van den Berge M, Nickle D, Hao K, Sin DD (2021) Multi-omics highlights ABO plasma protein as a causal risk factor for COVID-19. *Hum Genet* 140: 969-979. doi: 10.1007/s00439-021-02264-5
- Kousathanas A, Pairo-Castineira E, Rawlik K, Stuckey A, Odhams CA, Walker S, Russell CD, Malinauskas T, Wu Y, Millar J, Shen X, Elliott KS, Griffiths F, Oosthuizen W, Morrice K, Keating S, Wang B, Rhodes D, Klaric L, Zechner M, Parkinson N, Siddiq A, Goddard P, Donovan S, Maslove D, Nichol A, Semple MG, Zainy T, Maleady-Crowe F, Todd L, Salehi S, Knight J, Elgar G, Chan G, Arumugam P, Patch C, Rendon A, Bentley D, Kingsley C, Kosmicki JA, Horowitz JE, Baras A, Abecasis GR, Ferreira MAR, Justice A, Mirshahi T, Oetjens M, Rader DJ, Ritchie MD, Verma A, Fowler TA, Shankar-Hari M, Summers C, Hinds C, Horby P, Ling L, McAuley D, Montgomery H, Openshaw PJM, Elliott P, Walsh T, Tenesa A, Gen Oi, andMe i, Initiative C-HG, Fawkes A, Murphy L, Rowan K, Ponting CP, Vitart V, Wilson JF, Yang J, Bretherick AD, Scott RH, Hendry SC, Moutsianas L, Law A, Caulfield MJ, Baillie JK (2022) Whole-genome sequencing reveals host factors underlying critical COVID-19. *Nature* 607: 97-103. doi: 10.1038/s41586-022-04576-6
- Krishnamoorthy S, Li GH, Cheung CL (2023) Transcriptome-wide summary data-based Mendelian randomization analysis reveals 38 novel genes associated with severe COVID-19. *J Med Virol* 95: e28162. doi: 10.1002/jmv.28162
- Li P, Ke Y, Shen W, Shi S, Wang Y, Lin K, Guo X, Wang C, Zhang Y, Zhao Z (2022) Targeted screening of genetic associations with COVID-19 susceptibility and severity. *Front Genet* 13: 1073880. doi: 10.3389/fgene.2022.1073880
- Liu D, Yang J, Feng B, Lu W, Zhao C, Li L (2021) Mendelian randomization analysis identified genes pleiotropically associated with the risk and prognosis of COVID-19. *J Infect* 82: 126-132. doi: 10.1016/j.jinf.2020.11.031
- Nakanishi T, Farjoun Y, Willett J, Allen RJ, Guillen-Guio B, Zhou S, Richards JB (2022) Alternative splicing in the lung influences COVID-19 severity and respiratory diseases. *medRxiv*. doi: 10.1101/2022.10.18.22281202

- Pairo-Castineira E, Clohisey S, Klaric L, Bretherick AD, Rawlik K, Pasko D, Walker S, Parkinson N, Fourman MH, Russell CD, Furniss J, Richmond A, Gountouna E, Wrobel N, Harrison D, Wang B, Wu Y, Meynert A, Griffiths F, Oosthuyzen W, Kousathanas A, Moutsianas L, Yang Z, Zhai R, Zheng C, Grimes G, Beale R, Millar J, Shih B, Keating S, Zechner M, Haley C, Porteous DJ, Hayward C, Yang J, Knight J, Summers C, Shankar-Hari M, Klenerman P, Turtle L, Ho A, Moore SC, Hinds C, Horby P, Nichol A, Maslove D, Ling L, McAuley D, Montgomery H, Walsh T, Pereira AC, Renieri A, Gen OI, Investigators IC, Initiative C-HG, andMe I, Investigators B, Gen CI, Shen X, Ponting CP, Fawkes A, Tenesa A, Caulfield M, Scott R, Rowan K, Murphy L, Openshaw PJM, Semple MG, Law A, Vitart V, Wilson JF, Baillie JK (2021) Genetic mechanisms of critical illness in COVID-19. *Nature* 591: 92-98. doi: 10.1038/s41586-020-03065-y
- Pairo-Castineira E, Rawlik K, Klaric L, Kousathanas A, Richmond A, Millar J, Russell CD, Malinauskas T, Thwaites R, Stuckey A, Odhams CA, Walker S, Griffiths F, Oosthuyzen W, Morrice K, Keating S, Nichol A, Semple MG, Knight J, Shankar-Hari M, Summers C, Hinds C, Horby P, Ling L, McAuley D, Montgomery H, Openshaw PJM, Walsh T, Tenesa A, Scott RH, Caulfield MJ, Moutsianas L, Ponting CP, Wilson JF, Vitart V, Pereira AC, Luchessi A, Parra E, Cruz-Guerrero R, Carracedo A, Fawkes A, Murphy L, Rowan K, Law A, Hendry SC, Baillie JK (2022) GWAS and meta-analysis identifies multiple new genetic mechanisms underlying severe Covid-19. *medRxiv*. doi: 10.1101/2022.03.07.22271833
- Pietzner M, Chua RL, Wheeler E, Jechow K, Willett JDS, Radbruch H, Trump S, Heidecker B, Zeberg H, Heppner FL, Eils R, Mall MA, Richards JB, Sander LE, Lehmann I, Lukassen S, Wareham NJ, Conrad C, Langenberg C (2022) ELF5 is a potential respiratory epithelial cell-specific risk gene for severe COVID-19. *Nat Commun* 13: 4484. doi: 10.1038/s41467-022-31999-6
- Severe Covid GG, Ellinghaus D, Degenhardt F, Bujanda L, Buti M, Albillos A, Invernizzi P, Fernandez J, Prati D, Baselli G, Asselta R, Grimsrud MM, Milani C, Aziz F, Kassens J, May S, Wendorff M, Wienbrandt L, Uellendahl-Werth F, Zheng T, Yi X, de Pablo R, Chercoles AG, Palom A, Garcia-Fernandez AE, Rodriguez-Frias F, Zanella A, Bandera A, Protti A, Aghemo A, Lleo A, Biondi A, Caballero-Garralda A, Gori A, Tanck A, Carreras Nolla A, Latiano A, Fracanzani AL, Peschuck A, Julia A, Pesenti A, Voza A, Jimenez D, Mateos B, Nafria Jimenez B, Quereda C, Paccapelo C, Gassner C, Angelini C, Cea C, Solier A, Pestana D, Muniz-Diaz E, Sandoval E, Paraboschi EM, Navas E, Garcia Sanchez F, Ceriotti F, Martinelli-Boneschi F, Peyvandi F, Blasi F, Tellez L, Blanco-Grau A, Hemmrich-Stanisak G, Grasselli G, Costantino G, Cardamone G, Foti G, Aneli S, Kurihara H, ElAbd H, My I, Galvan-Femenia I, Martin J, Erdmann J, Ferrusquia-Acosta J, Garcia-Etxebarria K, Izquierdo-Sanchez L, Bettini LR, Sumoy L, Terranova L, Moreira L, Santoro L, Scudeller L, Mesonero F, Roade L, Ruhlemann MC, Schaefer M, Carrabba M, Riveiro-Barciela M, Figuera Basso ME, Valsecchi MG, Hernandez-Tejero M, Acosta-Herrera M, D'Angio M, Baldini M, Cazzaniga M, Schulzky M, Cecconi M, Wittig M, et al. (2020) Genomewide Association Study of Severe Covid-19 with Respiratory Failure. *N Engl J Med* 383: 1522-1534. doi: 10.1056/NEJMoa2020283
- Sharif-Zak M, Abbasi-Jorjandi M, Asadikaram G, Ghoreshi ZA, Rezazadeh-Jabalbarzi M, Afsharipur A, Rashidinejad H, Khajepour F, Jafarzadeh A, Arefinia N, Kheyrkhah A, Abolhassani M (2022) CCR2 and DPP9 expression in the peripheral blood of COVID-19 patients: Influences of the disease severity and gender. *Immunobiology* 227: 152184. doi: 10.1016/j.imbio.2022.152184
- Wang Y, Guga S, Wu K, Khaw Z, Tzoumkas K, Tombleson P, Comeau ME, Langefeld CD, Cunningham Graham DS, Morris DL, Vyse TJ (2022) COVID-19 and systemic lupus erythematosus genetics: A balance between autoimmune disease risk and protection against infection. *PLoS Genet* 18: e1010253. doi: 10.1371/journal.pgen.1010253
- Wu L, Zhu J, Liu D, Sun Y, Wu C (2021) An integrative multiomics analysis identifies putative causal genes for COVID-19 severity. *Genet Med* 23: 2076-2086. doi: 10.1038/s41436-021-01243-5
- Zhou S, Butler-Laporte G, Nakanishi T, Morrison DR, Afilalo J, Afilalo M, Laurent L, Pietzner M, Kerrison N, Zhao K, Brunet-Ratnasingham E, Henry D, Kimchi N, Afrasiabi Z, Rezk N, Bouab M, Petitjean L, Guzman C, Xue X, Tselios C, Vulesevic B, Adeleye O, Abdullah T, Almamlouk N, Chen Y, Chasse M, Durand M, Paterson C, Normark J, Frithiof R, Lipcsey M, Hultstrom M, Greenwood CMT, Zeberg H, Langenberg C, Thysell E, Pollak M, Mooser V, Forgetta V, Kaufmann DE, Richards JB (2021) A Neanderthal OAS1 isoform protects individuals of European ancestry against COVID-19 susceptibility and severity. *Nat Med* 27: 659-667. doi: 10.1038/s41591-021-01281-1