

Table S3. Articles excluded in the full reading phase with their respective justifications

Article title: Clinicopathological analysis of actinic cheilitis: A systematic review with meta-analyses

Journal: Head and Neck Pathology

Authors: Mailon Cury Carneiro¹, Milenka Gabriela Quenta Huayhua¹, Mariela Peralta Mamani¹, Heitor Marques Honório², Paulo Sérgio da Silva Santos¹, Izabel Regina Fischer Rubira-Bullen¹, Cássia Maria Fischer Rubira¹

Institution: ¹Department of Surgery, Stomatology, Pathology, and Radiology, Bauru School of Dentistry, University of São Paulo. Alameda Octávio Pinheiro Brisolla, 9-75, Bauru, SP, 17012-901, Brazil; ²Department of Pediatric Dentistry, Orthodontics, and Collective Health, Bauru School of Dentistry, University of São Paulo. Alameda Octávio Pinheiro Brisolla, 9-75, Bauru, SP, 17012-901, Brazil.

Corresponding author: Cássia Maria Fischer Rubira. Department of Surgery, Stomatology, Pathology, and Radiology, Bauru School of Dentistry - University of São Paulo, Bauru - São Paulo, Brazil. Alameda Octávio Pinheiro Brisola, 9-75, Vila Universitária ZIP CODE: 17012-901 Bauru-SP / Brazil. Telephone: +55 14 32358254; Fax: +55 14 32358258. E-mail: rubira@fob.usp.br.

Table S3. Articles excluded in the full reading phase with their respective justifications

Justification	Excluded studies
General information about other diseases	Ochsenius et al., 2003; Kornevs et al., 2005; Bezerra et al., 2011; Curra et al., 2016; Rampi et al., 2019; Pires et al., 2020; Torabi et al., 2021.
The studies do not bring clinical and microscopic features	Araújo et al., 2007; Nico et al., 2007; Lemos et al., 2009; Araújo et al., 2012; Lucena et al., 2012; Pilati, 2012; Arnaud et al., 2014; Câmara et al., 2016; Sarmento et al., 2016; Rojas et al., 2017; Pilati et al., 2017; Gonzaga et al., 2020; Silva et al., 2006; Bertini et al., 2010; Miranda et al., 2012; Cintra et al., 2013; Orozco et al., 2013; Miranda et al., 2014; Ribeiro et al., 2014; Queiroz, 2016; Barreto, 2017; Poitevin et al., 2017; dos Santos et al., 2018; Rodríguez-Blanco et al., 2019; Moreira et al., 2020.
The studies do not bring specific and descriptive characteristics of the sample	Torres et al., 2001; Vieira, 2010; Piñera-Marques et al., 2010; Sarmento et al., 2014; Boldes et al., 2016; Cosci et al., 2016; Nogueira et al., 2016; Ríos et al., 2017; Rodríguez-Blanco et al., 2018; Silva et al., 2020; Melo et al., 2021.
Studies on other types of cheilitis	Ito et al., 2014; Lugovic-Mihic et al., 2018; Lugovic-Mihic et al., 2020.
Case series studies	Kaugars et al., 1999.
Literature review studies	Savage et al., 2010; Vieira et al., 2012; Osorio et al., 2016; Bravo-Calderón et al., 2021.
Only published abstracts of conferences	Navarro & Bufalino, 2007; Armenores et al., 2009; Spyridonos et al., 2013; Choi & Chan, 2014; Navarro et al., 2015; Fernandes et al., 2016; Minicucci et al., 2016; Dirschnabel et al., 2020; Gonçalves et al., 2020; Rocha et al., 2020.
Articles without full access	Nicolini et al., 1989; Main & Pavone, 1994; Vega & Dominguez, 1996; Pires et al., 2001; Nico, 2004; Urberuaga et al., 2012.

Table S3. Articles excluded in the full reading phase with their respective justifications

- Ochsenius G, Ormeño A, Godoy L, Rojas R. Estudio retrospectivo de 232 casos de cáncer y precáncer de labio en pacientes chilenos. Correlación clínico-histológica. Rev Med Chil. 2003;131(1):60–6.
- Kornevs E, Skagers A, Tars J, Bigestans A, Lauskis G, Libermanis O. 5 year experience with lower lip cancer. Stomatologija. 2005;7(3):95–8.
- Bezerra SM, Orii NM, Duarte AJ, Sotto MN, Alves C. Efeitos da radiação solar crônica prolongada sobre o sistema imunológico de pescadores profissionais em Recife (PE), Brasil. An Bras Dermatol. 2011;86(2):222–3.
- Curra M, Salvadori G, Junges R, Hugo FN, Martins MD. Accuracy of clinical diagnosis for the identification of potentially malignant disorders and malignant lip lesions. Braz Oral Res. 2016;30(1):e135.
- Rampi PT, Gambin DJ, Leal LO, Hauck KE, Silva AH, Linden MS, et al. Profile of patients with white lesions of the oral mucosa treated at a Dental School in Southern Brazil. J Clin Diagn Res [Internet]. 2019;13(11):ZC05–9. Available from: <https://www.embase.com/search/results?subaction=viewrecord&id=L2004581365&from=export>
- Pires FR, Barreto ME, Nunes JG, Carneiro NS, Azevedo AB, Dos Santos TC. Oral potentially malignant disorders: clinical-pathological study of 684 cases diagnosed in a Brazilian population. Med Oral Patol Oral Cir Bucal. 2019/12/28. 2020;25(1):e84–8.
- Torabi M, Afshar MK, Afshar HM, Mohammahzadeh I. Correlation between clinical and histopathologic diagnosis of oral potentially malignant disorder and oral squamous cell carcinoma. Pesqui Bras Odontopediatria Clín Integr. 2021;21:e0143.
- Araújo CP, Barros AC, Lima AA, Azevedo RA, Ramalho L, Santos JN. Estudo histológico e histoquímico da elastose solar em lesões de queilite actínica. R Ci méd biol. 2007;6(2):152–9.
- Nico MM, Rivitti EA, Lourenço SV. Actinic cheilitis: histologic study of the entire vermillion and comparison with previous biopsy. J Cutan Pathol. 2007/03/27. 2007;34:309–14.
- Lemos MA, Maciel TA, Matos FR, Amorim AG, Galvão HC. Actinic Cheilitis : Clinical-Pathological Study of 46 Cases. Ciênc Biol Saúde. 2009;11(3):9–12.

Table S3. Articles excluded in the full reading phase with their respective justifications

- Araújo CP, Vidal MT, Gurgel CA, Ramos EA, Barbosa Junior A de A, Ramalho LM, et al. Queilite actínica: um estudo de 35 casos com destaque para os aspectos morfológicos. Rev Pós Gr [Internet]. 2012;19(1):21–7. Available from: <http://www.arca.fiocruz.br/bitstream/>
- Lucena EE, Costa DC, da Silveira EJ, Lima KC. Prevalence and factors associated to actinic cheilitis in beach workers. Oral Dis. 2012/02/18. 2012;18(6):575–9.
- Pilati SF. Estudo de características clínicas e histopatológicas da queilite actínica e carcinoma epidermóide de lábio. 2012.
- Arnaud RR, Soares MS, Paiva MA, Figueiredo CR, Santos MG, Lira CC. Queilite actínica: avaliação histopatológica de 44 casos. Rev Odontol UNESP. 2014;43(6):384–9.
- Câmara PR, Dutra SN, Takahama Júnior A, Fontes K, Azevedo RS. A comparative study using WHO and binary oral epithelial dysplasia grading systems in actinic cheilitis. Oral Dis. 2016/03/31. 2016;22(6):523–9.
- Sarmento DJ, Godoy GP, Miguel MC, Silveira ÉJ. Link between immunoexpression of hMLH1 and hMSH2 proteins and clinical-epidemiological aspects of actinic cheilitis. An Bras Dermatol. 2016/09/01. 2016;91(4):463–7
- Rojas IG, Spencer ML, Zapata PA, Martínez A, Alarcón R, Marchesani FJ, et al. CD8+ and FoxP3+ T-cell infiltration in actinic cheilitis. Int J Dermatol. 2017;56(1):54–62.
- Pilati SF, Bianco BC, Vieira DS, Modolo F. Histopathologic features in actinic cheilitis by the comparison of grading dysplasia systems. Oral Dis. 2017;23(2):219–24.
- Gonzaga AK, Mafra RP, da Silva LP, Freitas R de A, de Souza LB, Pinto LP. Actinic cheilitis: Morphometric parameters and its relationship with the degree of epithelial dysplasia. Acta Histochem [Internet]. 2020;122(1):151452. Available from: <https://doi.org/10.1016/j.acthis.2019.151452>
- Silva FD, Daniel FI, Grando LJ, Calvo MC, Rath IB, Fabro SM. Estudo da prevalência de alterações labiais em pescadores da ilha de Santa Catarina. Rev Odont Ciênc – Fac Odonto/PUCRS. 2006;21(51):37–42.
- Bertini F, Sgarbi FC, Brandão AA, Cavalcante AS. Análisis del perfil clínico del paciente portador de queilitis actínica: importancia para el diagnóstico. Acta Odontológica Venez. 2010;48(3):1–7.

Table S3. Articles excluded in the full reading phase with their respective justifications

- Miranda AM, Soares LG, Ferrari TM, Silva DG, Falabella ME, Tinoco EM. Prevalence of actinic cheilitis in a population of agricultural sugarcane workers. *Acta Odontol Latinoam* [Internet]. 2012;25(2):201–6. Available from: <https://www.embase.com/search/results?subaction=viewrecord&id=L366373476&from=export>
- Cintra JS, Torres SC, Silva MB, Manhães Júnior LR, Silva Filho JP, Junqueira JL. Queilite Actínica: Estudo epidemiológico entre trabalhadores rurais do município de Piracaia - SP. *Rev Assoc Paul Cir Dent* [Internet]. 2013;67(2):118–21. Available from: <http://revodontobvsalud.org/pdf/apcd/v67n2/a06v67n2.pdf>
- Orozco P, Vásquez S, Venegas B, Rivera C. Prevalence of actinic cheilitis in Chilean workers exposed to ultraviolet radiation. *Rev Clin Periodoncia Implant Rehabil* [Internet]. 2013;6(3):127–9. Available from: http://www.scielo.cl/scielo.php?script=sci_arttext&
- Miranda AM, Ferrari T de M, Leite TC, Cunha KS, Dias EP. Actinic Cheilitis: Clinical Characteristics Observed in 75 Patients and a Summary of the Literature of This Often Neglected Premalignant Disorder. *Int J Clin Med*. 2014;05:1337–44.
- Ribeiro A de O, da Silva LC, Martins-Filho PR. Prevalence of and risk factors for actinic cheilitis in Brazilian fishermen and women. *Int J Dermatol* [Internet]. 2014;53(11):1370–6. Available from: <https://www.embase.com/search/results?subaction=viewrecord&id=L53244299&from=export>
- Queiroz LR. Queilite actínica em trabalhadores da construção civil do município de Feira de Santana, Bahia. 2016.
- Barreto AC. The clinical prevalence of actinic cheilitis among community health agents from the regional V subprefecture of Fortaleza. *Rev Gaucha Odontol*. 2017;65(2):128–33.
- Poitevin NA, Rodrigues MS, Weigert KL, Macedo CLR, dos Santos RB. Actinic cheilitis: proposition and reproducibility of a clinical criterion. *BDJ Open* [Internet]. 2017;3:17016. Available from: <http://dx.doi.org/10.1038/bdjopen.2017.16>
- dos Santos RF, de Oliveira RL, Gallottini M, Caliento R, Sarmento DJ. Prevalence of and factors associated with actinic cheilitis in extractive mining workers. *Braz Dent J*. 2018;29(2):214–21.

Table S3. Articles excluded in the full reading phase with their respective justifications

- Rodríguez-Blanco I, Flórez Á, Paredes-Suárez C, Rodríguez-Lojo R, González-Vilas D, Ramírez-Santos A, et al. Actinic Cheilitis: Analysis of Clinical Subtypes, Risk Factors and Associated Signs of Actinic Damage. *Acta Derm Venereol.* 2019/06/15. 2019;99(10):931–2.
- Moreira P, Assaf AV, Cortellazzi KL, Takahama Junior A, Azevedo RS. Social and behavioural associated factors of actinic cheilitis in rural workers. *Oral Dis.* 2020;00:1–8
- Torres ME, González XG, Rodríguez AF, Gutiérrez EL, Portierra MA. Behavior of actinic cheilitis in 30 patients. *Rev Ciencias Médicas Pinar del Río [Internet].* 2001;5(2):1–7. Available from: http://scielo.sld.cu/scielo.php?script=sci_arttext&pid=S1561-31942014000200020
- Vieira RA. Expressão de apoptose e óxido nítrico sintase induativa em queilites actínicas e carcinomas espinocelulares do lábio inferior: correlação clínica, histológica e imunoistoquímica. 2010.
- Piñera-Marques K, Lorenço SV, da Silva LF, Sotto MN, Carneiro PC. Actinic lesions in fishermen's lower lip: Clinical, cytopathological and histopathologic analysis. *Clinics.* 2010;65(4):363–7.
- Sarmento DJ, Miguel MC, Queiroz LM, Godoy GP, Silveira ÉJ. Actinic cheilitis: clinicopathologic profile and association with degree of dysplasia. *Int J Dermatol.* 2014;53:466–72.
- Boldes IP, Azevedo AB, Penoni DC, Andrade MA. Actinic cheilitis : retrospective analysis of 29 of Odontoclínica Central da Marinha. *Rev Nav Odontol.* 2016;43(1):3–7.
- Cosci A, Takahama A, Correr WR, Azevedo RS, Fontes KB, Kurachi C. Automated algorithm for actinic cheilitis diagnosis by wide-field fluorescence imaging. *J Med Imaging.* 2016;3(4):044004.
- Nogueira MS, Cosci A, Pratavieira S, Takahama Júnior A, Azevedo RS, Kurachi C. Evaluation of actinic cheilitis using fluorescence lifetime spectroscopy. In: Alfano RR, Demos SG, editors. *Proc SPIE Int Soc Opt Eng.* 2016. (Proceedings of SPIE; vol. 9703).
- Ríos P, Maldonado C, Norambuena P, Donoso M. Prevalencia de Queilitis Actínica en Pescadores Artesanales, Valdivia, Chile. *Int J Odontostomat.* 2017;11(2):192–7.
- Rodríguez-Blanco I, Flórez Á, Paredes-Suárez C, Rodríguez-Lojo R, González-Vilas D,

Table S3. Articles excluded in the full reading phase with their respective justifications

- Ramírez-Santos A, et al. Actinic cheilitis prevalence and risk factors: A cross-sectional, multicentre study in a population aged 45 years and over in north-west Spain. *Acta Derm Venereol.* 2018;98(10):970–4.
- Silva LV, de Arruda JA, Abreu LG, Ferreira RC, da Silva LP, Pelissari C, et al. Demographic and clinicopathologic features of actinic cheilitis and lip squamous cell carcinoma: a brazilian multicentre study. *Head Neck Pathol.* 2020/02/23. 2020;14:899–908.
- Melo IG, Vaz FF, da Silva Sobrinho AR, Oliveira NG, Carvalho M de V, Duarte Filho ES, et al. Prevalence of actinic cheilitis in Brazilian semi-arid region farmers. *Rev Cuba Estomatol.* 2021;58(3):e3354.
- Ito T, Natsuga K, Tanimura S, Aoyagi S, Shimizu H. Dermoscopic features of plasma cell cheilitis and actinic cheilitis. *Acta Derm Venereol.* 2014/01/30. 2014;94(5):593–4.
- Lugovic-Mihic L, Pilipovic K, Crnaric I, Situm M, Duvancic T. Differential Diagnosis of Cheilitis - How to Classify Cheilitis? *Acta Clin Croat.* 2018/11/16. 2018;57(2):342–51.
- Lugovic-Mihic L, Blagec T, Japundzic I, Skroza N, Adzajic MD, Mravak-Stipetic M. Diagnostic management of cheilitis: an approach based on a recent proposal for cheilitis classification. *Acta Dermatovenerol Alp Pannonica Adriat.* 2020;29(2):67–72.
- Kaugars GE, Pillion T, Svirsky JA, Page DG, Burns JC, Abbey LM. Actinic cheilitis - A review of 152 cases. *Oral Surg Oral Med Oral Pathol Oral Radiol Endod.* 1999;88(2):181–6.
- Savage NW, McKay C, Faulkner C. Actinic cheilitis in dental practice. *Aust Dent J.* 2010/06/25. 2010;55:78–84.
- Vieira RA, Minicucci EM, Marques MEA, Marques SA. Actinic cheilitis and squamous cell carcinoma of the lip: clinical, histopathological and immunogenetic aspects. *An Bras Dermatol.* 2012;87(1):105–14.
- Osorio CH, Palma BF, Cartes-Velásquez R. Queilitis actínica: Aspectos histológicos, clínicos y epidemiológicos. *Rev Cuba Estomatol.* 2016;53(2):45–55.
- Bravo-Calderón DM, Pinos-Gavilanes MP, Pinos-Gavilanes DE. Actinic Cheilitis: Clinical, Pathological and Therapeutic Considerations. *Int J Dent Oral Sci.* 2021;08(04):2319–24.

Table S3. Articles excluded in the full reading phase with their respective justifications

- Navarro CM, Bufalino A. The impact of a Brazilian oral cancer prevention programme on the diagnosis of actinic cheilitis. 2007. p. 159.
- Armenores P, James CL, Huilgol SC. Relationships between the clinical presentation, treatment success and histopathological features of actinic cheilitis. Australas J Dermatol. 2009;50(1):A29.
- Spiridonos P, Gaitanis G, Tzaphlidou M, Bassukas I. Automated evaluation of actinic cheilitis severity by measurement of lip border irregularity. J Investig Dermatol. 2013;133:S185.
- Choi E-Y, Chan M. Actinic Cheilitis Versus Inflammatory Dermatoses of the Lip: Clinicopathologic Review of 93 Lip Biopsies with Significant Inflammation. 2014. p. 132A.
- Navarro CM, Valente VB, Massucato EMS, Onofre MA, Filho VA, Andrade CR. Actinic Cheilitis: clinopathologic correlation for suspicion of malignancy. 2015.
- Fernandes LG, Motta AF, Torrezani A, Fréo B, Santos VA, Sugaya N. Actinic cheilitis in a cohort of rural workers in Brazil. Oral Dis. 2016;22(2):33.
- Minicucci E, Campos E, Almeida J. Vermilionectomy and clinicopathologic profile in Actinic Cheilitis 102 cases. 2016.
- Dirschnabel AJ, Einsfeld V, Motterle C, Da Silva AC, De Dea BE, Ramos GD, et al. Demographic characteristics of patients with actinic cheilitis in labial mucosa diagnosed in 2 oncologic care centers. Oral Surg Oral Med Oral Pathol Oral Radiol. 2020;129(1):e179.
- Gonçalves IM, Barnabé LÉ, Galvão IC, Batista AL, Nonaka CF, Alves PM. Clinicopathologic profile of 60 cases of actinic cheilitis. Oral Surg Oral Med Oral Pathol Oral Radiol. 2020;129(1):e166.
- Rocha AF, Lança ML, Mioto LN, Ferrisse TM, Onofre MA, Andrade CR, et al. The importance of clinical-pathologic monitoring in the evolution of leucoplastic areas in actinic cheilitis. Oral Surg Oral Med Oral Pathol Oral Radiol. 2020. p. e64.
- Nicolini S, Ascorra C, Guzman C, Latife AV. Queilitis actinica en pescadores artesanales de la Quinta region: prevalencia y aspectos histopathologicos asociados [Actinic cheilitis in Quinta fishing workers: prevalence and associated histopathological aspects]. Odontol

Table S3. Articles excluded in the full reading phase with their respective justifications

Chil. 1989 Apr;37(1):169-74. Spanish. PMID: 2641953.

Main JH, Pavone M. Actinic cheilitis and carcinoma of the lip. J Can Dent Assoc. 1994 Feb;60(2):113-6. PMID: 8111655.

Vega ME, Dominguez JC. Queilitis actinica: Estudio retrospectivo en 15 pacientes. Dermatología (México, D.F.). 1996;40(1):27-30.

Pires FR, Bueno RH, Alves FA, de Almeida OP. Queilitate actínica: aspectos clínicos e preventivos / Actinic cheilitis: clinical and preventive aspects. Rev Assoc Paul Cir Dent. 2001;55(3):200-3

Nico M. Queilitate actínica: estudo comparativo entre os achados histopatológicos da biópsia e dos cortes seriados provenientes da vermelhonectomia: estudo de 20 casos / Actinic cheilitis: comparision of microscopic findings on biopsy and on sections of vermillionectomy: a 20 cases study. 2004.

Urberuaga ME, Martín CS, De los Ríos JM. Queilitis actinica. Cient. dent. (Ed. impr.). 2012;9(1): 61-2.