nature portfolio

	Janer Sorreils
Corresponding author(s):	Stephen A. Boppart

Last updated by author(s): 8/24/2023

Reporting Summary

Nature Portfolio wishes to improve the reproducibility of the work that we publish. This form provides structure for consistency and transparency in reporting. For further information on Nature Portfolio policies, see our Editorial Policies and the Editorial Policy Checklist.

5	ta	Ţ١	IS	ŢΙ	CS

For	all statistical analyses, confirm that the following items are present in the figure legend, table legend, main text, or Methods section.
n/a	Confirmed
	The exact sample size (n) for each experimental group/condition, given as a discrete number and unit of measurement
	A statement on whether measurements were taken from distinct samples or whether the same sample was measured repeatedly
	The statistical test(s) used AND whether they are one- or two-sided Only common tests should be described solely by name; describe more complex techniques in the Methods section.
	A description of all covariates tested
	A description of any assumptions or corrections, such as tests of normality and adjustment for multiple comparisons
	A full description of the statistical parameters including central tendency (e.g. means) or other basic estimates (e.g. regression coefficient AND variation (e.g. standard deviation) or associated estimates of uncertainty (e.g. confidence intervals)
	For null hypothesis testing, the test statistic (e.g. <i>F</i> , <i>t</i> , <i>r</i>) with confidence intervals, effect sizes, degrees of freedom and <i>P</i> value noted <i>Give P values as exact values whenever suitable.</i>
X	For Bayesian analysis, information on the choice of priors and Markov chain Monte Carlo settings
X	For hierarchical and complex designs, identification of the appropriate level for tests and full reporting of outcomes
X	Estimates of effect sizes (e.g. Cohen's <i>d</i> , Pearson's <i>r</i>), indicating how they were calculated
	Our web collection on <u>statistics for biologists</u> contains articles on many of the points above.
So	ftware and code

Policy information about <u>availability of computer code</u>

Data collection

Labview 2019 was used for data collection.

Data analysis

Custom Matlab code was used to analyze the data, and will be made publicly available upon publication via Open Source Network.

For manuscripts utilizing custom algorithms or software that are central to the research but not yet described in published literature, software must be made available to editors and reviewers. We strongly encourage code deposition in a community repository (e.g. GitHub). See the Nature Portfolio guidelines for submitting code & software for further information.

Data

Policy information about availability of data

All manuscripts must include a data availability statement. This statement should provide the following information, where applicable:

- Accession codes, unique identifiers, or web links for publicly available datasets
- A description of any restrictions on data availability
- For clinical datasets or third party data, please ensure that the statement adheres to our policy

The data and codes to perform the analyses are publicly available via Open Science Framework (OSF) and are freely available to view and download: https://osf.io/ gfmzk/?view_only=2d993bca1a5c49c8972d6706ee2895b5 (51).

Policy information abo	ving human participants, their data, or biological material
	ut studies with <u>human participants or human data</u> . See also policy information about <u>sex, gender (identity/presentation),</u> and <u>race, ethnicity and racism</u> .
Reporting on sex and	gender NA
Reporting on race, et other socially relevar groupings	
Population character	ristics NA
Recruitment	Patients provided informed consent for their tumor tissue to be used for the IRB-approved protocols. The tissue samples were collected during surgery from pathologically confirmed pancreatic tumors.
Ethics oversight	All ethical regulations relevant to human research participants were followed. The collection of human tissue to create and confirm the PDX models was reviewed and approved by the Mayo Clinic Institutional Review Board (IRB) and the Institutional Animal Care and Use Committee (IACUC).
Note that full information	on the approval of the study protocol must also be provided in the manuscript.
Field-spec	ific reporting
-	below that is the best fit for your research. If you are not sure, read the appropriate sections before making your selection.
Life sciences	Behavioural & social sciences Ecological, evolutionary & environmental sciences
For a reference copy of the d	ocument with all sections, see <u>nature.com/documents/nr-reporting-summary-flat.pdf</u>
Life scienc	es study design
	es study design se on these points even when the disclosure is negative.
All studies must disclos	. •
All studies must disclos Sample size Sa	se on these points even when the disclosure is negative.
All studies must disclos Sample size Data exclusions So	mple size was chosen in order to carry out a small-scale feasibility study, based on tumor xenograft and mouse availability.
All studies must disclos Sample size Data exclusions Replication Du	mple size was chosen in order to carry out a small-scale feasibility study, based on tumor xenograft and mouse availability. me mice were excluded from the study due to premature death.
All studies must disclose Sample size Data exclusions Replication Randomization All	mple size was chosen in order to carry out a small-scale feasibility study, based on tumor xenograft and mouse availability. me mice were excluded from the study due to premature death. e to limitations on budget and xenograft availability, results were not replicated.
All studies must disclose Sample size Data exclusions Replication Randomization All	mple size was chosen in order to carry out a small-scale feasibility study, based on tumor xenograft and mouse availability. me mice were excluded from the study due to premature death. the to limitations on budget and xenograft availability, results were not replicated. ocation was random.
All studies must disclose Sample size Data exclusions Replication Randomization Blinding Inv	se on these points even when the disclosure is negative. Imple size was chosen in order to carry out a small-scale feasibility study, based on tumor xenograft and mouse availability. Imple size was chosen in order to carry out a small-scale feasibility study, based on tumor xenograft and mouse availability. Imple size was chosen in order to carry out a small-scale feasibility study, based on tumor xenograft and mouse availability. Imple size was chosen in order to carry out a small-scale feasibility study, based on tumor xenograft and mouse availability. Imple size was chosen in order to carry out a small-scale feasibility study, based on tumor xenograft and mouse availability. Imple size was chosen in order to carry out a small-scale feasibility study, based on tumor xenograft and mouse availability. Imple size was chosen in order to carry out a small-scale feasibility study, based on tumor xenograft and mouse availability. Imple size was chosen in order to carry out a small-scale feasibility study, based on tumor xenograft and mouse availability. Imple size was chosen in order to carry out a small-scale feasibility study, based on tumor xenograft and mouse availability. Imple size was chosen in order to carry out a small-scale feasibility study, based on tumor xenograft and mouse availability. Imple size was chosen in order to carry out a small-scale feasibility study, based on tumor xenograft and mouse availability. Imple size was chosen in order to carry out a small-scale feasibility study, based on tumor xenograft and mouse availability. Imple size was chosen in order to carry out a small-scale feasibility study, based on tumor xenograft and mouse availability. Imple size was chosen in order to carry out a small-scale feasibility study, based on tumor xenograft and mouse availability. Imple size was chosen in order to carry out a small-scale feasibility study, based on tumor xenograft and mouse availability. Imple size was chosen in order to carry out a small-scale feasibility study, based
All studies must disclose Sample size Sample size Sample size Data exclusions Some Replication Randomization All Blinding Inv	se on these points even when the disclosure is negative. Imple size was chosen in order to carry out a small-scale feasibility study, based on tumor xenograft and mouse availability. Imple size was chosen in order to carry out a small-scale feasibility study, based on tumor xenograft and mouse availability. Imple size was chosen in order to carry out a small-scale feasibility study, based on tumor xenograft and mouse availability. Imple size was chosen in order to carry out a small-scale feasibility study, based on tumor xenograft and mouse availability. Imple size was chosen in order to carry out a small-scale feasibility study, based on tumor xenograft and mouse availability. Imple size was chosen in order to carry out a small-scale feasibility study, based on tumor xenograft and mouse availability. Imple size was chosen in order to carry out a small-scale feasibility study, based on tumor xenograft and mouse availability. Imple size was chosen in order to carry out a small-scale feasibility study, based on tumor xenograft and mouse availability. Imple size was chosen in order to carry out a small-scale feasibility study, based on tumor xenograft and mouse availability. Imple size was chosen in order to carry out a small-scale feasibility study, based on tumor xenograft and mouse availability. Imple size was chosen in order to carry out a small-scale feasibility study, based on tumor xenograft and mouse availability. Imple size was chosen in order to carry out a small-scale feasibility study, based on tumor xenograft and mouse availability. Imple size was chosen in order to carry out a small-scale feasibility study, based on tumor xenograft and mouse availability. Imple size was chosen in order to carry out a small-scale feasibility study, based on tumor xenograft and mouse availability. Imple size was chosen in order to carry out a small-scale feasibility study, based on tumor xenograft and mouse availability. Imple size was chosen in order to carry out a small-scale feasibility study, based
All studies must disclose Sample size Sample size Sample size Data exclusions Some Replication Durandomization All Blinding Investment Separation Frequency Reporting	se on these points even when the disclosure is negative. Imple size was chosen in order to carry out a small-scale feasibility study, based on tumor xenograft and mouse availability. Imple size was chosen in order to carry out a small-scale feasibility study, based on tumor xenograft and mouse availability. Imple size was chosen in order to carry out a small-scale feasibility study, based on tumor xenograft and mouse availability. Imple size was chosen in order to carry out a small-scale feasibility study, based on tumor xenograft and mouse availability. Imple size was chosen in order to carry out a small-scale feasibility study, based on tumor xenograft and mouse availability. Imple size was chosen in order to carry out a small-scale feasibility study, based on tumor xenograft and mouse availability. Imple size was chosen in order to carry out a small-scale feasibility study, based on tumor xenograft and mouse availability. Imple size was chosen in order to carry out a small-scale feasibility study, based on tumor xenograft and mouse availability. Imple size was chosen in order to carry out a small-scale feasibility study, based on tumor xenograft and mouse availability. Imple size was chosen in order to carry out a small-scale feasibility study, based on tumor xenograft and mouse availability. Imple size was chosen in order to carry out a small-scale feasibility study, based on tumor xenograft and mouse availability. Imple size was chosen in order to carry out a small-scale feasibility study, based on tumor xenograft and mouse availability. Imple size was chosen in order to carry out a small-scale feasibility study, based on tumor xenograft and mouse availability. Imple size was chosen in order to carry out a small-scale feasibility study, based on tumor xenograft and mouse availability. Imple size was chosen in order to carry out a small-scale feasibility study, based on tumor xenograft and mouse availability. Imple size was chosen in order to carry out a small-scale feasibility study, based
All studies must disclose Sample size Sample size Data exclusions Some Replication Durandon Randomization All Blinding Inv. Reporting We require information for system or method listed in the system of the syste	se on these points even when the disclosure is negative. Imple size was chosen in order to carry out a small-scale feasibility study, based on tumor xenograft and mouse availability. Imple size was chosen in order to carry out a small-scale feasibility study, based on tumor xenograft and mouse availability. Imple size was chosen in order to carry out a small-scale feasibility study, based on tumor xenograft and mouse availability. Imple size was chosen in order to carry out a small-scale feasibility study, based on tumor xenograft and mouse availability. Imple size was chosen in order to carry out a small-scale feasibility study, based on tumor xenograft and mouse availability. Imple size was chosen in order to carry out a small-scale feasibility study, based on tumor xenograft and mouse availability. Imple size was chosen in order to carry out a small-scale feasibility study, based on tumor xenograft and mouse availability. Imple size was chosen in order to carry out a small-scale feasibility study, based on tumor xenograft and mouse availability. Imple size was chosen in order to carry out a small-scale feasibility study, based on tumor xenograft and mouse availability. Imple size was chosen in order to carry out a small-scale feasibility study, based on tumor xenograft and mouse availability. Imple size was chosen in order to carry out a small-scale feasibility study, based on tumor xenograft and mouse availability. Imple size was chosen in order to carry out a small blist, study, based on tumor xenograft and mouse availability. Imple size was chosen in order to carry out a small blist, study, based on tumor xenograft and mouse availability. Imple size was chosen in order to carry out a small blist, study, based on tumor xenograft and mouse availability. Imple size was chosen in order to carry out a small blist, study, based on tumor xenograft and mouse availability. Imple size was chosen in order to carry out a small blist, study, based on tumor xenograft and mouse availability. Imple size
All studies must disclose Sample size Sample size Sample size Data exclusions Some Replication Durandomization All Blinding Investment Separation Frequency Reporting	se on these points even when the disclosure is negative. Imple size was chosen in order to carry out a small-scale feasibility study, based on tumor xenograft and mouse availability. Imple size was chosen in order to carry out a small-scale feasibility study, based on tumor xenograft and mouse availability. Imple size was chosen in order to carry out a small-scale feasibility study, based on tumor xenograft and mouse availability. Imple size was chosen in order to carry out a small-scale feasibility study, based on tumor xenograft and mouse availability. Imple size was chosen in order to carry out a small-scale feasibility study, based on tumor xenograft and mouse availability. Imple size was chosen in order to carry out a small-scale feasibility study, based on tumor xenograft and mouse availability. Imple size was chosen in order to carry out a small-scale feasibility study, based on tumor xenograft and mouse availability. Imple size was chosen in order to carry out a small-scale feasibility study, based on tumor xenograft and mouse availability. Imple size was chosen in order to carry out a small-scale feasibility study, based on tumor xenograft and mouse availability. Imple size was chosen in order to carry out a small-scale feasibility study, based on tumor xenograft and mouse availability. Imple size was chosen in order to carry out a small-scale feasibility study, based on tumor xenograft and mouse availability. Imple size was chosen in order to carry out a small study and mouse availability. Imple size was chosen in order to carry out a small study and mouse availability. Imple size was chosen in order to carry out a small study. Imple size was chosen in order to carry out a small study. Imple size was chosen in order to carry out a small study. Imple size was chosen in order to carry out a small study. Imple size was chosen in order to carry out a small study. Imple size was chosen in order to carry out a small study. Imple size was chosen in order to carry out a small study. Imple
All studies must disclose Sample size Sample size Data exclusions Some Replication Durandon Randomization All Blinding Investment of the System or method listed in Materials & experiments of the Sample Sam	se on these points even when the disclosure is negative. Imple size was chosen in order to carry out a small-scale feasibility study, based on tumor xenograft and mouse availability. Imple size was chosen in order to carry out a small-scale feasibility study, based on tumor xenograft and mouse availability. Imple size was chosen in order to carry out a small-scale feasibility study, based on tumor xenograft and mouse availability. Imple size was chosen in order to carry out a small-scale feasibility study, based on tumor xenograft and mouse availability. Imple size was chosen in order to carry out a small-scale feasibility study, based on tumor xenograft and mouse availability. Imple size was chosen in order to carry out a small-scale feasibility study, based on tumor xenograft and mouse availability. Imple size was chosen in order to carry out a small-scale feasibility study, based on tumor xenograft and mouse availability. Imple size was chosen in order to carry out a small-scale feasibility study, based on tumor xenograft and mouse availability. Imple size was chosen in order to carry out a small-scale feasibility study, based on tumor xenograft and mouse availability. Imple size was chosen in order to carry out a small-scale feasibility study, based on tumor xenograft and mouse availability. Imple size was chosen in order to carry out a small-scale feasibility study, based on tumor xenograft and mouse availability. Imple size was chosen in order to carry out a small study and mouse availability. Imple size was chosen in order to carry out a small study and mouse availability. Imple size was chosen in order to carry out a small study. Imple size was chosen in order to carry out a small study. Imple size was chosen in order to carry out a small study. Imple size was chosen in order to carry out a small study. Imple size was chosen in order to carry out a small study. Imple size was chosen in order to carry out a small study. Imple size was chosen in order to carry out a small study. Imple
All studies must disclose Sample size Sample size Sample size Data exclusions Some Replication Durandomization All Blinding Invalidation Invalidation System or method listed in Materials & experiance Involved in the stage of t	se on these points even when the disclosure is negative. Imple size was chosen in order to carry out a small-scale feasibility study, based on tumor xenograft and mouse availability. Imple size was chosen in order to carry out a small-scale feasibility study, based on tumor xenograft and mouse availability. Imple size was chosen in order to carry out a small-scale feasibility study, based on tumor xenograft and mouse availability. Imple size was chosen in order to carry out a small-scale feasibility study, based on tumor xenograft and mouse availability. Imple size was chosen in order to carry out a small-scale feasibility study, based on tumor xenograft and mouse availability. Imple size was chosen in order to carry out a small-scale feasibility study, based on tumor xenograft and mouse availability. Imple size was chosen in order to carry out a small-scale feasibility study, based on tumor xenograft and mouse availability. Imple size was chosen in order to carry out a small-scale feasibility study, based on tumor xenograft and mouse availability. Imple size was chosen in order to carry out a small-scale feasibility study, based on tumor xenograft and mouse availability. Imple size was chosen in order to carry out a small-scale feasibility study, based on tumor xenograft and mouse availability. Imple size was chosen in order to carry out a small-scale feasibility study, based on tumor xenograft and mouse availability. Imple size was chosen in order to carry out a small scale feasibility study, based on tumor xenograft and mouse availability. Imple size was chosen in order to carry out a small scale feasibility study, based on tumor xenograft and mouse availability. Imple size was chosen for the study out a small scale feasibility study, based on tumor xenograft and mouse availability. Imple size was chosen for the study out a small scale feasibility study, based on tumor xenograft and mouse availability. Imple size was chosen for the small scale feasibility study, based on tumor xenograft and m

Clinical data
Dual use research of concern
Plants

Animals and other research organisms

Policy information about <u>studies involving animals</u>; <u>ARRIVE guidelines</u> recommended for reporting animal research, and <u>Sex and Gender in Research</u>

Laboratory animals	8-week-old female NOD SCID mice (NOD.CB17-Prkdcscid/NCrCrl. Strain code: 394. Charles River)
Wild animals	(NA
Reporting on sex	Only female mice were used in order to reduce variability.
Field-collected samples	NA NA
Trefa concecca samples	
Ethics oversight	All animal experiments received ethical approval and were performed under protocols approved by the IACUC for Mayo Clinic and the University of Illinois Urbana-Champaign.

Note that full information on the approval of the study protocol must also be provided in the manuscript.