

**Supplemental Table S2: Adverse events possibly, probably, or definitely related to ganitumab across all 28 cycles (maximum grade per patient)**

Adverse event (AE)	AE grade (Number of patients)			Total number of patients with AE
	1	2	3	
<b>Hematologic</b>				
Anemia	4	1	1	6
Lymphocyte count decreased	2	2		4
Neutrophil count decreased		1	1	2
Platelet count decreased	8	2		10
White blood cell decreased	3	1		4
<b>Non-hematologic</b>				
Abdominal pain		1		1
Alanine aminotransferase increased	2			2
Alkaline phosphatase increase	1			1
Anorexia	1			1
Aspartate aminotransferase increased	2	1		3
Bilirubin increased	1			1
Bronchopulmonary hemorrhage	1			1
Cough	2			2
Dehydration		1		1
Dyspnea	1			1
Epistaxis	1			1
Fatigue	2	1		3
Fever	1			1
Headache	2			2
Hemoptysis	1			1
Hypertension	1			1
Hyponatremia	1			1
Hypotension	1			1
Hypoxia			1	1
Nausea	1			1
Non-cardiac chest pain	1			1
Pleural effusion		1		1
Pleuritic pain	1			1
Pneumonitis			1	1
Skin ulceration	1			1
Soft tissue infection		1		1
Tachypnea	1			1
Tinnitus	1			1
Vomiting			1	1
Wheezing	1			1