

Appendix 1. Characteristics of Nonhospital Abortion Patients Who Did and Did Not Respond to the Item About Sexual Orientation Identity, 2014

Characteristic	Responded		Did not respond		<i>P</i>
	%	n	%	n	
Age					
15-19	11.9	914	9.9	72	0.112
20-24	35.1	2,691	26.2	190	<.001
25-29	26.8	2,052	25.3	183	0.38
30-34	15.0	1,151	19.8	143	<.001
35+	11.1	848	18.8	136	<.001
Race and ethnicity					
Non-Hispanic Black	28.1	2,150	24.9	180	0.07
Non-Hispanic White	41.0	3,136	18.4	133	<.001
Non-Hispanic Other	8.5	652	12.3	89	<.001
Hispanic	22.4	1,718	44.5	322	<.001
Born in United States					
Yes	86.8	1,007	58.7	299	<.001
No	13.2	6,649	41.3	425	<.001
Relationship status					
Married	13.5	1,033	21.1	153	<.001
Cohabiting	31.5	2,408	27.8	201	0.04
Never married	46.6	3,570	37.0	268	<.001
Previously married	8.4	645	14.1	102	<.001

Jones RK, Jerman J, Charlton BM. Sexual orientation and exposure to violence among U.S. patients undergoing abortion. *Obstet Gynecol* 2018; 132. The authors provided this information as a supplement to their article.

Education (age 20 and older)					
Less than high school	7.3	490	23.5	153	<.001
High school or GED	27.5	1,854	35.0	228	<.001
Some college	43.4	2,925	25.6	167	<.001
College graduate	21.8	1,473	16	104	<.001
% of Federal Poverty Level					
<100%	48.4	3,705	64.6	468	<.001
100-199%	26.1	1,998	21.1	153	<.001
200+%	25.5	1,953	14.2	103	<.001
Prior births					
0	42.0	3,216	26.0	188	<.001
1 or more	58.0	4,440	74.0	536	<.001
Prior abortions					
0 (comparison)	56.1	4,296	48.6	352	<.001
1 or more	43.9	3,360	51.4	372	<.001
Total		7,656		724	

Appendix 2. Characteristics and Exposure to Sexual and Physical Violence Among Nonhospital U.S. Abortion Patients, Among Heterosexuals and Sexual Minority Patients, 2014

	Heterosexual			Any sexual minority			
	%	95% CI		95% CI			
Age							
15-19	11.9	11.2	- 12.7	12.0	9.2	- 15.4	0.968
20-24	34.7	33.6	- 35.8	43.3	38.6	- 48.1	<.001
25-29	26.8	25.8	- 27.8	27.5	23.5	- 32.0	0.728
30-34	15.3	14.5	- 16.1	10.6	8.0	- 13.9	0.009
35+	11.3	10.6	- 12.1	6.6	4.6	- 9.4	0.003
Race and ethnicity							
Non-Hispanic Black	28.0	26.9	- 29.0	30.4	26.2	- 34.9	0.284
Non-Hispanic White	41.3	40.1	- 42.4	35.8	31.3	- 40.4	0.025
Non-Hispanic Other	8.5	7.8	- 9.1	9.6	7.2	- 12.8	0.390
Hispanic	22.3	21.4	- 23.3	24.2	20.4	- 28.5	0.361
Relationship status							
Married	13.6	12.8	- 14.4	12.0	9.2	- 15.4	0.354
Cohabiting	31.6	30.5	- 32.7	29.4	25.3	- 33.9	0.351
Never married	46.5	45.3	- 47.6	48.9	44.2	- 53.7	0.326
Previously married	8.4	7.7	- 9.0	9.6	7.2	- 12.8	0.351
Education (age 20 and older)							
Less than high school	7.0	6.4	- 7.7	11.8	8.9	- 15.4	0.001

Jones RK, Jerman J, Charlton BM. Sexual orientation and exposure to violence among U.S. patients undergoing abortion. *Obstet Gynecol* 2018; 132. The authors provided this information as a supplement to their article.

High school or GED	27.1	26.0	- 28.2	35.0	30.4	- 40.0	0.001
Some college	43.5	42.3	- 44.8	40.9	36.0	- 46.0	0.320
College graduate	22.4	21.4	- 23.4	12.3	9.3	- 16.0	<.001
% of Federal Poverty Level							
<100%	47.8	46.6	- 48.9	59.3	54.6	- 63.9	<.001
100-199%	26.3	25.3	- 27.3	22.4	18.6	- 26.6	0.071
200+%	25.9	24.9	- 27.0	18.4	15.0	- 22.3	0.001
Prior births							
0	41.9	40.7	- 43.0	44.7	40.0	- 49.5	0.246
1 or more	58.2	57.0	- 59.3	55.3	50.5	- 60.0	0.246
Prior abortions							
0	56.1	54.9	- 57.2	56.7	52.0	- 61.3	0.800
1 or more	43.9	42.8	- 45.1	43.3	38.7	- 48.1	0.800
Physical abuse by man involved in pregnancy							
Yes	3.6	3.2	- 4.0	9.9	7.4	- 13.2	<.001
No	96.4	96.0	- 96.8	90.1	86.8	- 92.6	<.001
Sexual abuse by man involved in the pregnancy							
Yes	1.9	1.6	- 2.2	8.4	6.1	- 11.5	<.001
No	98.2	97.8	- 98.4	91.6	88.5	- 93.9	<.001
Pregnancy the result of forced sex							
Yes	1.2	1.0	- 1.5	4.1	2.6	- 6.5	<.001
No	97.9	97.5	- 98.2	92.1	89.1	- 94.3	<.001
Don't know	0.9	0.7	- 1.1	3.8	2.4	- 6.2	<.001

Jones RK, Jerman J, Charlton BM. Sexual orientation and exposure to violence among U.S. patients undergoing abortion. *Obstet Gynecol* 2018; 132.

The authors provided this information as a supplement to their article.

©2018 American College of Obstetricians and Gynecologists.

Total	7,231	425
-------	-------	-----

Note: *P* values in boldface type indicate the association was statistically significant at $P < .05$.

Appendix 3. Odd Ratios for Logistic Regression Models Assessing Associations Between Sexual Minority Status and Exposure to Physical Abuse, Sexual Abuse, or Rape Among Nonhospital Abortion Patients, 2014

	Physical				Sexual			Forced Sex or Potential Rape				
	Odds Ratio	95% CI		<i>P</i>	Odds Ratio	95% CI		<i>P</i>	Odds Ratio	95% CI		<i>P</i>
Sexual minority	2.8	2.0	- 4.0	<.001	4.7	3.2	- 7.0	<.001	3.7	2.5	- 5.5	<.001
Heterosexual	1.00				1.00				1.00			
Total	7,553				7,555				7,577			

Note: Logistic regression models control for age, union status, race and ethnicity and poverty.