

880

881

Supplemental Table 1. Selected baseline characteristics of the CO and NC study populations.

Characteristics	CO Cohort	NC Cohort
	213 (%)	344 (%)
Sex		
Female	132 (62.0)	216 (62.7)
Male	81 (38.0)	127 (37.0)
Transgender	0 (0.0)	1 (0.3)
Age (years)		
6-17	0 (0.0)	55 (16.1)
18-39	25 (11.7)	53 (15.4)
40-59	76 (35.7)	114 (33.1)
>60	112 (52.6)	119 (34.6)
Missing	0 (0.0)	3 (0.8)
Race/Ethnicity		
Non-Hispanic White	159 (74.6)	265 (77.5)
Non-Hispanic Non-White	27 (12.7)	44 (12.9)
Hispanic	27 (12.7)	33 (9.6)
Missing	0 (0.0)	2 (0.6)

882

883

884


885

886

887

888


889
890
891
892
893
894
895
896
897
898
899
900
901
902
903
904
905
906
907
908
909
910
911
912
913
914
915
916



Supplemental Figure 1. Comparison of PFAS Concentration between the Colorado cohort, the North Carolina cohort and the 2015-2016 NHANES cohort (U.S.)(CDC, 2019). PFAS were included if they were present in at least 50% of samples in two or more cohorts. High end outliers were excluded for ease of visualization. The following data-points were excluded from the figure: 14 PFHxS data points from the CO cohort; Two PFNA data-points from the NC cohort; Six PFNA, four PFDA and six PFOS data-points from the U.S. cohort.

917
918
919
920
921
922
923
924
925
926
927
928
929
930
931
932
933
934
935
936
937
938
939
940
941
942
943
944

Supplemental Figure 2.



945

946

947


948

949

950

951 **Supplemental Figure 3.**

952



954

955

956

957

958

959

960

961 **Supplemental Figure 4.**

962

963

964

NHANES Data Spearman's Correlation Structure

965

966

967

968

969

970

971

972

973

974

975

976

977

978

979


980

981

982

983

Supplemental Data 1:



984 *Uploaded with submission