









Table S1 Baseline characteristics of the subjects


	n=110
Men, n (%)	74 (67.3)
Age (y), mean (SD)	40.3 (12.5)
Biomarker	
LDH (U/L)	264.8 (73.4)
Eosinophils (/ μ L)	586.5 (506.9)
Total IgE (IU/mL)	11091.9 (9082.4)
SolubleIL-2R (U/mL)	416.7 (201.3)
CCL17/TARC (pg/mL)	2823.1 (4306.4)
CCL22/MDC (pg/mL)	1424.9 (1006.8)
CCL26/Eotaxin-3 (pg/mL)	43.1 (39.4)
IL-13 (pg/mL)	0.3 (0.2)
IL-22 (pg/mL)	8.5 (15.6)
CCL27/CTACK (pg/mL)	1087.2 (417.7)
CCL18/MIP-4/PARC (pg/mL)	127461.1 (99681.4)
ET1 (pg/mL)	1.1 (0.4)
Periostin (ng/mL)	103.7 (52.2)
SCCA2 (ng/mL)	8.3 (14.7)
Outcome	
EASI score, mean (SD)	26.6 (9.9)
POEM score, mean (SD)	18.2 (6.9)
pruritus-NRS, mean (SD)	6.5 (2.3)
uncomfortable skin-NRS, mean (SD)	6.3 (2.7)
treatment satisfaction-NRS, mean (SD)	5.1 (2.7)














A

EASI score ≥ 21.1 vs. EASI score < 21.1	
Combination	AUC
SCCA2, Eosinophils , Total IgE, SolubleIL-2R , CCL17/TARC, CCL22/MDC	0.662
SCCA2, Eosinophils , Total IgE, SolubleIL-2R , CCL17/TARC	0.642
SCCA2, Eosinophils , Total IgE, SolubleIL-2R	0.651
SCCA2, Eosinophils , Total IgE	0.674
SCCA2, Eosinophils	0.680

B

POEM score ≥ 17 vs. POEM score < 17	
Combination	AUC
LDH, IL-22	0.710

C

pruritis-NRS score ≥ 4 vs. pruritis-NRS score < 4	
Combination	AUC
LDH, IL-22, CCL26/Eotaxin-3, CCL18/MIP-4/PARC	0.877
LDH, IL-22, CCL26/Eotaxin-3	0.867
LDH, IL-22	0.858