

Supplementary Appendix 6 - Informant Questionnaire (Canadian Longitudinal Study on Aging (CLSA) Memory Study)

v1.1, 2022 October 12

Table of Contents

Relationship to Participant (INF)	1
AD8 Dementia Screening Interview (AD8)	2
Medical History (MED)	8
Basic Activities of Daily Living (ADL)	13
Instrumental Activities of Daily Living (IADL)	20
Transportation (TRA)	27
Mild Behavioural Impairment Checklist (MBI)	29



Relationship to Participant (INF)

Overview	This questionnaire will be completed by an informant, a family member or friend who knows the participant well and can answer questions regarding the participant's medical history, functional abilities, and overall behaviour.
----------	---

First, I would like to ask you about your relationship with @first_name@.

REL_1	INF_REL_MSI					
[ALWAYS ASK	[ALWAYS ASK]					
What is your re	What is your relationship with @first_name@?					
CODE ONLY C	CODE ONLY ONE RESPONSE					
PARTNER		1	Spouse/partner			
CHILD 2		2	Child			
SIBLING 3			Sibling			
FRIEND 4			Friend			
OT_SP		5	Other, specify:			
DK_NA		8	[DO NOT READ] Don't know / No answer			
REFUSED		9	[DO NOT READ] Refused			

REL_2	INF_GENDER_MSI						
[ALWAYS ASK	[ALWAYS ASK]						
What pronoun	What pronoun should we use when referring to @first_name@?						
CODE ONLY C	NE RESPON	SE					
HIM		1	He/him/his				
HER		2	She/her/hers				
THEM		3	They/them/theirs				
OT_SP		5	Other, specify:				
DK_NA		8	[DO NOT READ] Don't know / No answer				
REFUSED		9	[DO NOT READ] Refused				

REL_END



AD8 Dementia Screening Interview (AD8)

Reprinted with permission. Copyright 2005. The Eight-item Informant Interview to Differentiate Aging and Dementia is a copyrighted instrument of Washington University, St. Louis, Missouri. All Rights Reserved. Please refer to Galvin JE et al, The AD8, a brief informant interview to detect dementia, Neurology 2005: 65:559-564,

	The Eight-item Informant Interview to Differentiate Aging and Dementia (AD8) was designed as a screening tool to identify early cognitive changes associated with many common subtypes of dementia including Alzheimer's Disease, vascular dementia, Lewy body dementia, and frontotemporal dementia.
Overview	The informant should specifically be asked to rate changes in the participant's ability for each of the items, without attributing causality. If read aloud to the respondent, it is important for the interviewer to carefully read the phrase <u>as worded</u> and give emphasis to note changes due to cognitive problems (not physical problems). There should be a one second delay between individual items.
	There is no specific timeframe for change required to be used for this questionnaire.

For the next few questions, please think about @first_name@'s cognitive abilities in regard to thinking and memory problems.

For each question, please respond "yes" if you have noticed a change and "no" if you have not noticed a change in @first_name@ over the past several years.

AD8_1	AD8_1_MSI			
[ALWAYS ASK]				
Problems with j	Problems with judgment (e.g., problems with making decisions, bad financial decisions, problems with thinking)			
YES		1	Yes	
NO	NO 2 No			
DK_NA		8	[DO NOT READ] Don't know / No answer	
REFUSED		9	[DO NOT READ] Refused	

AD8_2	AD8_2_MSI		
_			



[ALWAYS ASK]				
Less interest in hobbies/activi	ties			
YES	1	Yes		
NO	2	No		
DK_NA	8	[DO NOT READ] Don't know / No answer		
REFUSED	9	[DO NOT READ] Refused		

AD8_3	AD8_3_MSI		
[ALWAYS ASK]			
Repeats the same things over and over (questions, stories, or statements)			
YES		1	Yes
NO		2	No
DK_NA		8	[DO NOT READ] Don't know / No answer
REFUSED		9	[DO NOT READ] Refused

AD8_4	AD8_4_MSI		
[ALWAYS ASK]			
Trouble learning how to use a tool, appliance, or gadget (e.g., VCR, computer, microwave, remote control)			
YES		1	Yes
NO	NO 2 No		
DK_NA		8	[DO NOT READ] Don't know / No answer
REFUSED		9	[DO NOT READ] Refused

AD8_5	AD8_5_MSI		
[ALWAYS ASK]			
Forgets correct	month or year		
YES		1	Yes
NO		2	No
DK_NA		8	[DO NOT READ] Don't know / No answer
REFUSED		9	[DO NOT READ] Refused

AD8_6	AD8_6_MSI			
-------	-----------	--	--	--



[ALWAYS ASK]				
Trouble handling complicated financial affairs (e.g., balancing check book, income taxes, paying bills)				
YES	1	Yes		
NO	2	No		
DK_NA	8	[DO NOT READ] Don't know / No answer		
REFUSED	9	[DO NOT READ] Refused		

AD8_7	AD8_7_MSI			
[ALWAYS ASK	[ALWAYS ASK]			
Trouble remem	Trouble remembering appointments			
YES		1	Yes	
NO		2	No	
DK_NA		8	[DO NOT READ] Don't know / No answer	
REFUSED		9	[DO NOT READ] Refused	

AD8_8	AD8_8_MSI			
[ALWAYS ASK]				
Daily problems with thinking and/or memory				
YES		1 Yes		
NO		2 No		
DK_NA		8 [DO NOT READ] Don't know / No answer		
REFUSED		9 [DO NOT READ] Refused		

AD8_9	AD8_TOTALSCORE0_MSI					
[ASK IF SUM OF "YES" RESPONSES FOR AD8_1, AD8_2, AD8_3, AD8_4, AD8_5, AD8_6, AD8_7, AD8_8 = 0]						
Score on the AD8 Dementia Screening Interview: 0						

AD8_10	AD8_TOTALSCORE1_MSI
[ASK IF SUM (OF "YES" RESPONSES FOR AD8_1, AD8_2, AD8_3, AD8_4, AD8_5, AD8_6, AD8_7, AD8_8



Score on the AD8 Dementia Screening Interview: 1

AD8_11 AD8_TOTALSCORE2_MSI

[ASK IF SUM OF "YES" RESPONSES FOR AD8_1, AD8_2, AD8_3, AD8_4, AD8_5, AD8_6, AD8_7, AD8_8 = 2]

Score on the AD8 Dementia Screening Interview: 2

AD8_12 AD8_TOTALSCORE3_MSI

[ASK IF SUM OF "YES" RESPONSES FOR AD8_1, AD8_2, AD8_3, AD8_4, AD8_5, AD8_6, AD8_7, AD8_8 = 31

Score on the AD8 Dementia Screening Interview: 3

AD8_13 AD8_TOTALSCORE4_MSI

[ASK IF SUM OF "YES" RESPONSES FOR AD8_1, AD8_2, AD8_3, AD8_4, AD8_5, AD8_6, AD8_7, AD8_8 = 4]

Score on the AD8 Dementia Screening Interview: 4

AD8_14 AD8_TOTALSCORE5_MSI

[ASK IF SUM OF "YES" RESPONSES FOR AD8_1, AD8_2, AD8_3, AD8_4, AD8_5, AD8_6, AD8_7, AD8_8 = 51

Score on the AD8 Dementia Screening Interview: 5

AD8_15 AD8_TOTALSCORE6_MSI

[ASK IF SUM OF "YES" RESPONSES FOR AD8_1, AD8_2, AD8_3, AD8_4, AD8_5, AD8_6, AD8_7, AD8_8 = 6]

Score on the AD8 Dementia Screening Interview: 6

AD8_16 AD8_TOTALSCORE7_MSI

[ASK IF SUM OF "YES" RESPONSES FOR AD8_1, AD8_2, AD8_3, AD8_4, AD8_5, AD8_6, AD8_7, AD8_8



Score on the AD8 Dementia Screening Interview: 7

AD8_17 AD8_TOTALSCORE8_MSI

[ASK IF SUM OF "YES" RESPONSES FOR AD8_1, AD8_2, AD8_3, AD8_4, AD8_5, AD8_6, AD8_7, AD8_8 = 8]

Score on the AD8 Dementia Screening Interview: 8

This variable identifies the number of items that were not completed on the Eight-item Informant Interview to Differentiate Aging and Dementia (AD8) questionnaire and should be considered when interpreting the total score of the AD8.

AD8_18 AD8_TOTALMIS0_MSI

[ASK IF SUM OF "DON'T KNOW/NO ANSWER OR REFUSED" RESPONSES FOR AD8_1, AD8_2, AD8_3, AD8_4, AD8_5, AD8_6, AD8_7, AD8_8 = 0]

Number of missed questions on the AD8 Dementia Screening Interview: 0

AD8_19 AD8_TOTALMIS1_MSI

[ASK IF SUM OF "DON'T KNOW/NO ANSWER OR REFUSED" RESPONSES FOR AD8_1, AD8_2, AD8_3, AD8_4, AD8_5, AD8_6, AD8_7, AD8_8 = 1]

Number of missed questions on the AD8 Dementia Screening Interview: 1

AD8 20 AD8 TOTALMIS2 MSI

[ASK IF SUM OF "DON'T KNOW/NO ANSWER OR REFUSED" RESPONSES FOR AD8_1, AD8_2, AD8_3, AD8_4, AD8_5, AD8_6, AD8_7, AD8_8 = 2]

Number of missed questions on the AD8 Dementia Screening Interview: 2

AD8_21 AD8_TOTALMIS3_MSI

[ASK IF SUM OF "DON'T KNOW/NO ANSWER OR REFUSED" RESPONSES FOR AD8_1, AD8_2, AD8_3, AD8_4, AD8_5, AD8_6, AD8_7, AD8_8 = 3]

Number of missed questions on the AD8 Dementia Screening Interview: 3

AD8_22 AD8_TOTALMIS4_MSI

[ASK IF SUM OF "DON'T KNOW/NO ANSWER OR REFUSED" RESPONSES FOR AD8_1, AD8_2, AD8_3, AD8_4, AD8_5, AD8_6, AD8_7, AD8_8 = 4]

Page 6 of 54



Number of missed questions on the AD8 Dementia Screening Interview: 4

AD8_23 AD8_TOTALMIS5_MSI

[ASK IF SUM OF "DON'T KNOW/NO ANSWER OR REFUSED" RESPONSES FOR AD8_1, AD8_2, AD8_3, AD8_4, AD8_5, AD8_6, AD8_7, AD8_8 = 5]

Number of missed questions on the AD8 Dementia Screening Interview: 5

AD8_24 AD8_TOTALMIS6_MSI

[ASK IF SUM OF "DON'T KNOW/NO ANSWER OR REFUSED" RESPONSES FOR AD8_1, AD8_2, AD8_3, AD8_4, AD8_5, AD8_6, AD8_7, AD8_8 = 6]

Number of missed questions on the AD8 Dementia Screening Interview: 6

AD8_25 AD8_TOTALMIS7_MSI

[ASK IF SUM OF "DON'T KNOW/NO ANSWER OR REFUSED" RESPONSES FOR AD8_1, AD8_2, AD8_3, AD8_4, AD8_5, AD8_6, AD8_7, AD8_8 = 7]

Number of missed questions on the AD8 Dementia Screening Interview: 7

AD8 26 AD8 TOTALMIS8 MSI

[ASK IF SUM OF "DON'T KNOW/NO ANSWER OR REFUSED" RESPONSES FOR AD8_1, AD8_2, AD8_3, AD8_4, AD8_5, AD8_6, AD8_7, AD8_8 = 8]

Number of missed questions on the AD8 Dementia Screening Interview: 8

AD8_END



Medical History (MED)

Overview

The medical history module captures information that will assist the examining physician in determining if any observed cognitive limitations may be secondary to other diseases such as neurodegenerative diseases. This information may also increase the confidence in the physician's diagnosis based on the absence or presence of risk factors for neurocognitive disorders.

I am now going to ask you some questions regarding @first_name@'s medical history including different medical conditions he/she may have, and use of other substances. We do not expect you to know every detail about @first_name@, but ask that you answer to the best of your ability.

MED_1	MED_CON_MSI				
[ALWAYS ASK]					
To your knowle	dge, does @fi	rst_name	@ have any of the following medical conditions?		
			esses include schizophrenia and other conditions which include ed forms of thinking.		
			S ALLOWED (EXCEPT IF 98 OR 99 ARE SELECTED), CODE ALL		
CAD		1	Coronary artery disease		
HF		2	Heart failure		
AF		3	Atrial fibrillation/flutter		
TIA		4	Transient ischemic attack (TIA)		
STR		5	Cerebrovascular accident (stroke)		
HEM		6	6 Intracerebral hemorrhage		
HYP		7	7 Hypertension		
DIA		8	8 Diabetes mellitus		
DYS		9 Dyslipidemia			
PKD		10 Parkinson's Disease or Parkinsonism			
DEP		11 Depression			
ANX		12 Anxiety disorder			
PSY		13	Psychotic illness		
HR		14	Hearing impairment		
VS		15	Visual impairment		
SM		16	Impaired sense of smell		
DEM		17	Dementia		
DELI		18	Suspected delirium (in the past 5 years)		
IN		19	9 Insomnia		
REM		20	REM-Sleep Behaviour Disorder		
OSA		21	Obstructive Sleep Apnea		
HYPT		22 Hypothyroidism			
B12		23	Vitamin B12 deficiency		



OTSP	24	Other conditions relevant to cognitive status (e.g. cancer and/or cancer treatments); specify	
NONEI	25	None of the above	
DK_NA	98	[DO NOT READ] Don't know / No answer	
REFUSED	99	[DO NOT READ] Refused	

MED_2	MED_TBI_MSI				
[ALWAYS ASK]					
Has @first_name@ suffered a head injury or a concussion in the past?					
YES		1 Yes			
NO		2 No			
DK_NA		8	[DO NOT READ] Don't know / No answer		
REFUSED		9	[DO NOT READ] Refused		

MED_3	MED_TBI1_MSI			
[ASK IF MED_TBI_MSI = YES]				
How many head	How many head injuries or concussions has @first_name@ had in his/her lifetime?			
INTERVIEWER	INTERVIEWER NOTE: If the informant cannot remember exact number, please probe for their best estimate			
NUM		Number	[MASK: MIN=1]	
DK_NA		8	[DO NOT READ] Don't know / No answer	
REFUSED		9	[DO NOT READ] Refused	

MED_4	MED_TBI2_MSI					
[ASK IF MED_	[ASK IF MED_TBI_MSI = YES]					
At what age or	At what age or in what year did @first_name@ have the most serious head injury?					
	INTERVIEWER NOTE: If the informant cannot remember the specific year, please probe for their best estimation of when the head injury occurred.					
NB_SP		Age[MASK: MIN=0, MAX=CURRENT AGE]				
YR_SP		Year	[MASK: MIN=BIRTH YEAR, MAX=CURRENT YEAR]			
DK_NA		9998	9998 [DO NOT READ] Don't know / No answer			
REFUSED		9999	9999 [DO NOT READ] Refused			



MED_5	MED_TBI3_MSI			
[ASK IF MED_TBI_MS	SI = YES]			
Did the most serious he	ead injury result in?			
READ LIST, MULTIPLE RESPONSES ALLOWED (EXCEP IF 8 OR 9 ARE SELECTED), CODE ALL THAT APPLY				
DZ	1	1 Being dazed, confused, or "seeing stars"		
DRM	2 Not remembering the injury			
КО	3	Losing consciousness (knocked out)		
NONE	6	Head injury did not result in any of the above		
DK_NA	8	[DO NOT READ] Don't know / No answer		
REFUSED	9 [DO NOT READ] Refused			

MED_6	MED_TBI4_MSI					
[ASK IF MED_TBI3_MS	[ASK IF MED_TBI3_MSI = KO]					
How long did @first_nam	ne@ lose conscious	ness fo	r?			
READ LIST, CODE ONL	READ LIST, CODE ONLY ONE RESPONSE					
KO1		1	Less than a minute			
KO20		2	1-20 minutes			
K020MORE		3	Longer than minutes			
DK_NA		8	[DO NOT READ] Don't know / No answer			
REFUSED		9	[DO NOT READ] Refused			

MED_7	MED_SMKS	MED_SMKSTATUS_MSI		
[ALWAYS ASK]				
How would you describe @first_name@'s smoking status?				
READ LIST, CODE ONLY ONE RESPONSE				
YES		1	Yes, he/she currently smokes	
NEVER		2	No, he/she does not currently smoke and never has	
FORM_DAY		4	Former daily smoker (non-smoker now)	
FORM_OCC		5	Former occasional smoker (non-smoker now)	
DK_NA		8	[DO NOT READ] Don't know / No answer	
REFUSED		9	[DO NOT READ] Refused	

Page 10 of 54



MED_8	MED_CAN_MSI			
[ALWAYS ASK]				
Does @first_name@ use any cannabis products?				
READ LIST, CODE ONLY ONE RESPONSE				
YES		1	Yes, he/she currently uses cannabis products	
NEVER		2	No, he/she has never used cannabis products	
FORMER		3	Former cannabis user, but does not use cannabis products now	
DK_NA		8	[DO NOT READ] Don't know / No answer	
REFUSED		9	[DO NOT READ] Refused	

MED_9	MED_ALC_I	MED_ALC_MSI		
[ALWAYS ASK]				
How would you describe @first_name@'s alcohol consumption?				
READ LIST, CODE ONLY ONE RESPONSE				
NEVER		1	Never drank alcohol	
FORMER		2	Used to drink alcohol but does not currently drink	
CURRENT		3	Currently consumes alcohol	
DK_NA		8	[DO NOT READ] Don't know / No answer	
REFUSED		9	[DO NOT READ] Refused	

MED_10	MED_ALCNMB_MSI			
[ASK IF MED_ALC_MSI = CURRENT]				
1.5 ounces of d	A "standard" drink is considered 12 ounces of regular beer (~5% alcohol), 5 ounces of wine (~12% alcohol), or 1.5 ounces of distilled spirits (~40% alcohol). How many estimated standardized drinks per week does @first_name@ consume?			
ALC_NB		Number of standard drinks: [MASK: MIN=0, MAX=200]		
DK_NA		998	[DO NOT READ] Don't know / No answer	
REFUSED		999	[DO NOT READ] Refused	



MED_11	MED_ALCMLFQ_MSI		
[ASK IF MED_ALC_MSI = CURRENT AND AND SEX = MALE]			
In the past 12 months, has @first_name@ consumed 5 or more drinks in 2 hours or less at least once a month?			
YES		1	Yes
NO		2	No
DK_NA		8	[DO NOT READ] Don't know / No answer
REFUSED		9	[DO NOT READ] Refused

MED_12	MED_ALCFMFQ_MSI		
[ASK IF MED_ALC_MSI = CURRENT AND SEX = FEMALE]			
In the past 12 months, has @first_name@ consumed 4 or more drinks in 2 hours or less at least once a month?			
YES		1	Yes
NO		2	No
DK_NA		8	[DO NOT READ] Don't know / No answer
REFUSED		9	[DO NOT READ] Refused

MED_13	MED_FAM_I	MED_FAM_MSI		
[ALWAYS ASK]				
Does the @first_name@ have a first degree relative who has been diagnosed with dementia or Alzheimer's Disease?				
INTERVIEWER NOTE: First degree relatives include biological parents, siblings, or children				
YES		1	Yes	
NO		2	No	
DK_NA		8	[DO NOT READ] Don't know / No answer	
REFUSED		9	[DO NOT READ] Refused	

MED_END



Basic Activities of Daily Living (ADL)

This module is a modification of the Activities of Daily Living questions of the OARS Multidimensional Assessment Questionnaire© developed by Dr. Gerda G. Fillenbaum (Duke University Medical Center). The Canadian Longitudinal Study on Aging received permission from Dr. Fillenbaum (instrument developer) for the use of this instrument.

Overview	The Activities of Daily Living (ADL) scale assesses respondents' ability to perform basic daily activities. Activities of daily living are the tasks considered vital to live independently in the community. The informant is asked if the participant requires help when feeding and dressing oneself, taking care of their appearance, walking around, getting in and out of bed, bathing, and whether the participant has incontinence problems. These basic daily activities can be difficult to perform for people with mobility restrictions or limitations.
	Information on activities of daily living will help provide insights into limitations that Canadians may face in day-to-day living, as well as how these limitations change as people age. It is a measure related to the need for caregivers and home care services.

Now I'd like to ask you about activities of daily living. You may feel that some of these questions do not apply to @first_name@, but it is important that we ask the same questions of everyone.

ADL_1	ADL_ABLDR_MSI		
[ALWAYS ASK]			
Can @first_name@ dress and undress without help (including picking out clothes and putting on socks and shoes)?			
YES 1 Yes			
NO		2	No
DK_NA		8	[DO NOT READ] Don't know / No answer
REFUSED		9	[DO NOT READ] Refused

ADL_2	ADL_HPDR	ADL_HPDR_MSI		
[ASK IF ADL_ABLDR_MSI = NO]				
Can @first_name@ dress and undress with some help?				
YES 1 Yes				
NO		2	No	
DK_NA		8	[DO NOT READ] Don't know / No answer	
REFUSED		9	[DO NOT READ] Refused	



ADL_3	ADL_UNDR	ADL_UNDR_MSI		
[ASK IF ADL_HPDR_MSI = NO]				
Is @first_name@ completely unable to dress and undress?				
YES		1	Yes	
NO		2	No	
DK_NA		8	[DO NOT READ] Don't know / No answer	
REFUSED		9	[DO NOT READ] Refused	

ADL_4	ADL_ABLFD	ADL_ABLFD_MSI		
[ALWAYS ASK]				
Can @first_name@ eat without help (i.e., able to feed him or herself completely)?				
YES 1 Yes				
NO		2	No	
DK_NA		8	[DO NOT READ] Don't know / No answer	
REFUSED		9	[DO NOT READ] Refused	

ADL_5	ADL_HPFD_MSI			
[ASK IF ADL_ABLFD_MSI = NO]				
Can @first_name@ eat with some help (i.e., needs help with cutting food, etc.)?				
YES 1 Yes		Yes		
NO		2	No	
DK_NA		8	[DO NOT READ] Don't know / No answer	
REFUSED		9	[DO NOT READ] Refused	

ADL_6	ADL_UNFD_MSI			
[ASK IF ADL_HPFD_MSI = NO]				
Is @first_name@ completely unable to feed himself or herself?				
YES		1	Yes	
NO		2	No	
DK_NA		8	[DO NOT READ] Don't know / No answer	
REFUSED		9	[DO NOT READ] Refused	



ADL_7	ADL_ABLAP_MSI		
[ALWAYS ASK]			
Can @first_name@ take care of his/her own appearance without help, for example, combing hair, shaving (if male)?			
YES		1	Yes
NO		2	No
DK_NA		8	[DO NOT READ] Don't know / No answer
REFUSED		9	[DO NOT READ] Refused

ADL_8	ADL_HPAP_MSI			
[ASK IF ADL_ABLAP_MSI = NO]				
Can @first_name@ take care of his or her own appearance with some help?				
YES		1	Yes	
NO		2	No	
DK_NA		8	[DO NOT READ] Don't know / No answer	
REFUSED		9	[DO NOT READ] Refused	

ADL_9	ADL_UNAP_MSI			
[ASK IF ADL_HPAP_MSI = NO]				
Is @first_name@ completely unable to take care of his or her own appearance?				
YES		1	Yes	
NO		2	No	
DK_NA		8	[DO NOT READ] Don't know / No answer	
REFUSED		9	[DO NOT READ] Refused	



ADL_10	ADL_ABLWK_MSI			
[ALWAYS ASK]				
Can @first_nar	Can @first_name@ walk without help?			
INTERVIEWER NOTE: IF PARTICIPANT WALKS WITH A CANE CODE AS YES				
YES		1	Yes	
NO		2	No	
DK_NA		8	[DO NOT READ] Don't know / No answer	
REFUSED		9	[DO NOT READ] Refused	

ADL_11	ADL_HPWK_MSI		
[ASK IF ADL_ABLWK_MSI = NO]			
Can @first_name@ walk with some help from a person, or with the use of a walker or crutches, etc.?			
YES		1	Yes
NO		2	No
DK_NA		8	[DO NOT READ] Don't know / No answer
REFUSED		9	[DO NOT READ] Refused

ADL_12	ADL_UNWK_MSI			
[ASK IF ADL_HPWK_MSI = NO]				
Is @first_name@ completely unable to walk?				
YES		1	Yes	
NO		2	No	
DK_NA		8	[DO NOT READ] Don't know / No answer	
REFUSED		9	[DO NOT READ] Refused	



ADL_13	ADL_ABLBD_MSI			
[ALWAYS ASK]				
Can @first_name@ get in and out of bed without any help or aids?				
YES		1	Yes	
NO		2	No	
DK_NA		8	[DO NOT READ] Don't know / No answer	
REFUSED		9	[DO NOT READ] Refused	

ADL_14	ADL_HPBD_MSI			
[ASK IF ADL_ABLBD_MSI = NO]				
Can @first_name@ get in and out of bed with some help (either from a person or with the aid of some device)?				
YES		1	Yes	
NO		2	No	
DK_NA		8	[DO NOT READ] Don't know / No answer	
REFUSED		9	[DO NOT READ] Refused	

ADL_15	ADL_UNBD_MSI			
[ASK IF ADL_HPBD_MSI = NO]				
Is @first_name@ totally dependent on someone else to lift him/her in and out of bed?				
YES		1	Yes	
NO		2	No	
DK_NA		8	[DO NOT READ] Don't know / No answer	
REFUSED		9	[DO NOT READ] Refused	

ADL_16	ADL_ABLBT_MSI			
[ALWAYS ASK]				
Can @first_name@ take a bath or shower without help?				
YES		1	Yes	
NO		2	No	
DK_NA		8	[DO NOT READ] Don't know / No answer	
REFUSED		9	[DO NOT READ] Refused	



ADL_17	ADL_HPBT_MSI		
[ASK IF ADL_ABLBT_MSI = NO]			
Can @first_name@ take a bath or shower with some help (i.e., needs help from someone getting in and out of the tub or needs special attachments on the tub)?			
YES		1	Yes
NO		2	No
DK_NA		8	[DO NOT READ] Don't know / No answer
REFUSED		9	[DO NOT READ] Refused

ADL_18	ADL_UNBT_	ADL_UNBT_MSI		
[ASK IF ADL_HPBT_MSI = NO]				
Is @first_name@ completely unable to take a bath and a shower by himself/herself?				
YES		1	Yes	
NO		2	No	
DK_NA		8	[DO NOT READ] Don't know / No answer	
REFUSED		9	[DO NOT READ] Refused	

ADL_19	ADL_BATH_MSI		
[ALWAYS ASK]			
Does @first_name@ ever have trouble getting to the bathroom in time?			
YES		1	Yes
NO		2	No
DK_NA		8	[DO NOT READ] Don't know / No answer
REFUSED		9	[DO NOT READ] Refused



ADL_20 ADL_INCN	ADL_INCNT_MSI		
[ASK IF ADL_BATH_MSI = YES]			
How often does @first_name	How often does @first_name@ wet or soil himself/herself (either day or night)? Would you say		
READ LIST, CODE ONLY	READ LIST, CODE ONLY ONE RESPONSE		
0_1_TIME_WEEK	1	Never or less than once a week	
1_2_TIME_WEEK	2	Once or twice a week	
3_MORE_TIMES_WEEK	3	Three times a week or more	
DK_NA	8	[DO NOT READ] Don't know / No answer	
REFUSED	9	[DO NOT READ] Refused	

ADL_END



Instrumental Activities of Daily Living (IADL)

This module is a modification of the Activities of Daily Living questions of the OARS Multidimensional Assessment Questionnaire© developed by Dr. Gerda G. Fillenbaum (Duke University Medical Center). The Canadian Longitudinal Study on Aging received permission from Dr. Fillenbaum (instrument developer) for the use of this instrument.

	The Instrumental Activities of Daily Living (IADL) scale assesses respondents' ability to independently perform a series of daily activities.
Overview	The informant is asked if the participant requires help when using the telephone, traveling, shopping, cooking, doing housework, taking medicine and handling money. Information on instrumental activities of daily living will help provide insights into limitations that Canadians may face day-to-day living, as well as how these limitations change as people age. It is a measure related to the need for caregivers and home care services.
	This module is a companion to the ADL module.

Now I'd like to ask you about activities of daily living. You may feel that some of these questions do not apply to @first_name@, but it is important that we ask the same questions of everyone.

IAL_1	IAL_ABLTEL_MSI		
[ALWAYS ASK]			
Can @first_name@ use the telephone without help, including looking up numbers and dialling?			
YES		1	Yes
NO		2	No
DK_NA		8	[DO NOT READ] Don't know / No answer
REFUSED		9	[DO NOT READ] Refused

IAL_2	IAL_HPTEL_MSI		
[ASK IF IAL_ABLTEL_MSI = NO]			
Can @first_name@ use the telephone with some help (i.e., can answer the phone or dial the operator in an emergency, but needs a special phone or help in getting the number or dialling)?			
YES		1	Yes
NO		2	No
DK_NA		8	[DO NOT READ] Don't know / No answer
REFUSED		9	[DO NOT READ] Refused



IAL_3	IAL_UNTEL_MSI		
[ASK IF IAL_HPTEL_MSI = NO]			
Is @first_name@ completely unable to use the telephone?			
YES		1	Yes
NO		2	No
DK_NA		8	[DO NOT READ] Don't know / No answer
REFUSED		9	[DO NOT READ] Refused

IAL_4	IAL_ABLTRV_MSI		
[ALWAYS ASK]			
	Can @first_name@ get to places out of walking distance without help (i.e., drive own car, or travel alone on buses, or taxis)?		
YES		1	Yes
NO		2	No
DK_NA		8	[DO NOT READ] Don't know / No answer
REFUSED		9	[DO NOT READ] Refused

IAL_5	IAL_HPTRV_MSI		
[ASK IF IAL_ABLTRV_MSI = NO]			
	Can @first_name@ get to places out of walking distance with some help (i.e., needs someone to help him/her or go with him/her when travelling)?		
YES		1	Yes
NO		2	No
DK_NA		8	[DO NOT READ] Don't know / No answer
REFUSED		9	[DO NOT READ] Refused



IAL_6	IAL_UNTRV_MSI		
[ASK IF IAL_HPTRV_MSI = NO]			
Is @first_name@ unable to travel unless emergency arrangements are made for a specialized vehicle, like an ambulance?			
YES		1	Yes
NO		2	No
DK_NA	_	8	[DO NOT READ] Don't know / No answer
REFUSED		9	[DO NOT READ] Refused

IAL_7	IAL_ABLGRO_MSI		
[ALWAYS ASK]			
Can @first_name@ go shopping for groceries or clothes without help (taking care of all shopping needs)?			
YES		1	Yes
NO		2	No
DK_NA		8	[DO NOT READ] Don't know / No answer
REFUSED	_	9	[DO NOT READ] Refused

IAL_8	IAL_HPGRO_MSI				
[ASK IF IAL_ABLGRO_MSI = NO]					
	Can @first_name@ go shopping for groceries or clothes with some help (i.e., needs someone to go with him/her on all shopping trips)?				
YES		1	Yes		
NO		2	No		
DK_NA		8	[DO NOT READ] Don't know / No answer		
REFUSED		9	[DO NOT READ] Refused		



IAL_9	IAL_UNGRO_MSI			
[ASK IF IAL_HPGRO_MSI = NO]				
Is @first_name	Is @first_name@ completely unable to do any shopping?			
YES		1	Yes	
NO		2	No	
DK_NA		8	[DO NOT READ] Don't know / No answer	
REFUSED		9	[DO NOT READ] Refused	

IAL_10	IAL_ABLML_MSI			
[ALWAYS ASK]				
Can @first_nar	Can @first_name@ prepare his/her own meals without help (i.e., plan and cook full meals)?			
YES 1 Yes				
NO 2		2	No	
DK_NA		8	[DO NOT READ] Don't know / No answer	
REFUSED		9	[DO NOT READ] Refused	

IAL_11	IAL_HPML_MSI				
[ASK IF IAL_ABLML_MSI = NO]					
	Can @first_name@ prepare his/her own meals with some help (i.e., can prepare some things but are unable to cook full meals)?				
YES		1	Yes		
NO		2	No		
DK_NA		8	[DO NOT READ] Don't know / No answer		
REFUSED		9	[DO NOT READ] Refused		

IAL_12	IAL_UNML_MSI				
[ASK IF IAL_H	[ASK IF IAL_HPML_MSI = NO]				
Is @first_name	@ completely	unable to	prepare any meals?		
YES		1	Yes		
NO		2	No		
DK_NA		8	[DO NOT READ] Don't know / No answer		
REFUSED		9	[DO NOT READ] Refused		

Page 23 of 54



IAL_13	IAL_ABLWRK_MSI				
[ALWAYS ASK]					
Can @first_nar	Can @first_name@ do housework without help (i.e., can clean floors, etc.)?				
YES		1	Yes		
NO		2	No		
DK_NA		8	[DO NOT READ] Don't know / No answer		
REFUSED		9	[DO NOT READ] Refused		

IAL_14	IAL_HPWRK_MSI				
[ASK IF IAL_AE	[ASK IF IAL_ABLWRK_MSI = NO]				
Can @first_nam work)?	Can @first_name@ do housework with some help (i.e., can do light housework but needs help with heavy work)?				
YES		1	Yes		
NO 2		2	No		
DK_NA		8	[DO NOT READ] Don't know / No answer		
REFUSED		9	[DO NOT READ] Refused		

IAL_15	IAL_UNWRK_MSI			
[ASK IF IAL_HPWRK_MSI = NO]				
Is @first_name	Is @first_name@ completely unable to do any housework?			
YES 1 Yes			Yes	
NO 2		2	No	
DK_NA		8	[DO NOT READ] Don't know / No answer	
REFUSED		9	[DO NOT READ] Refused	

IAL_16	IAL_ABLMED_MSI			
[ALWAYS ASK]				
Can @first_nar	Can @first_name@ take his or her own medicine without help (in the right doses at the right time)?			
INTERVIEWER	INTERVIEWER INSTRUCTIONS: IF THE PARTICIPANT OCCASIONALLY FORGETS, CODE AS 'YES'.			
YES		1	Yes	
NO		2	No	
DK_NA		8	[DO NOT READ] Don't know / No answer	
REFUSED		9	[DO NOT READ] Refused	



IAL_17	IAL_HPMED_MSI				
[ASK IF IAL_ABLMED_MSI = NO]					
	Can @first_name@ take his or her own medicine with some help (i.e., able to take medicine if someone prepares it for him/her or reminds him/her to take it)?				
YES	S 1 Yes				
NO		2	No		
DK_NA		8	[DO NOT READ] Don't know / No answer		
REFUSED		9	[DO NOT READ] Refused		

IAL_18	IAL_UNMED_MSI				
[ASK IF IAL_HPMED_MSI = NO]					
Is @first_name	Is @first_name@ completely unable to take his/her own medicine?				
YES		1	Yes		
NO		2	No		
DK_NA		8	[DO NOT READ] Don't know / No answer		
REFUSED		9	[DO NOT READ] Refused		

IAL_19	IAL_ABLMO_MSI				
[ALWAYS ASK]					
Can @first_nar	Can @first_name@ handle his/her own money without help (i.e., write cheques, pay bills, etc.)?				
INTERVIEWER INSTRUCTIONS: IF THE PARTICIPANT OCCASIONALLY FORGETS, CODE AS 'YES'.					
YES		1	Yes		
NO		2	No		
DK_NA		8	[DO NOT READ] Don't know / No answer		
REFUSED		9	[DO NOT READ] Refused		



IAL_20	IAL_HPMO_MSI		
[ASK IF IAL_ABLMO_MSI = NO]			
	Can @first_name@ handle his/her own money with some help (i.e., manage day-to-day buying but needs help with managing chequebook or paying bills)?		
YES 1 Yes		Yes	
NO		2	No
DK_NA		8	[DO NOT READ] Don't know / No answer
REFUSED		9	[DO NOT READ] Refused

IAL_21	IAL_UNMO_	IAL_UNMO_MSI		
[ASK IF IAL_HPMO_MSI = NO]				
Is @first_name@ completely unable to handle his/her own money?				
YES 1 Yes				
NO		2	No	
DK_NA		8	[DO NOT READ] Don't know / No answer	
REFUSED		9	[DO NOT READ] Refused	

IAL_END



Transportation (TRA)

Overview	The questions in this module ask the informant about the participant's driving status and details regarding their license status.
----------	---

I will now ask you a few questions about @first_name@'s ability to use different types of transportation.

TRA_1	TRA_DSTATUS_MSI		
[ALWAYS ASK	(]		
Which of the fol	llowing describ	es @first	t_name@ driving status? (Include cars, vans, trucks and motorcycles)
READ LIST, CODE ONLY ONE RESPONSE			
NEVER		1	Never had a driver's license
FORMER		2	Had a driver's license at one point in his or her life, but currently does not have it
CURRENT		3	Has a driver's license without restrictions (except corrective lenses)
RESTRICTED		4	Has a driver's license with restrictions on time of driving (daylight only), distance from home, type of road (no highway), or number of passengers
DK_NA		8	[DO NOT READ] Don't know / No answer
REFUSED		9	[DO NOT READ] Refused

TRA_2	TRA_STOP_MSI			
[ASK IF TRA_S	[ASK IF TRA_STA_MSI = FORMER]			
Why did @first_	Why did @first_name@ stop driving?			
CODE ONLY C	CODE ONLY ONE RESPONSE			
VOL_STOP		1	Voluntarily stopped driving	
LICS_RESC		2	License rescinded	
OT_SP		3	Other (please specify:)	
DK_NA		8	[DO NOT READ] Don't know / No answer	
REFUSED		9	[DO NOT READ] Refused	



TRA_3	TRA_STOPYR_MSI			
[ASK IF TRA_STA_MSI =FORMER]				
In what year or at what age did @first_name@ stop driving?				
NB_SP	NB_SP Age[MASK: MIN=00, MAX=CURRENT AGE]			
YR_SP		Year	[MASK: MIN=BIRTH YEAR, MAX=CURRENT YEAR]	
DK_NA		9998	[DO NOT READ] Don't know / No answer	
REFUSED		9999	[DO NOT READ] Refused	

TRA_4	TRA_TRANSIT_MSI			
[ALWAYS ASK]				
How would you	How would you describe @first_name@ use of public transit?			
CODE ONLY ONE RESPONSE				
CURR		1	Currently uses	
COULD		2	Does not use public transit, but could if they wanted to	
CANNOT		3	Does not use public transit and does not think they could	
DK_NA		8	[DO NOT READ] Don't know / No answer	
REFUSED		9	IDO NOT READI Refused	

TRA_END



Mild Behavioural Impairment Checklist (MBI)

This module consists of the Mild Behavioural Impairment Checklist developed by Dr. Zahinoor Ismail (University of Calgary).

	Mild Behavioural Impairment (MBI) refers to neuropsychiatric symptoms which are usually observed before cognitive decline and dementia in individuals aged 50 years and older. MBI describes symptoms of any severity that persist for at least six months, and occur either before or at the same time as mild neurocognitive disorder.
Overview	The MBI Checklist is a 34-item instrument which can be completed by a patient/participant, close informant, or clinician.
	The checklist is designed to quantify the severity of behavioural symptoms in multiple domains. Global and domain-specific scores and thresholds have not yet been developed and validated for clinical diagnosis and prognosis. Ongoing validation work will identify scores and thresholds that predict an increased risk of transition to dementia.

I will now ask you some questions about @first_name@'s behaviour. For each question, please answer "yes" if you have noticed this behaviour continuously or on and off for **at least 6 months**, and if it is a **change** from her/his longstanding pattern of behaviour. Otherwise, please answer "no".

For each question you respond "yes" to indicating a change in behaviour, I will ask you to respond about the severity of the behaviour based on the following options:

- 1) Mild where the change in behaviour is noticeable, but not a significant change;
- 2) Moderate where the change in behaviour is significant, but not a dramatic change;
- 3) Severe where the change in behaviour is marked or prominent, a dramatic change.

If there is more than one behaviour listed in a question, please rate the most severe behavioural change.

The first domain describes interest, motivation, and drive.

MBI_1	MBI_INTER_MSI		
[ALWAYS ASK]			
Has the person lost interest in friends, family, or home activities?			
YES	YES 1 Yes		
NO		2	No
DK_NA		8	DO NOT READ] Don't know / No answer
REFUSED		9	DO NOT READ] Refused



MBI_2	MBI_INTERSEV_MSI			
[ASK IF MBI_INTER_MSI = Yes]				
How would you describe the severity of this behaviour?				
CODE ONLY C	CODE ONLY ONE RESPONSE			
MILD		1	Mild	
MOD		2	Moderate	
SEVERE		3	Severe	
DK_NA		8	DO NOT READ] Don't know / No answer	
REFUSED		9	DO NOT READ] Refused	

MBI_3	MBI_CURI_MSI		
[ALWAYS ASK]			
Does the person lack curiosity in topics that would usually have attracted her/his interest?			
YES 1 Yes			Yes
NO		2	No
DK_NA		8	DO NOT READ] Don't know / No answer
REFUSED		9	DO NOT READ] Refused

MBI_4	MBI_CURISEV_MSI				
[ASK IF MBI_C	[ASK IF MBI_CURI_MSI = Yes]				
How would you	How would you describe the severity of this behaviour?				
CODE ONLY C	CODE ONLY ONE RESPONSE				
MILD		1	Mild		
MOD		2	Moderate		
SEVERE		3	Severe		
DK_NA		8	DO NOT READ] Don't know / No answer		
REFUSED		9	DO NOT READ] Refused		



MBI_5	MBI_SPON_MSI				
[ALWAYS ASK	[ALWAYS ASK]				
Has the person become less spontaneous and active – for example, is she/he less likely to initiate or maintain conversation?					
YES		1	Yes		
NO		2	No		
DK_NA		8	DO NOT READ] Don't know / No answer		
REFUSED		9	DO NOT READ] Refused		

MBI_6	MBI_SPONSEV_MSI				
[ASK IF MBI_S	[ASK IF MBI_SPON_MSI = Yes]				
How would you	describe the	severity o	f this behaviour?		
CODE ONLY C	CODE ONLY ONE RESPONSE				
MILD		1	Mild		
MOD		2	Moderate		
SEVERE		3	Severe		
DK_NA		8	DO NOT READ] Don't know / No answer		
REFUSED		9	DO NOT READ] Refused		

MBI_7	MBI_MOTI_MSI			
[ALWAYS ASK]				
Has the person lost motivation to act on her/his obligations or interest?				
YES		1	Yes	
NO		2	No	
DK_NA		8	DO NOT READ] Don't know / No answer	
REFUSED		9	DO NOT READ] Refused	



MBI_8	MBI_MOTISEV_MSI				
[ASK IF MBI_N	[ASK IF MBI_MOTI_MSI = Yes]				
How would you	How would you describe the severity of this behaviour?				
CODE ONLY C	CODE ONLY ONE RESPONSE				
MILD		1	Mild		
MOD		2	Moderate		
SEVERE		3	Severe		
DK_NA		8	DO NOT READ] Don't know / No answer		
REFUSED		9	DO NOT READ! Refused		

MBI_9	MBI_EMOT_MSI			
[ALWAYS ASK]				
Is the person less affectionate and/or lacking in emotions when compared to her/his usual self?				
YES		1	Yes	
NO		2	No	
DK_NA		8	DO NOT READ] Don't know / No answer	
REFUSED		9	DO NOT READ] Refused	

MBI_10	MBI_EMOTSEV_MSI				
[ASK IF MBI_E	[ASK IF MBI_EMOT_MSI = Yes]				
How would you	How would you describe the severity of this behaviour?				
CODE ONLY C	CODE ONLY ONE RESPONSE				
MILD		1	Mild		
MOD		2	Moderate		
SEVERE		3	Severe		
DK_NA		8	DO NOT READ] Don't know / No answer		
REFUSED		9	DO NOT READ] Refused		



MBI_11	MBI_CARE_MSI			
[ALWAYS ASK]				
Does she/he no longer care about anything?				
YES		1	Yes	
NO		2	No	
DK_NA		8	DO NOT READ] Don't know / No answer	
REFUSED		9	DO NOT READ] Refused	

MBI_12	MBI_CARESEV_MSI			
[ASK IF MBI_CARE_MSI = Yes]				
How would you	describe the	severity o	f this behaviour?	
CODE ONLY ONE RESPONSE				
MILD		1	Mild	
MOD		2	Moderate	
SEVERE		3	Severe	
DK_NA		8	DO NOT READ] Don't know / No answer	
REFUSED		9	DO NOT READ] Refused	

The second domain describes mood or anxiety symptoms.

Interviewer note, remind the respondent if required: For each questions you respond "yes" to indicating a change in behaviour, I will ask you to respond about the severity of the behaviour based on the following options:

- 1) Mild where the change in behaviour is noticeable, but not a significant change;
- 2) Moderate where the change in behaviour is significant, but not a dramatic change;
- 3) Severe where the change in behaviour is marked or prominent, a dramatic change.

If there is more than one behaviour listed in a question, please rate the most severe behavioural change.

MBI_13	MBI_SAD_MSI				
[ALWAYS ASK	[ALWAYS ASK]				
Has the person developed sadness or appear to be in low spirits? Does she/he have episodes of tearfulness?					
YES		1	Yes		
NO		2	No		
DK_NA		8	DO NOT READ] Don't know / No answer		
REFUSED		9	DO NOT READ] Refused		



MBI_14	MBI_SADSEV_MSI				
[ASK IF MBI_S	[ASK IF MBI_SAD_MSI = Yes]				
How would you	How would you describe the severity of this behaviour?				
CODE ONLY ONE RESPONSE					
MILD		1	Mild		
MOD		2	Moderate		
SEVERE		3	Severe		
DK_NA		8	DO NOT READ] Don't know / No answer		
REFUSED	_	9	DO NOT READ] Refused		

MBI_15	MBI_PLES_MSI			
[ALWAYS ASK]				
Has the person become less able to experience pleasure?				
YES		1	Yes	
NO		2	No	
DK_NA 8 DO NOT READ] Don't know / No answer				
REFUSED		9	DO NOT READ] Refused	

MBI_16	MBI_PLESSEV_MSI				
[ASK IF MBI_PLES_MSI = Yes]					
How would you	How would you describe the severity of this behaviour?				
CODE ONLY C	CODE ONLY ONE RESPONSE				
MILD		1	Mild		
MOD		2	Moderate		
SEVERE		3	Severe		
DK_NA		8	DO NOT READ] Don't know / No answer		
REFUSED		9	DO NOT READ] Refused		



MBI_17	MBI_DISC_MSI			
[ALWAYS ASK]				
Has the person become discouraged about their future or feel that she/he is a failure?				
YES		1	Yes	
NO		2	No	
DK_NA		8	DO NOT READ] Don't know / No answer	
REFUSED		9	DO NOT READ] Refused	

MBI_18	MBI_DISCSEV_MSI				
[ASK IF MBI_DISC_MSI = Yes]					
How would you	How would you describe the severity of this behaviour?				
CODE ONLY C	CODE ONLY ONE RESPONSE				
MILD		1	Mild		
MOD		2	Moderate		
SEVERE		3	Severe		
DK_NA		8	DO NOT READ] Don't know / No answer		
REFUSED		9	DO NOT READ] Refused		

MBI_19	MBI_BURD_MSI			
[ALWAYS ASK]				
Does the person view herself/himself as a burden to family?				
YES		1	Yes	
NO		2	No	
DK_NA		8	DO NOT READ] Don't know / No answer	
REFUSED		9	DO NOT READ] Refused	



MBI_20	MBI_BURDSEV_MSI				
[ASK IF MBI_BURD_MSI = Yes]					
How would you	How would you describe the severity of this behaviour?				
CODE ONLY C	CODE ONLY ONE RESPONSE				
MILD		1	Mild		
MOD		2	Moderate		
SEVERE		3	Severe		
DK_NA		8	DO NOT READ] Don't know / No answer		
REFUSED		9	DO NOT READ] Refused		

MBI_21	MBI_ANX_MSI				
[ALWAYS ASK	[ALWAYS ASK]				
Has the person become more anxious or worried about things that are routine (e.g. events, visits, etc.)?					
YES		1	Yes		
NO		2	No		
DK_NA		8	DO NOT READ] Don't know / No answer		
REFUSED		9	DO NOT READ] Refused		

MBI_22	MBI_ANXSEV_MSI				
[ASK IF MBI_A	[ASK IF MBI_ANX_MSI = Yes]				
How would you	How would you describe the severity of this behaviour?				
CODE ONLY C	CODE ONLY ONE RESPONSE				
MILD		1	Mild		
MOD		2	Moderate		
SEVERE		3	Severe		
DK_NA		8	DO NOT READ] Don't know / No answer		
REFUSED		9	DO NOT READ] Refused		



MBI_23	MBI_TENSE_MSI				
[ALWAYS ASK	[ALWAYS ASK]				
Does the person feel very tense, having developed an inability to relax, or shakiness, or symptoms of panic?					
YES		1	Yes		
NO		2	No		
DK_NA		8	DO NOT READ] Don't know / No answer		
REFUSED		9	DO NOT READ] Refused		

MBI_24	MBI_TENSESEV_MSI				
[ASK IF MBI_TENSE_MSI = Yes]					
How would you	How would you describe the severity of this behaviour?				
CODE ONLY C	CODE ONLY ONE RESPONSE				
MILD		1	Mild		
MOD		2	Moderate		
SEVERE		3	Severe		
DK_NA		8	DO NOT READ] Don't know / No answer		
REFUSED		9	DO NOT READ] Refused		

The third domain describes the ability to delay gratification and control behaviour, impulses, oral intake and/or changes in reward.

Interviewer note, remind the respondent if required: For each questions you respond "yes" to indicating a change in behaviour, I will ask you to respond about the severity of the behaviour based on the following options:

- 1) Mild where the change in behaviour is noticeable, but not a significant change;
- 2) Moderate where the change in behaviour is significant, but not a dramatic change;
- 3) Severe where the change in behaviour is marked or prominent, a dramatic change.

If there is more than one behaviour listed in a question, please rate the most severe behavioural change.

MBI_25	MBI_AGGR_MSI			
[ALWAYS ASK]				
Has the person become agitated, aggressive, irritable, or temperamental?				
YES		1	Yes	
NO		2	No	
DK_NA		8	DO NOT READ] Don't know / No answer	
REFUSED		9	DO NOT READ] Refused	



MBI_26	MBI_AGGRSEV_MSI				
[ASK IF MBI_A	[ASK IF MBI_AGGR_MSI = Yes]				
How would you	How would you describe the severity of this behaviour?				
CODE ONLY C	CODE ONLY ONE RESPONSE				
MILD		1	Mild		
MOD		2	Moderate		
SEVERE		3	Severe		
DK_NA		8	DO NOT READ] Don't know / No answer		
REFUSED		9	DO NOT READ] Refused		

MBI_27	MBI_ARGU_MSI			
[ALWAYS ASK]				
Has she/he become unreasonably or uncharacteristically argumentative?				
YES		1	Yes	
NO		2	No	
DK_NA		8	DO NOT READ] Don't know / No answer	
REFUSED		9	DO NOT READ] Refused	

MBI_28	MBI_ARGUSEV_MSI				
[ASK IF MBI_ARGU_MSI = Yes]					
How would you	How would you describe the severity of this behaviour?				
CODE ONLY	CODE ONLY ONE RESPONSE				
MILD		1	Mild		
MOD		2	Moderate		
SEVERE		3	Severe		
DK_NA		8	DO NOT READ] Don't know / No answer		
REFUSED		9	DO NOT READ] Refused		



MBI_29	MBI_IMPU_MSI		
[ALWAYS ASK]			
Has the person become more impulsive, seeming to act without considering things?			
YES		1	Yes
NO		2	No
DK_NA		8	DO NOT READ] Don't know / No answer
REFUSED		9	DO NOT READ] Refused

MBI_20	MBI_IMPUSEV_MSI				
[ASK IF MBI_IMPU_MSI = Yes]					
How would you	How would you describe the severity of this behaviour?				
CODE ONLY C	CODE ONLY ONE RESPONSE				
MILD		1	Mild		
MOD		2	Moderate		
SEVERE		3	Severe		
DK_NA		8	DO NOT READ] Don't know / No answer		
REFUSED		9	DO NOT READ] Refused		

MBI_31	MBI_DISI_MSI				
[ALWAYS ASK	[ALWAYS ASK]				
Does the person display sexually disinhibited or intrusive behaviour, such as touching (themselves/others), hugging, groping, etc., in a manner that is out of character or may cause offense?					
YES		1	Yes		
NO		2	No		
DK_NA		8	DO NOT READ] Don't know / No answer		
REFUSED		9	DO NOT READ] Refused		



MBI_32	MBI_DISISEV_MSI				
[ASK IF MBI_D	[ASK IF MBI_DISI_MSI = Yes]				
How would you	How would you describe the severity of this behaviour?				
CODE ONLY C	CODE ONLY ONE RESPONSE				
MILD		1	Mild		
MOD		2	Moderate		
SEVERE		3	Severe		
DK_NA		8	DO NOT READ] Don't know / No answer		
REFUSED		9	DO NOT READ] Refused		

MBI_33	MBI_FRUS_MSI				
[ALWAYS ASK	[ALWAYS ASK]				
	Has the person become more easily frustrated or impatient? Does she/he have troubles coping with delays, or waiting for events or for their turn?				
YES		1	Yes		
NO		2	No		
DK_NA		8	DO NOT READ] Don't know / No answer		
REFUSED		9	DO NOT READ] Refused		

MBI_34	MBI_FRUSSEV_MSI				
[ASK IF MBI_F	[ASK IF MBI_FRUS_MSI = Yes]				
How would you	How would you describe the severity of this behaviour?				
CODE ONLY C	CODE ONLY ONE RESPONSE				
MILD		1	Mild		
MOD		2	Moderate		
SEVERE		3	Severe		
DK_NA		8	DO NOT READ] Don't know / No answer		
REFUSED		9	DO NOT READ] Refused		



MBI_35	MBI_DRIVE_MSI				
[ALWAYS ASK	[ALWAYS ASK]				
Does the person display a new recklessness or lack of judgement when driving (e.g. speeding, erratic swerving, abrupt lane changes, etc.)?					
YES		1	Yes		
NO		2	No		
DK_NA		8	DO NOT READ] Don't know / No answer		
REFUSED		9	DO NOT READ] Refused		

MBI_36	MBI_DRIVESEV_MSI				
[ASK IF MBI_DRIVE_MSI = Yes]					
How would you	describe the	severity o	f this behaviour?		
CODE ONLY C	CODE ONLY ONE RESPONSE				
MILD		1	Mild		
MOD		2	Moderate		
SEVERE		3	Severe		
DK_NA	_	8	DO NOT READ] Don't know / No answer		
REFUSED		9	DO NOT READ] Refused		

MBI_37	MBI_STUB_MSI				
[ALWAYS ASK	[ALWAYS ASK]				
Has the person become more stubborn on rigid, i.e., uncharacteristically insistent on having their way, or unwilling/unable to see/hear other views?					
YES		1	Yes		
NO		2	No		
DK_NA		8	DO NOT READ] Don't know / No answer		
REFUSED		9	DO NOT READ] Refused		



MBI_38	MBI_STUBSEV_MSI				
[ASK IF MBI_S	[ASK IF MBI_STUB_MSI = Yes]				
How would you	How would you describe the severity of this behaviour?				
CODE ONLY C	CODE ONLY ONE RESPONSE				
MILD		1	Mild		
MOD		2	Moderate		
SEVERE		3	Severe		
DK_NA		8	DO NOT READ] Don't know / No answer		
REFUSED		9	DO NOT READ] Refused		

MBI_39	MBI_FOOD_MSI				
[ALWAYS ASK	[ALWAYS ASK]				
	Is there a change in eating behaviours (e.g., overeating, cramming the mouth, insistent on eating only specific foods, or eating the food in exactly the same order)?				
YES		1	Yes		
NO		2	No		
DK_NA		8	DO NOT READ] Don't know / No answer		
REFUSED		9	DO NOT READ] Refused		

MBI_40	MBI_FOODSEV_MSI				
[ASK IF MBI_F	[ASK IF MBI_FOOD_MSI = Yes]				
How would you	How would you describe the severity of this behaviour?				
CODE ONLY C	CODE ONLY ONE RESPONSE				
MILD		1	Mild		
MOD		2	Moderate		
SEVERE		3	Severe		
DK_NA		8	DO NOT READ] Don't know / No answer		
REFUSED		9	DO NOT READ] Refused		



MBI_41	MBI_APP_MSI			
[ALWAYS ASK]				
Does the person no longer find food tasteful or enjoyable? Are they eating less?				
YES		1	Yes	
NO		2	No	
DK_NA		8	DO NOT READ] Don't know / No answer	
REFUSED		9	DO NOT READI Refused	

MBI_42	MBI_APPSEV_MSI				
[ASK IF MBI_APP_MSI = Yes]					
How would you	How would you describe the severity of this behaviour?				
CODE ONLY	CODE ONLY ONE RESPONSE				
MILD		1	Mild		
MOD		2	Moderate		
SEVERE		3	Severe		
DK_NA		8	DO NOT READ] Don't know / No answer		
REFUSED		9	DO NOT READ] Refused		

MBI_43	MBI_HOARD_MSI			
[ALWAYS ASK]				
Does the person hoard objects when she/he did not do so before?				
YES		1	Yes	
NO		2	No	
DK_NA		8	DO NOT READ] Don't know / No answer	
REFUSED		9	DO NOT READ] Refused	



MBI_44	MBI_HOARDSEV_MSI				
[ASK IF MBI_H	[ASK IF MBI_HOARD_MSI = Yes]				
How would you	How would you describe the severity of this behaviour?				
CODE ONLY C	CODE ONLY ONE RESPONSE				
MILD		1	Mild		
MOD		2	Moderate		
SEVERE		3	Severe		
DK_NA		8	DO NOT READ] Don't know / No answer		
REFUSED		9	DO NOT READ1 Refused		

MBI_45	MBI_REP_MSI			
[ALWAYS ASK]				
Has the person developed simple repetitive behaviours or compulsions?				
YES		1	Yes	
NO		2	No	
DK_NA		8	DO NOT READ] Don't know / No answer	
REFUSED		9	DO NOT READ] Refused	

MBI_46	MBI_REPSEV_MSI			
[ASK IF MBI_REP_MSI = Yes]				
How would you	describe the	severity o	f this behaviour?	
CODE ONLY ONE RESPONSE				
MILD		1	Mild	
MOD		2	Moderate	
SEVERE		3	Severe	
DK_NA		8	DO NOT READ] Don't know / No answer	
REFUSED		9	DO NOT READ] Refused	



MBI_47	MBI_REGU_MSI			
[ALWAYS ASK]				
Has the person recently developed trouble regulating smoking, alcohol, drug intake or gambling, or started shoplifting?				
YES		1	Yes	
NO		2	No	
DK_NA		8	DO NOT READ] Don't know / No answer	
REFUSED		9	DO NOT READ] Refused	

MBI_48	MBI_REGUSEV_MSI				
[ASK IF MBI_REGU_MSI = Yes]					
How would you	How would you describe the severity of this behaviour?				
CODE ONLY ONE RESPONSE					
MILD		1	Mild		
MOD		2	Moderate		
SEVERE		3	Severe		
DK_NA		8	DO NOT READ] Don't know / No answer		
REFUSED		9	DO NOT READ] Refused		

The next domain describes following society norms and having social graces, tact, and empathy.

Interviewer note, remind the respondent if required: For each questions you respond "yes" to indicating a change in behaviour, I will ask you to respond about the severity of the behaviour based on the following options:

- 1) Mild where the change in behaviour is noticeable, but not a significant change;
- 2) Moderate where the change in behaviour is significant, but not a dramatic change;

Severe where the change in behaviour is marked or prominent, a dramatic change. If there is more than one behaviour listed in a question, please rate the most severe behavioural change.

MBI_49	MBI_INSEN_MSI				
[ALWAYS ASK	[ALWAYS ASK]				
	Has the person become less concerned about how her/his words or actions affect others? Has she/he become insensitive to others' feelings?				
YES		1	Yes		
NO		2	No		
DK_NA		8	DO NOT READ] Don't know / No answer		
REFUSED		9	DO NOT READ] Refused		



MBI_50	MBI_INSENSEV_MSI			
[ASK IF MBI_INSEN_MSI = Yes]				
How would you	describe the	severity o	f this behaviour?	
CODE ONLY ONE RESPONSE				
MILD		1	Mild	
MOD		2	Moderate	
SEVERE		3	Severe	
DK_NA		8	DO NOT READ] Don't know / No answer	
REFUSED		9	DO NOT READ] Refused	

MBI_51	MBI_OPEN_MSI			
[ALWAYS ASK]				
Has the person started talking openly about very personal or private matters not usually discussed in public?				
YES		1	Yes	
NO		2	No	
DK_NA		8	DO NOT READ] Don't know / No answer	
REFUSED		9	DO NOT READ] Refused	

MBI_52	MBI_OPENSEV_MSI				
[ASK IF MBI_OPEN_MSI = Yes]					
How would you	How would you describe the severity of this behaviour?				
CODE ONLY C	CODE ONLY ONE RESPONSE				
MILD		1	Mild		
MOD		2	Moderate		
SEVERE		3	Severe		
DK_NA		8	DO NOT READ] Don't know / No answer		
REFUSED		9	DO NOT READ] Refused		



MBI_53	MBI_RUDE_MSI			
[ALWAYS ASK]				
Does the person say rude or crude things or make lewd sexual remarks that she/he would not have said before?				
YES		1	Yes	
NO		2	No	
DK_NA		8	DO NOT READ] Don't know / No answer	
REFUSED		9	DO NOT READ] Refused	

MBI_54	MBI_RUDESEV_MSI			
[ASK IF MBI_RUDE_MSI = Yes]				
How would you	How would you describe the severity of this behaviour?			
CODE ONLY ONE RESPONSE				
MILD		1	Mild	
MOD		2	Moderate	
SEVERE		3	Severe	
DK_NA		8	DO NOT READ] Don't know / No answer	
REFUSED		9	DO NOT READ] Refused	

MBI_55	MBI_JUDGE_MSI			
[ALWAYS ASK]				
Does the person seem to lack the social judgement she/he previously had about what to say or how to behave in public or private?				
YES		1	Yes	
NO		2	No	
DK_NA		8	DO NOT READ] Don't know / No answer	
REFUSED		9	DO NOT READ] Refused	



MBI_56	MBI_JUDGESEV_MSI				
[ASK IF MBI_JUDGE_MSI = Yes]					
How would you	How would you describe the severity of this behaviour?				
CODE ONLY ONE RESPONSE					
MILD		1	Mild		
MOD		2	Moderate		
SEVERE		3	Severe		
DK_NA		8	DO NOT READ] Don't know / No answer		
REFUSED		9	DO NOT READ] Refused		

MBI_57	MBI_TALK_MSI			
[ALWAYS ASK]				
Does the person now talk to strangers as if familiar, or intrude on their activities?				
YES		1	Yes	
NO		2	No	
DK_NA		8	DO NOT READ] Don't know / No answer	
REFUSED		9	DO NOT READ] Refused	

MBI_58	MBI_TALKSEV_MSI				
[ASK IF MBI_TALK_MSI = Yes]					
How would you	How would you describe the severity of this behaviour?				
CODE ONLY C	CODE ONLY ONE RESPONSE				
MILD		1	Mild		
MOD		2	Moderate		
SEVERE		3	Severe		
DK_NA		8	DO NOT READ] Don't know / No answer		
REFUSED		9	DO NOT READ] Refused		



This last domain describes strongly held beliefs and sensory experiences.

Interviewer note, remind the respondent if required: For each questions you respond "yes" to indicating a change in behaviour, I will ask you to respond about the severity of the behaviour based on the following options:

- 1) Mild where the change in behaviour is noticeable, but not a significant change;
- 2) Moderate where the change in behaviour is significant, but not a dramatic change;
- 3) Severe where the change in behaviour is marked or prominent, a dramatic change.

If there is more than one behaviour listed in a question, please rate the most severe behavioural change.

MBI_59	MBI_HARM_MSI			
[ALWAYS ASK]				
Has the person developed beliefs that they are in danger, or that others are planning to harm them or steal their belongings?				
YES		1	Yes	
NO		2	No	
DK_NA		8	DO NOT READ] Don't know / No answer	
REFUSED		9	DO NOT READ] Refused	

MBI_60	MBI_HARMSEV_MSI				
[ASK IF MBI_H	[ASK IF MBI_HARM_MSI = Yes]				
How would you	How would you describe the severity of this behaviour?				
CODE ONLY C	CODE ONLY ONE RESPONSE				
MILD		1	Mild		
MOD		2	Moderate		
SEVERE		3	Severe		
DK_NA		8	DO NOT READ] Don't know / No answer		
REFUSED		9	DO NOT READ] Refused		

MBI_61	MBI_SUSP_MSI			
[ALWAYS ASK]				
Has the person developed suspiciousness about the intentions or motives of other people?				
YES		1	Yes	
NO		2	No	
DK_NA		8	DO NOT READ] Don't know / No answer	
REFUSED		9	DO NOT READ] Refused	

Page 49 of 54



MBI_62	MBI_SUSPSEV_MSI			
[ASK IF MBI_SUSP_MSI = Yes]				
How would you	How would you describe the severity of this behaviour?			
CODE ONLY C	CODE ONLY ONE RESPONSE			
MILD		1	Mild	
MOD		2	Moderate	
SEVERE		3	Severe	
DK_NA		8	DO NOT READ] Don't know / No answer	
REFUSED		9	DO NOT READ] Refused	

MBI_63	MBI_UNRL_MSI			
[ALWAYS ASK]				
Doe she/he have unrealistic beliefs about her/his power, wealth, or skills?				
YES		1	Yes	
NO		2	No	
DK_NA		8	DO NOT READ] Don't know / No answer	
REFUSED		9	DO NOT READ] Refused	

MBI_64	MBI_UNRLSEV_MSI				
[ASK IF MBI_UNRL_MSI = Yes]					
How would you	How would you describe the severity of this behaviour?				
CODE ONLY C	CODE ONLY ONE RESPONSE				
MILD		1	Mild		
MOD		2	Moderate		
SEVERE		3	Severe		
DK_NA		8	DO NOT READ] Don't know / No answer		
REFUSED		9	DO NOT READ] Refused		



MBI_65	MBI_VOICE_MSI			
[ALWAYS ASK]				
Does the person describe hearing voices or does she/he talk to imaginary people or "spirits"				
YES		1	Yes	
NO		2	No	
DK_NA		8	DO NOT READ] Don't know / No answer	
REFUSED		9	DO NOT READ! Refused	

MBI_66	MBI_VOICESEV_MSI				
[ASK IF MBI_VOICE_MSI = Yes]					
How would you describe the severity of this behaviour?					
CODE ONLY ONE RESPONSE					
MILD		1	Mild		
MOD		2	Moderate		
SEVERE		3	Severe		
DK_NA		8	DO NOT READ] Don't know / No answer		
REFUSED		9	DO NOT READ] Refused		

MBI_67	MBI_IMAG_MSI			
[ALWAYS ASK]				
Does the person report or complain about, or act as if seeing things (e.g. people, animals, or insects) that are not there, i.e., that are imaginary to others?				
YES		1	Yes	
NO		2	No	
DK_NA		8	DO NOT READ] Don't know / No answer	
REFUSED		9	DO NOT READ] Refused	



MBI_68	MBI_IMAGSEV_MSI				
[ASK IF MBI_IMAG_MSI = Yes]					
How would you describe the severity of this behaviour?					
CODE ONLY ONE RESPONSE					
MILD		1	Mild		
MOD		2	Moderate		
SEVERE		3	Severe		
DK_NA		8	DO NOT READ] Don't know / No answer		
REFUSED		9	DO NOT READ] Refused		

MBI_END