Diagnosis	N
please combine with clinical information	611 (13.8%)
media opacity	136 (3.1%)
choroidal neovascularization	125 (2.8%)
branch retinal vein occlusion	102 (2.3%)
retinal pigment epithelial detachment	100 (2.3%)
pathologic myopia	78 (1.8%)
central serous chorioretinopathy	67 (1.5%)
epiretinal membrane	45 (1.0%)
familial exudative vitreoretinopathy	45 (1.0%)
wet age-related macular degeneration	42 (0.9%)
retinitis pigmentosa	42 (0.9%)
polypoidal choroidal vasculopathy	42 (0.9%)
vasculitis	39 (0.9%)
central retinal vein occlusion	38 (0.9%)
panuveitis	27 (0.6%)
intermediate uveitis	23 (0.5%)
retinal telangiectasia	21 (0.5%)
Behcet disease	15 (0.3%)
choroidal mass	15 (0.3%)
Coat's disease	15 (0.3%)
white dot syndrome	13 (0.3%)
Eales' disease	13 (0.3%)
retinal artery occlusion	12 (0.3%)
Vogt-Koyanagi-Harada disease	12 (0.3%)
Von Hippel-Lindau Syndrome	10 (0.2%)
central retinal artery occlusion	10 (0.2%)
hypertensive retinopathy	8 (0.2%)
macroaneurysm	8 (0.2%)
macular hole	7 (0.2%)
myelinated retinal nerve fiber layer	7 (0.2%)
acute retinal necrosis	6 (0.1%)
dry age-related macular degeneration	3 (0.1%)
anterior ischemic optic neuropathy	3 (0.1%)
Stargardt disease	3 (0.1%)
congenital coloboma	3 (0.1%)
choroidal rupture	3 (0.1%)
rhegmatogenous retinal detachment	3 (0.1%)
choroidal nevus	2 (0.0%)
silicone-oil-tamponade	2 (0.0%)
choroidal osteoma	1 (0.0%)

Table S1. The full spectrum of other eye diseases in the dataset extracted from fundus fluorescein angiography reports.

Best vitelliform macular dystrophy	1 (0.0%)
retinal angiomatous proliferation	1 (0.0%)
cilioretinal artery occlusion	1 (0.0%)
geographic atrophy	1 (0.0%)
serpiginous choroiditis	1 (0.0%)
ocular ischemic syndrome	1 (0.0%)
angioid streak	1 (0.0%)
choroidal hemangioma	1 (0.0%)
toxocariasis	1 (0.0%)
pseudopapilledema	1 (0.0%)
macular ectopia	1 (0.0%)
morning glory syndrome	1 (0.0%)