nature portfolio

Corresponding author(s):	DONNIO Lise-Marie
Last updated by author(s):	Sep 25, 2023

Reporting Summary

Nature Portfolio wishes to improve the reproducibility of the work that we publish. This form provides structure for consistency and transparency in reporting. For further information on Nature Portfolio policies, see our Editorial Policies and the Editorial Policy Checklist.

For all statistical analyses, confirm that the following items are present in the figure legend, table legend, main text, or Methods section.

0.0	100	100	
Sta	4 † I	STI	CS

n/a	Cor	nfirmed
	X	The exact sample size (n) for each experimental group/condition, given as a discrete number and unit of measurement
	x	A statement on whether measurements were taken from distinct samples or whether the same sample was measured repeatedly
	×	The statistical test(s) used AND whether they are one- or two-sided Only common tests should be described solely by name; describe more complex techniques in the Methods section.
x		A description of all covariates tested
x		A description of any assumptions or corrections, such as tests of normality and adjustment for multiple comparisons
	X	A full description of the statistical parameters including central tendency (e.g. means) or other basic estimates (e.g. regression coefficient) AND variation (e.g. standard deviation) or associated estimates of uncertainty (e.g. confidence intervals)
	x	For null hypothesis testing, the test statistic (e.g. <i>F</i> , <i>t</i> , <i>r</i>) with confidence intervals, effect sizes, degrees of freedom and <i>P</i> value noted <i>Give P values as exact values whenever suitable.</i>
X		For Bayesian analysis, information on the choice of priors and Markov chain Monte Carlo settings
x		For hierarchical and complex designs, identification of the appropriate level for tests and full reporting of outcomes
x		Estimates of effect sizes (e.g. Cohen's <i>d</i> , Pearson's <i>r</i>), indicating how they were calculated

Our web collection on <u>statistics for biologists</u> contains articles on many of the points above.

Software and code

Policy information about availability of computer code

Data collection

Confocal images of the cells were obtained on a Zeiss LSM 880 NLO confocal laser scanning inverted microscope using either a Plan-Apochromat 63x/1.4 or 40x/1.3 oil immersion objective. Other images were obtained using an upright Zeiss Z1 Imager with a Plan-Apochromat 40x/0.95 objective. Time-lapse imaging of live cells for 48 hours was achieved on a Zeiss AxioObserver 7 microscope with an Alpha Plan-Apochromat 63x/1.46 oil objective, equipped with a dedicated incubator system set at 37° C and 5% CO2.

Data analysis

Excel (microsoft office) was used for statistical analysis and to generate all the represented graphs. Images were analyzed with Image J software. No custom code was generated.

For manuscripts utilizing custom algorithms or software that are central to the research but not yet described in published literature, software must be made available to editors and reviewers. We strongly encourage code deposition in a community repository (e.g. GitHub). See the Nature Portfolio <u>guidelines for submitting code & software</u> for further information.

Data

Policy information about availability of data

All manuscripts must include a data availability statement. This statement should provide the following information, where applicable:

- Accession codes, unique identifiers, or web links for publicly available datasets
- A description of any restrictions on data availability
- For clinical datasets or third party data, please ensure that the statement adheres to our policy

Source data generated in this study are provided in the Source data file. Raw files of Western Blot have been deposited in Figshare.

Research involving human participants, their data, or biological material

Policy information about studies with <u>human participants or human data</u>. See also policy information about <u>sex, gender (identity/presentation)</u>, and sexual orientation and race, ethnicity and racism.

Reporting on sex and gender	N/A
Reporting on race, ethnicity, or other socially relevant groupings	N/A
Population characteristics	N/A
Recruitment	N/A
Ethics oversight	N/A

Note that full information on the approval of the study protocol must also be provided in the manuscript.

Field-specific reporting

Please select the one below that is the best fit for your research. If you are not sure, read the appropriate sections before making your sele	ection
--	--------

X	Life sciences		Behavioural & social sciences		Ecological	, evolutionar	y 8	k environmental	sciences
---	---------------	--	-------------------------------	--	------------	---------------	-----	-----------------	----------

For a reference copy of the document with all sections, see nature.com/documents/nr-reporting-summary-flat.pdf

Life sciences study design

All studies must disclose on these points even when the disclosure is negative.

Sample size No statistical methods were used to pre-determine samples sizes. Sample size was determined based on prior experience. For quantification of fluorescences signal, a minimum of 25 cells is required to don't have a too big SEM. This size is confirmed by the statistical analyses.

Data exclusions Some data were excluded from the study when our control (WT or siMock) are not recovery as already demonstrated. It is usually due to cells contamination, problem with cell incubator.

Replication Results presented in the manuscript were replicated at least three times in independent experiments. Experimental findings were reproduced

Randomization The experiments were repeated by different scientists, therewith eliminating person-dependent technical effects. Cell cultures for each

Blinding Blinded group allocation was not relevant in our study as our experiments included positive and/or negative controls.

experiment were grown independently and treated under the same experimental conditions.

Behavioural & social sciences study design

All studies must disclose on these points even when the disclosure is negative.

. occurred made another on another points even when the another an inequality

Briefly describe the study type including whether data are quantitative, qualitative, or mixed-methods (e.g. qualitative cross-sectional, quantitative experimental, mixed-methods case study).

Research sample

Study description

State the research sample (e.g. Harvard university undergraduates, villagers in rural India) and provide relevant demographic information (e.g. age, sex) and indicate whether the sample is representative. Provide a rationale for the study sample chosen. For studies involving existing datasets, please describe the dataset and source.

Sampling strategy

Describe the sampling procedure (e.g. random, snowball, stratified, convenience). Describe the statistical methods that were used to predetermine sample size OR if no sample-size calculation was performed, describe how sample sizes were chosen and provide a rationale for why these sample sizes are sufficient. For qualitative data, please indicate whether data saturation was considered, and what criteria were used to decide that no further sampling was needed.

Data collection

Provide details about the data collection procedure, including the instruments or devices used to record the data (e.g. pen and paper, computer, eye tracker, video or audio equipment) whether anyone was present besides the participant(s) and the researcher, and whether the researcher was blind to experimental condition and/or the study hypothesis during data collection.

Timing

Indicate the start and stop dates of data collection. If there is a gap between collection periods, state the dates for each sample cohort.

Data exclusions

If no data were excluded from the analyses, state so OR if data were excluded, provide the exact number of exclusions and the rationale behind them, indicating whether exclusion criteria were pre-established.

Non-participation

State how many participants dropped out/declined participation and the reason(s) given OR provide response rate OR state that no participants dropped out/declined participation.

Randomization

If participants were not allocated into experimental groups, state so OR describe how participants were allocated to groups, and if allocation was not random, describe how covariates were controlled.

Ecological, evolutionary & environmental sciences study design

All studies must disclose on these points even when the disclosure is negative.

Study description

Briefly describe the study. For quantitative data include treatment factors and interactions, design structure (e.g. factorial, nested, hierarchical), nature and number of experimental units and replicates.

Research sample

Describe the research sample (e.g. a group of tagged Passer domesticus, all Stenocereus thurberi within Organ Pipe Cactus National Monument), and provide a rationale for the sample choice. When relevant, describe the organism taxa, source, sex, age range and any manipulations. State what population the sample is meant to represent when applicable. For studies involving existing datasets, describe the data and its source.

Sampling strategy

Note the sampling procedure. Describe the statistical methods that were used to predetermine sample size OR if no sample-size calculation was performed, describe how sample sizes were chosen and provide a rationale for why these sample sizes are sufficient.

Data collection

Describe the data collection procedure, including who recorded the data and how.

Timing and spatial scale

Indicate the start and stop dates of data collection, noting the frequency and periodicity of sampling and providing a rationale for these choices. If there is a gap between collection periods, state the dates for each sample cohort. Specify the spatial scale from which the data are taken

Data exclusions

If no data were excluded from the analyses, state so OR if data were excluded, describe the exclusions and the rationale behind them, indicating whether exclusion criteria were pre-established.

Reproducibility

Describe the measures taken to verify the reproducibility of experimental findings. For each experiment, note whether any attempts to repeat the experiment failed OR state that all attempts to repeat the experiment were successful.

Randomization

Describe how samples/organisms/participants were allocated into groups. If allocation was not random, describe how covariates were controlled. If this is not relevant to your study, explain why.

Blinding

Describe the extent of blinding used during data acquisition and analysis. If blinding was not possible, describe why OR explain why blinding was not relevant to your study.

Did the study involve field work?

Yes		No
-----	--	----

Field work, collection and transport

Field conditions Describe the study condition.

Describe the study conditions for field work, providing relevant parameters (e.g. temperature, rainfall).

State the location of the sampling or experiment, providing relevant parameters (e.g. latitude and longitude, elevation, water depth).

Access & import/export

Describe the efforts you have made to access habitats and to collect and import/export your samples in a responsible manner and in compliance with local, national and international laws, noting any permits that were obtained (give the name of the issuing authority, the date of issue, and any identifying information).

Disturbance

Location

Describe any disturbance caused by the study and how it was minimized.

Reporting for specific materials, systems and methods

We require information from authors about some types of materials, experimental systems and methods used in many studies. Here, indicate whether each material, system or method listed is relevant to your study. If you are not sure if a list item applies to your research, read the appropriate section before selecting a response.

system of method listed is ref	evant to your study. If you are not sure if a list item applies to your research, read the appropriate section before selecting a response.
Materials & experime	ental systems Methods
n/a Involved in the study	n/a Involved in the study
Antibodies	ChIP-seq
Eukaryotic cell lines	s Flow cytometry
Palaeontology and	archaeology MRI-based neuroimaging
Animals and other	3.
Clinical data	organisms
Dual use research o	or concern
Plants	
Antibodies	
Antibodies used	In the material and method section of our manuscript, we specify the antibodies (primary and secondary) used. Supplier names,
	catalogues and dilutions used are provided.
	Alpha-tubulin, Mouse, sigma-aldrich, T6074 (clone B-5-1-2)
	Cherry, Rabbit, abcam, ab167453 Coilin, Rabbit, Proteintech, 10967-1-AP
	CSB, Mouse, Santa Cruz Biotechnology, sc398022
	Fibrillarin, Rabbit, Abcam ab5821
	GAPDH, Mouse, Abcam, Ab9484
	GEMIN2, Rabbit, ABclonal, A3082
	GEMIN2, Mouse, Santa Cruz Biotechnology, Sc166162 GEMIN3, Mouse, Santa Cruz Biotechnology, sc374373
	GEMIN4, Mouse, Santa Cruz Biotechnology, sc365424
	GEMIN5, Rabbit, Proteintech 24897-1-AP
	GEMIN7, Rabbit, Proteintech 10625-1-AP
	GEMIN8, Rabbit, Santa Cruz Biotechnology Sc130669
	GFP, Rabbit, Sigma-aldrich SAB4701015
	GST, Rabbit, Abcam ab3416 PRMT1, Rabbit, Abcam ab190892
	PRMT5, Rabbit, Upstate 07-405
	RNAP1, Mouse, Santa Cruz Biotechnology sc48385
	SMN, Rabbit, Proteintech 11708-1-AP
	SMN, Mouse, BD Biosciences 610646
	Y12 (snRNP B/B, D1, D3), Mouse, NeoMarkers MS-450-PO snRNPB/B', Mouse, Santa Cruz Biotechnology Sc374009
	snRNPF, Rabbit, Proteintech 14977-1-AP
	anti-rabbit IgG HRP conjugate, Goat, BioRad, 170-6515
	anti-mouse IgG HRP conjugate, Goat, BioRad 170-6516
	anti-mouse Alexa Fluor 488, Goat, Invitrogen, A11001 anti-mouse Alexa Fluor 594, Goat, Invitrogen, A11005
	anti-nodae Alexa Fluor 488, Goat, Invitrogen, A11008
	anti-rabbit Alexa Fluor 594, Goat, Invitrogen, A11012
V P L P	
Validation	All antibodies were previously validated by the manufacturer. According to home-page of abcam: Abpromise guarantee covers the use of the following antibodies
	For WB and ICC/IF applications: Cherry ab167453, Fibrillarin ab5821 and PRMT1 ab190892
	For WB application only: GAPDH ab9484 and GST ab3416
	According to home-page of Proteintech, the following antibodies have been positively tested for WB and IF application: Coilin
	10967-1-AP, GEMIN5 24897-1-AP, SMN 11708-1-AP and snRNPF 14977-1-AP. The antibody GEMIN7 10625-1-AP has been positively tested only for WB application.
	, and the second
	According to home-page of Santa Cruz Biotechnology, the following antibodies are recommended for WB and IF application: CSB sc398022, GEMIN2 Sc166162, GEMIN3 sc374373, GEMIN4 sc365424, GEMIN8 Sc130669, RNAP1 sc48385, snRNPB/B' Sc374009

According to home-page of Sigma-aldrich the antibodies Alpha-tubulin T6074 and GFP SAB470101 have been tested for WB. GFP

antibody has been used as a negative control for PLA experiment and don't need to be suitable for IF.

According to home-page ABclonal, the antibody GEMIN2 A3082 has been positively tested for WB application.

According to home-page of BD Biosciences, the antibody SMN 610646 has be routinely tested for WB and tested during Development for IF.

According to home page of Merck millipore, the antibody Upstate PRMT5 07-405 has for key application WB.

According to home page of Thermo Fisher Scientific, the antibody Neomarkers Y12 MS-450-PO is recommended for WB and IF.

Antibodies was further validated during our experiment. Target specificity in Western blot has been verified for Fibrillarin, Coilin, CSB SMN, PRMT1 and PRMT5 antibodies by subjecting cells to siRNA treatment or by using deficient cells lines.

Eukaryotic cell lines

Policy information about cell lines and Sex and Gender in Research

Cell line source(s)

SMA type I patients (GM00232, [RRID: CVCL_Y965]) fibroblast cell lines were obtained from Coriell Cell Repositories. The following cells used in this study come from Erasmus MC in Rotterdam: wild-type SV40-immortalized human fibroblasts (MRC5 [RRID:CVCL_D690]); CSB-deficient SV40-immortalized human fibroblast (CS1AN, TC-NER deficient [RRID:CVCL_L472]); WT primary human fibroblast (CSRO [RRID:CVCL_ZP35]); CSB-deficient primary human fibroblast (CS1AN [RRID:CVCL_L471])

Authentication

No further authentications were performed for this study. Western blot was performed to verify CSB and SMN-deficent cells.

Mycoplasma contamination

Mycoplasma contamination test was performed and shown to be negative.

Commonly misidentified lines (See ICLAC register)

No commonly misidentified cell lines were used in this study.

Palaeontology and Archaeology

Specimen provenance

Provide provenance information for specimens and describe permits that were obtained for the work (including the name of the issuing authority, the date of issue, and any identifying information). Permits should encompass collection and, where applicable, export.

Specimen deposition

Indicate where the specimens have been deposited to permit free access by other researchers.

Dating methods

If new dates are provided, describe how they were obtained (e.g. collection, storage, sample pretreatment and measurement), where they were obtained (i.e. lab name), the calibration program and the protocol for quality assurance OR state that no new dates are provided.

Tick this box to confirm that the raw and calibrated dates are available in the paper or in Supplementary Information.

Ethics oversight

Identify the organization(s) that approved or provided guidance on the study protocol, OR state that no ethical approval or guidance was required and explain why not.

Note that full information on the approval of the study protocol must also be provided in the manuscript. $\frac{1}{2} \int_{\mathbb{R}^{n}} \left(\frac{1}{2} \int_{\mathbb{R}^{$

Animals and other research organisms

Policy information about <u>studies involving animals</u>; <u>ARRIVE guidelines</u> recommended for reporting animal research, and <u>Sex and Gender in</u> Research

Laboratory animals

For laboratory animals, report species, strain and age OR state that the study did not involve laboratory animals.

Wild animals

Provide details on animals observed in or captured in the field; report species and age where possible. Describe how animals were caught and transported and what happened to captive animals after the study (if killed, explain why and describe method; if released, say where and when) OR state that the study did not involve wild animals.

Reporting on sex

Indicate if findings apply to only one sex; describe whether sex was considered in study design, methods used for assigning sex. Provide data disaggregated for sex where this information has been collected in the source data as appropriate; provide overall numbers in this Reporting Summary. Please state if this information has not been collected. Report sex-based analyses where performed, justify reasons for lack of sex-based analysis.

Field-collected samples

For laboratory work with field-collected samples, describe all relevant parameters such as housing, maintenance, temperature, photoperiod and end-of-experiment protocol OR state that the study did not involve samples collected from the field.

Ethics oversight

Identify the organization(s) that approved or provided guidance on the study protocol, OR state that no ethical approval or guidance was required and explain why not.

Note that full information on the approval of the study protocol must also be provided in the manuscript.

7		0	٠.	ca	 1 ~	+~
	ш	11	ш	_	 14	1 4

	1 .				10 0	
$P \cap$	IICV/	intorm	ation	ahout	clinica	studie

All manuscripts should comply with the ICMJEguidelines for publication of clinical research and a completed CONSORT checklist must be included with all submissions.

Clinical trial registration	Provide the trial registration number from ClinicalTrials.gov or an equivalent agency.
Study protocol	Note where the full trial protocol can be accessed OR if not available, explain why.
Data collection	Describe the settings and locales of data collection, noting the time periods of recruitment and data collection.
Outcomes	Describe how you pre-defined primary and secondary outcome measures and how you assessed these measures.

Dual use research of concern

Policy information about dual use research of concern

Hazards

Could the accidental, deliberate or reckless misuse of agents or technologies generated in the work, or the application of information presented in the manuscript, pose a threat to:

No	Yes
	Public health
	National security
	Crops and/or livestock
	Ecosystems
	Any other significant area

Experiments of concern

Does the work involve any of these experiments of concern:

No	Yes
	Demonstrate how to render a vaccine ineffective
	Confer resistance to therapeutically useful antibiotics or antiviral agents
	Enhance the virulence of a pathogen or render a nonpathogen virulent
	Increase transmissibility of a pathogen
	Alter the host range of a pathogen
	Enable evasion of diagnostic/detection modalities
	Enable the weaponization of a biological agent or toxin
	Any other potentially harmful combination of experiments and agents

Plants

Seed stocks

Report on the source of all seed stocks or other plant material used. If applicable, state the seed stock centre and catalogue number. If plant specimens were collected from the field, describe the collection location, date and sampling procedures.

Novel plant genotypes

Describe the methods by which all novel plant genotypes were produced. This includes those generated by transgenic approaches, gene editing, chemical/radiation-based mutagenesis and hybridization. For transgenic lines, describe the transformation method, the number of independent lines analyzed and the generation upon which experiments were performed. For gene-edited lines, describe the editor used, the endogenous sequence targeted for editing, the targeting guide RNA sequence (if applicable) and how the editor was applied.

Authentication

Describe any authentication procedures for each seed stock used or novel genotype generated. Describe any experiments used to assess the effect of a mutation and, where applicable, how potential secondary effects (e.g. second site T-DNA insertions, mosiacism, off-target gene editing) were examined.

ChIP-seq

Data deposition

Confirm that both raw and final processed data have been deposited in a public database such as GEO.

Confirm that you have deposited or provided access to graph files (e.g. BED files) for the called peaks.

Data access links

May remain private before publication.

For "Initial submission" or "Revised version" documents, provide reviewer access links. For your "Final submission" document, provide a link to the deposited data.

Files in database submission

Provide a list of all files available in the database submission.

Genome browser session (e.g. <u>UCSC</u>)

Provide a link to an anonymized genome browser session for "Initial submission" and "Revised version" documents only, to enable peer review. Write "no longer applicable" for "Final submission" documents.

Methodology

Replicates Describe the experimental replicates, specifying number, type and replicate agreement.

Sequencing depth

Describe the sequencing depth for each experiment, providing the total number of reads, uniquely mapped reads, length of reads and whether they were paired- or single-end.

Antibodies Describe the antibodies used for the ChIP-seq experiments; as applicable, provide supplier name, catalog number, clone name, and

lot number.

Peak calling parameters | Specify the command line program and parameters used for read mapping and peak calling, including the ChIP, control and index files

USE

Describe the methods used to ensure data quality in full detail, including how many peaks are at FDR 5% and above 5-fold enrichment.

Software

Data quality

Describe the software used to collect and analyze the ChIP-seq data. For custom code that has been deposited into a community repository, provide accession details.

Flow Cytometry

Plots

Confirm that:

The axis labels state the marker and fluorochrome used (e.g. CD4-FITC).

The axis scales are clearly visible. Include numbers along axes only for bottom left plot of group (a 'group' is an analysis of identical markers).

All plots are contour plots with outliers or pseudocolor plots.

A numerical value for number of cells or percentage (with statistics) is provided.

Methodology

Sample preparation Describe the sample preparation, detailing the biological source of the cells and any tissue processing steps used.

Instrument Identify the instrument used for data collection, specifying make and model number.

Software Describe the software used to collect and analyze the flow cytometry data. For custom code that has been deposited into a

community repository, provide accession details.

Cell population abundance Describe the abundance of the relevant cell populations within post-sort fractions, providing details on the purity of the

samples and how it was determined.

Gating strategy

Describe the gating strategy used for all relevant experiments, specifying the preliminary FSC/SSC gates of the starting cell population, indicating where boundaries between "positive" and "negative" staining cell populations are defined.

Tick this box to confirm that a figure exemplifying the gating strategy is provided in the Supplementary Information.

Magnetic resonance imaging

Experimental design

Design type

Indicate task or resting state; event-related or block design.

Design specifications	Specify the number of blocks, trials or experimental units per session and/or subject, and specify the length of each trial or block (if trials are blocked) and interval between trials.			
Behavioral performance measures		ber and/or type of variables recorded (e.g. correct button press, response time) and what statistics were used sh that the subjects were performing the task as expected (e.g. mean, range, and/or standard deviation across		
Acquisition				
Imaging type(s)	Specify: fu	unctional, structural, diffusion, perfusion.		
Field strength	Specify in	Tesla		
Sequence & imaging parameters		e pulse sequence type (gradient echo, spin echo, etc.), imaging type (EPI, spiral, etc.), field of view, matrix size, ness, orientation and TE/TR/flip angle.		
Area of acquisition	State whe	ther a whole brain scan was used OR define the area of acquisition, describing how the region was determined.		
Diffusion MRI Used	☐ Not used			
Preprocessing				
1 0		on software version and revision number and on specific parameters (model/functions, brain extraction, smoothing kernel size, etc.).		
	If data were normalized/standardized, describe the approach(es): specify linear or non-linear and define image types used for transformation OR indicate that data were not normalized and explain rationale for lack of normalization.			
	Describe the template used for normalization/transformation, specifying subject space or group standardized space (e.g. original Talairach, MNI305, ICBM152) OR indicate that the data were not normalized.			
	Describe your procedure(s) for artifact and structured noise removal, specifying motion parameters, tissue signals and physiological signals (heart rate, respiration).			
Volume censoring	Define your software and/or method and criteria for volume censoring, and state the extent of such censoring.			
Statistical modeling & inferen	ce			
	Specify type (mass univariate, multivariate, RSA, predictive, etc.) and describe essential details of the model at the first and second levels (e.g. fixed, random or mixed effects; drift or auto-correlation).			
		ine precise effect in terms of the task or stimulus conditions instead of psychological concepts and indicate whether ANOVA factorial designs were used.		
Specify type of analysis: Who	ole brain [ROI-based Both		
Statistic type for inference	pecify voxel-w	ecify voxel-wise or cluster-wise and report all relevant parameters for cluster-wise methods.		
(See Eklund et al. 2016)				
Correction Describe the ty		pe of correction and how it is obtained for multiple comparisons (e.g. FWE, FDR, permutation or Monte Carlo).		
Models & analysis				
n/a Involved in the study Functional and/or effective of Graph analysis Multivariate modeling or pre				
Functional and/or effective conne		Report the measures of dependence used and the model details (e.g. Pearson correlation, partial correlation,		
r anctional ana, or effective colline	Cervicy	mutual information).		
Graph analysis		Report the dependent variable and connectivity measure, specifying weighted graph or binarized graph, subject- or group-level, and the global and/or node summaries used (e.g. clustering coefficient, efficiency, etc.).		
Multivariate modeling and predict	ive analysis	Specify independent variables, features extraction and dimension reduction, model, training and evaluation		