

### Supplementary Table 1

Diagnosis codes utilized for capture of patients from electronic data warehouse.

<b>Bowel obstruction</b>	<b>560.8, 560.81, 560.89, 560.9</b>
	K56.50, K56.51, K56.52, K56.690, K56.691, K56.699, K56.600, K56.601, K56.609

**AND (any of these):**

<b>Intra-abdominal metastatic disease</b>	<b>197.4, 197.5, 197.6, 197.7, 197.8, 198.0, 198.1, 197.6, 197.7, 199.0</b>
	C78.4, C78.5, C78.6, C78.7, C78.89, C79.00, C79.11, C79.19, C80
<b>Malignant neoplasm of the stomach</b>	151.3, 151.4, 151.9, 151.8, 151.5, 151.6, 151.0, 151.1, 151.2
	C16.1, C16.2, C16.8, C16.9, C16.5, C16.6, C16, C16.4, C16.0
<b>Malignant neoplasm of the small intestine</b>	152.9, 152.8, 159.0
	C17.9, C17.8, C26.0
<b>Malignant neoplasm of the colon</b>	153.6, 153.1, 153.2, 153.3, 153.8, 153.9, 143.0, 153.7, 153.4
	C18.2, C18.4, C18.6, C18.7, C18.8, C18.9, C18, C18.3, C18.5, C18.0
<b>Malignant neoplasm of the rectosigmoid junction</b>	154.0,
	C19
<b>Malignant neoplasm of the rectum</b>	154.1, 154.8
	C20, C21.8
<b>Malignant neoplasm of the anus and anal canal</b>	154.3, 154
	C21.0,
<b>Malignant neoplasm of the pancreas</b>	157, 157.0, 157.1, 157.2, 157.9, 157.3, 157.8
	C25.0, 25.1, C25.2, C25.9, C25.3, C25.8, C25.7
<b>Malignant neoplasm of the bile ducts</b>	155.1, 156.1, 155, 156,
	C22.1, C24.0, C24.8
<b>Malignant neoplasm of the retroperitoneum and peritoneum</b>	158, 158.9, 158.8, 159, 159.9
	C48.2, C48.1, C48.8, C26.9
<b>Mesothelioma of the peritoneum</b>	158.8
	C45.1
<b>Malignant neoplasm of the appendix</b>	153.3
	C18.1

<b>Intra-abdominal metastatic disease</b>	<b>197.4, 197.5, 197.6, 197.7, 197.8, 198.0, 198.1, 197.6, 197.7, 199.0</b>
<b>Malignant neoplasm of the bladder</b>	188.9, 188.1, 188.5, 188.0, 188.3, 188.2, 188.4, 188.8, 198.1
	C67.9, C67.1, C67.5, C67.0, C67.2, C67.3, C67.4, C67.8, C66, C79.19