Supplemental Online Content

O'Neill B, Yusuf A, Lofters A, et al. Breast cancer screening among females with and without schizophrenia. *JAMA Netw Open.* 2023;6(11):e2345530. doi:10.1001/jamanetworkopen.2023.45530

eTable 1. Databases Used in Study

eTable 2. Definitions of Primary Care Models

This supplemental material has been provided by the authors to give readers additional information about their work.

eTable 1. Databases Used in Study

Database	Description	Time period searched	Outcomes from this database	Covariates from this database
OBSP	Ontario Breast Screening Program	January 2010- December 2019	Mammography	
DAD	Health Services Database	January 2010- December 2019		Aggregated Diagnosis Groups (ADG) calculated using Johns Hopkins Adjusted Clinical Groups (ACG) system; number of emergency department visits for psychiatric conditions, number of emergency department visits for non- psychiatric conditions
OHIP	Ontario Health Insurance Plan claims	January 2010- December 2019		Aggregated Diagnosis Groups (ADG) calculated using Johns Hopkins Adjusted Clinical Groups (ACG) system; number of primary care visits; number of primary mental health care visits; number of primary non- menta health care visits; number of outpatient psychiatric visits; number of psychiatric hospitalizations; physician billing codes indicating

			that radiologist
			read and reported
			a screening
			mammogram
SDS	Same Day	January 2010-	Health Services
	Surgery Database	December 2019	
OMHRS	Ontario Mental	January 2010-	Number of
	Health Reporting	December 2019	psychiatric
	System		hospitalizations
NACRS	National	January 2010-	Number of
	Ambulatory Care	December 2019	emergency
	Reporting System		department visits
			for psychiatric
			conditions,
			number of
			emergency
			department visits
			for non-
			psychiatric
			conditions
CPDB	Corporate	January 2010-	Care Providers
	Provider Database	December 2019	(Physician
CENTRIC	00	7 2010	contract model)
CENSUS	Ontario Census	January 2010- December 2019	Income levels data
RPBD	Area Profiles Registered	January 2010-	Age and rurality
Krbb	Persons Database	December 2019	data
LHIN	Local Health	January 2010-	Geography data
LIIIIV	Integration	December 2019	Geography data
	Network	Beechieer 2019	
PCCF	Postal Code	January 2010-	Postal codes to
	Conversion File	December 2019	organise income
			quintiles and
			ethnicity quintiles
CAPE	Client Agency	January 2010-	Used to identify
	Program	December 2019	where cases and
	Enrolment		controls are
			rostered in team-
			based primary
			care models
OCR	Ontario Cancer	January 2010-	Used to exclude
	Registry	December 2019	patients with
			breast cancer who
			would not have
			been eligible for
			screening
	L	<u> </u>	mammogram

PCPOP	Primary Care	2010-2016	Physician roster
	Population		sizes and
			identification of
			primary care
			physicians

eTable 2. Definitions of Primary Care Models

Primary care model	Definition
Family Health Team (FHT)	FHTs are organizations that are comprised of family physicians, nurse practitioners, registered nurses, social workers, etc. who collaborate to meet primary health care for their community (1)
Non-FHT FHO (Family Health Organization)	FHO models have 3 or more physicians enrolled in an organization, and receive payment chiefly from capitation, and otherwise through FFS payments (2)
FFS (Fee-for-Service)	In FFS, physician payment is based on volume of individual services provided (2)
Enhanced FFS/FHG (Enhanced Fee-for-Service/Family Health Group)	Physicians compensated primarily through FFS, but also eligible for bonuses and/or premiums based on patient enrollment (2)

Definition of primary exposure (diagnosis of schizophrenia)

Diagnosis of schizophrenia either from hospitalization:

From CIHI-Discharge Abstract Database Incidence of: ICD-9 codes: 295, 298 Or ICD-10 codes: F20, F25, F29

AND/OR

From Ontario Mental Health Recording System (OMHRS)

Incidence of ICD-9 codes: 295, 298

OR if 3 physician visits for schizophrenia within a 36-month period

Kurdyak et al.'s algorithm (3) was used to identify people with schizophrenia.

Definition of Primary outcome

Incident breast cancer screening as defined in OHIP database by:

Physician billing code of X185, X172, X178 (denoting screening mammography completion) or a Q-code of Q131A ('family medicine' billing code denoting completion of screening mammography), or had been screened through the Ontario Breast Screening Program (OBSP)

eReferences

- 1. Government of Ontario: Ministry of Health and Long-Term Care. Family Health Teams [Internet]. [cited 2023 May 8]. Available from: https://www.health.gov.on.ca/en/pro/programs/fht/
- 2. Government of Ontario, Ministry of Health and Long-Term Care. Primary Care Payment Models in Ontario. Government of Ontario, Ministry of Health and Long-Term Care; 2020.
- 3. Kurdyak P, Lin E, Green D, Vigod S. Validation of a Population-Based Algorithm to Detect Chronic Psychotic Illness. Can J Psychiatry. 2015 Aug;60(8):362–8.