nature portfolio

Corresponding author(s):	Anjon Audhya
Last updated by author(s):	Nov 17, 2023

Reporting Summary

Nature Portfolio wishes to improve the reproducibility of the work that we publish. This form provides structure for consistency and transparency in reporting. For further information on Nature Portfolio policies, see our <u>Editorial Policies</u> and the <u>Editorial Policy Checklist</u>.

~					
<.	トコ	ıŤ١	ict	П.	\sim

For	all statistical ar	alyses, confirm that the following items are present in the figure legend, table legend, main text, or Methods section.				
n/a	Confirmed					
	The exact	act sample size (n) for each experimental group/condition, given as a discrete number and unit of measurement				
	A stateme	ent on whether measurements were taken from distinct samples or whether the same sample was measured repeatedly				
	The statis Only comm	e statistical test(s) used AND whether they are one- or two-sided Ily common tests should be described solely by name; describe more complex techniques in the Methods section.				
	A descript	description of all covariates tested				
	A descript	scription of any assumptions or corrections, such as tests of normality and adjustment for multiple comparisons				
	A full desc	full description of the statistical parameters including central tendency (e.g. means) or other basic estimates (e.g. regression coefficient) ND variation (e.g. standard deviation) or associated estimates of uncertainty (e.g. confidence intervals)				
	For null hypothesis testing, the test statistic (e.g. <i>F</i> , <i>t</i> , <i>r</i>) with confidence intervals, effect sizes, degrees of freedom and <i>P</i> value noted Give <i>P</i> values as exact values whenever suitable.					
\boxtimes	For Bayes	ian analysis, information on the choice of priors and Markov chain Monte Carlo settings				
\boxtimes	For hierar	chical and complex designs, identification of the appropriate level for tests and full reporting of outcomes				
	Estimates	of effect sizes (e.g. Cohen's d , Pearson's r), indicating how they were calculated				
	1	Our web collection on <u>statistics for biologists</u> contains articles on many of the points above.				
So	ftware an	d code				
Poli	cy information	about <u>availability of computer code</u>				
Da	ata collection	[Imaging software used includes Nikon Elements (commercial), ZEISS ZEN (commercial), and SlideBook (commercial).				
Di	ata analysis	Commercial software for data analysis include GraphPad Prism, Imaris, SlideBook, and Fiji.				
		g custom algorithms or software that are central to the research but not yet described in published literature, software must be made available to editors and encourage code deposition in a community repository (e.g. GitHub). See the Nature Portfolio guidelines for submitting code & software for further information.				

Data

Policy information about availability of data

All manuscripts must include a data availability statement. This statement should provide the following information, where applicable:

- Accession codes, unique identifiers, or web links for publicly available datasets
- A description of any restrictions on data availability
- For clinical datasets or third party data, please ensure that the statement adheres to our policy

The data availability statement reads, "All reagents generated in this study are available from the corresponding author with a Material Transfer Agreement. All data supporting the findings of this study are available within the article and Supplementary Information files. Source data are also provided with this paper."

Research involving human participants, their data, or biological material		
		vith

Antibodies

Antibodies used

Dual use research of concern
Plants

Sec24a (Santa Cruz Biotechnology; sc-169279), GM130 (BD Sciences; BD610823), ERGIC-53 (Santa Cruz Biotechnology; sc-66880), and PDIA3 (Proteintech; 15967-1-AP)

All antibodies were validated by immunofluorescence (using siRNA-mediated depletion to confirm specificity) and immunoblotting (with similar siRNA controls to confirm specificity) using human RPE1 cells. Further validation was performed by the manufacturer in all cases.

Eukaryotic cell lines

Policy information about cell lines and Sex and Gender in Research

Tolicy illiothlation about <u>cell lines and sex and celluct in Nescarch</u>		
Cell line source(s)	CRL-4000 from ATCC	
Authentication	Authentication was carried out STR analysis.	
Mycoplasma contamination	All cell lines are routinely tested negative for mycoplasma.	
Commonly misidentified lines (See ICLAC register)	None.	