Table S12. Association between SNPs of aromatase, cumulative incidence of skeletal events and cumulative incidence of cardiovascular events. The association is shown on the basis of a univariate competing risk model.

	Skeletal Events=79		Cardiovascular Events= 19	
	sHR (95% CIs)	p value	sHR (95% CIs)	p value
rs4646 (G>T)				
Additive				
G/T	1.78 (1.12-2.84)	0.015	1.50 (0.59-3.85)	0.394
T/T	1.51 (0.63-3.64)	0.354	0.84 (0.10-6.54)	0.869
Dominant				
G/T+T/T	1.57 (0.89-2.78)	0.117	2.05 (0.58-7.6)	0.266
Recessive				
T/T	0.79 (0.39-1.61)	0.512	0.62 (0.19-5.43)	0.710
rs10046 (C>T)				
Additive				
C/T	1.03 (0.63-1.71)	0.896	1.05 (0.39-2.79)	0.929
T/T	0.49 (0.24-1.04)	0.063	0.20 (0.10-1.67)	0.138
Dominant				
C/T + T/T	0.87 (0.53-1.41)	0.567	0.79 (0.30-2.09)	0.639
Recessive				
T/T	0.49 (0.25-0.97)	0.034	0.20 (0.10-1.47)	0.114
rs749292 (C>T)				
Additive				
C/T	0.94 (0.59-1.49)	0.785	0.50 (0.20-1.25)	0.138
T/T	0.33 (0.13-0.85)	0.021	0.74 (0.01-NA)	0.997
Dominant				
C/T + T/T	0.79 (0.50-1.24)	0.297	0.38 (0.15-0.94)	0.037
Recessive				
T/T	0.34 (0.14-0.85)	0.020	0.15 (0.01-NA)	0.997
rs727479 (T>G)				
Additive				
G/T	0.99 (0.53-1.85)	0.978	0.70 (0.25-1.98)	0.508
T/T	0.82 (0.42-1.60)	0.554	0.18 (0.03-0.91)	0.038
Dominant				
G/T + T/T	1.08 (0.60-1.97)	0.782	2.04 (0.73-5.66)	0.173
Recessive				
T/T	1.22 (0.75-1.97)	0.420	0.23 (0.05-0.99)	0.048