

Supplementary Table S2. The background information of the participating ICUs and the patients

Information	The participating ICUs (n=9)	A total of the patients included in this study (n=203)
Type of hospital		
Tertiary care hospital	6 (67)	132 (65)
Secondary care hospital	3 (33)	71 (35)
Type of ICU		
Mixed medical-surgical ICU	9 (100)	202 (100)
System of ICU		
Closed ICU: intensivists have the primary responsibility of treatment to the patients	3 (33)	63 (31)
Mandatory consultant to intensivists at all ICU admission	3 (33)	69 (34)
Elective: ICU physician is mainly involved as a consultant	3 (33)	71 (35)
Type of professions ordering patient's mobilization		
Physician	7 (78)	161 (80)
Nurse	1 (11)	21 (10)
Physiotherapist	1 (11)	21 (10)
The presence of dedicated physiotherapist	5 (56)	108 (53)
Staffing ratio		
Physician to patients	5.0±2.0	
Nurse to patients	2.0±0.0	
The time from the start of the study to the end of patient registration when the last 25th patient was registered ^{a)}	91 (78–139)	

Values are presented as number (%), mean±standard deviation, or median (IQR).

ICU, intensive care unit.

^{a)}The study started on the study start date and ended on the ICU discharge date of the 25th patient.