

Supplementary Material

1 Supplementary Data

Table 1. Correlation coefficients between predictors of the regression model

	BDI	DPCR_0_1	IRRITABILITY	SOMATIZATION	AIB	MMSE	FAB	TINNITUS DURATION	STAI_Y1	STAI_Y2	THI
STAI_Y1											
Pearson correlation	.513	.223	.081	.141	.080	-.350	.127	.005			.322
Sig. (2-tailed) with Benjamini-Hocberg correction	.002		.536	.283	.543	.008	.335	.972			.026
		.086									
N	60	60	60	60	60	60	60	60	60		59
STAI_Y2											
Pearson correlation	.686	.168	.084	.214	.064	-.361	-.103	.036			.500
Sig. (2-tailed) with Benjamini-Hocberg correction		.402			.718	.02	.692	.783			.000
	.008		.696	.269							
N	60	60	60	60	60	60	60	60	60		59
BDI											
Pearson correlation		.334	.207	.305	.105	-.261	-.132	-.081	.513	.686	.467
Sig. (2-tailed) with Benjamini-Hocberg correction			.163	.038	.475	.075	.401	.537	.000		.000
		.027								.000	
N		61	61	61	61	61	61	61	60	60	60
DPCR_0_1											
Pearson correlation	.334		.348	.348	.609	-.023	.118	.008	.223	.168	.346
Sig. (2-tailed) with Benjamini-Hocberg correction			.018	.018	.000	.949	.464	.949		.301	.02
	.025								.154		

Supplementary Material

	N	61	62	62	62	62	62	62	60	60	61			
IRRITABILITY														
Pearson correlation		.207	.348		.073	.128	-.137	-.149		.157	.081	.084	.221	
Sig. (2-tailed) with Benjamini-Hochberg correction		.327	.054		.571	.320	.411	.411		.411	.571		.145	
												.327		
N	61	62		62	62	62	62		62	60	60		61	
SOMATIZATION														
Pearson correlation		.305	.348	.073		.055	.032	.107		-.085	.141		.214	
Sig. (2-tailed) with Benjamini-Hochberg correction		.076	.054	.734		.757	.802	.732		.734	.636			
													.303	
N	61	62	62		62	62	62		62	60	60			
AIB														
Pearson correlation		.105	.609	.128		.055		.005	.051		.104	.080	.064	-.096
Sig. (2-tailed) with Benjamini-Hochberg correction		.696	.000	.696		.696		.696	.696		.696	.696	.696	.512
N	61	62	62		62		62	62		62	60	60		61
MMSE														
Pearson correlation		-.261	-.023	-.137		.032	.005		.261		-.163	-.350	-.361	-.321
Sig. (2-tailed) with Benjamini-Hochberg correction		.090	.858	.287		.858	.858		.090		.370	.027	.027	.026
N	61	62	62		62	62		62		62	60	60		61
FAB														
Pearson correlation		-.132	.118	-.149		.107	.051	.261		.118	.127	-.103		-.152
Sig. (2-tailed) with Benjamini-		.487	.487	.487		.487	.691	.487		.487	.487	.487		.345

Hocberg correction	N	61	62	62	62	62	62	62	62	60	60	61
TINNITUS DURATIO												
N												
Pearson correlation		-.081	.008	.157	-.085	.104	-.163	.118		.005	.036	.081
Sig. (2-tailed) with Benjamini-Hocberg correction		.805	.972	.805	.805	.805	.805	.805		.972	.972	.537
N		61	62	62	62	62	62	62		60	60	61

Acronyms: BDI=Beck Depression Inventory; DCPR= Diagnostic Criteria for Psychosomatic Research; DPCR_0=Absence of Diagnostic Criteria for Psychosomatic Research; DPCR_1= At least one disorder of Diagnostic Criteria for Psychosomatic Research. IRRITABILITY= Irritability Cluster of Diagnostic Criteria for Psychosomatic Research; SOMATIZATION= Somatization Cluster of Diagnostic Criteria for Psychosomatic Research; AIB= Abnormal Illness Behaviour; MMSE= Mini-Mental State Examination; FAB= Frontal Assessment Battery; STAI Y1= State-Trait Anxiety Inventory Y1; STAI Y2= State-Trait Anxiety Inventory Y2; THI= Tinnitus Handicap Inventory.