Variable	Overall (n= 2452)	Among patients with early testing (<=3d) (n= 2452)	Among patients with late testing (>3d) (n = 2155)	P- value
Hospitalization within 30	232 (9.5%)	113 (4.6%)	119 (5.5%)	0.16
Days of Diagnosis*				
Days from Diagnosis to	1 (0,5)	3 (1,7)	1 (0,2)	0.007
Hospital Admission				
ICU admission within 30	58 (1.3%)	26 (1.1%)	32 (1.5%)	0.20
Days of Diagnosis				
Mechanical Ventilation	50 (1.1%)	25 (1.0%)	25 (1.2%)	0.65
within 30 Days of Diagnosis				
Duration of Hospitalization	7 (3,13)	5 (3,13)	8 (4,13)	0.63
(Days)				
Duration of Mechanical	11 (9, 18)	11(5.8, 20.3)	12 (10,14)	0.40
Ventilation (Days)				
Death within 90 Days of	22 (0.5%)	14 (0.6%)	8 (0.4%)	0.33
Diagnosis				

Supplemental Table 1. Clinical Outcomes of Patients with Early and Late Testing

*includes COVIDEO patients diagnosed initially as inpatients and subsequently hospitalized, as well as those diagnosed for first time upon or during hospitalization

Patient Characteristic	Adjusted Odds Ratio	95% CI
Age (per year)	1.008	1.004-1.012
Female sex	1.054	0.925-1.201
Calendar Month		
Jan	0.759	0.582-0.990
Feb	0.701	0.522-0.943
March	0.671	0.506-0.890
April	1.411	1.053-1.889
May	0.313	0.195-0.501
June	0.222	0.092-0.537
July	0.417	0.116-1.499
August	0.226	0.089-0.576
September	0.421	0.289-0.614
October	referent category	referent category
November	0.771	0.582-1.020
December	1.152	0.893-1.486
Pregnant	1.234	0.733-2.075
Healthcare worker	0.478	0.376-0.607
Travel within 14 days	1.481	1.047-2.097
Comorbidity	0.871	0.751-1.009
Known exposure to COVID-19	0.993	0.874-1.128
Individual Symptoms		
Fever	0.937	0.812-1.081
Pharyngitis	0.779	0.675-0.899
Rhinorrhea	1.121	0.976-1.287
Cough	1.055	0.923-1.205
Sputum Production	1.441	1.011-2.054
Hemoptysis	0.942	0.268-3.311
Dyspnea	2.256	1.725-2.950
Chills	0.957	0.806-1.136
Chest Pain	0.911	0.701-1.185
Otalgia	1.114	0.746-1.662
Conjunctivitis	0.802	0.551-1.167
Anosmia	1.742	1.404-2.161
Dysgeusia	1.348	1.085-1.677
Myalgia	0.847	0.728-0.984
Arthralgia	1.145	0.907-1.447
Abdominal Pain	1.056	0.785-1.419
Nausea/Vomiting	1.148	0.912-1.445
Diarrhea	1.140	0.925-1.404
Lymphadenopathy	0.635	0.201-2.006
Rash	1.047	0.611-1.795

Supplemental Table 2. Multivariable Analysis Examining Predictors of Testing Delays (Incorporating Individual Symptoms rather than Symptom Cluster)

Fatigue	1.042	0.905-1.201
Headache	0.819	0.712-0.941
Confusion	0.907	0.544-1.514
Depression/Anxiety	1.042	0.758-1.433
Insomnia	0.837	0.637-1.101
Anorexia	1.345	1.106-1.637