

Respondents self-reported healthcare use, by symptoms										
Symptoms	COVID-19		LCS							
	Primary Care n=148	Hospital n=22	Primary Care n=211	Hospital n=21	ED ¹ n=50	Specialist n=93	PT ² n=53	OT ³ n=23	RT ⁴ n=33	ST ⁵ n=<5
Extreme Fatigue, n (%)	142 (95.9)	22 (100)	184 (87.2)	19 (90.5)	45 (90.0)	81 (87.1)	50 (94.3)	21 (91.3)	30 (90.9)	<5 (66.7)
Headaches, n (%)	137 (92.6)	18 (81.8)	149 (70.6)	15 (71.4)	42 (84.0)	73 (78.5)	42 (79.2)	21 (91.3)	29 (87.9)	<5 (33.3)
Cough /noisy breathing, n (%)	132 (89.2)	18 (81.8)	130 (61.6)	17 (80.9)	38 (76.0)	53 (57.0)	31 (58.5)	16 (69.6)	27 (81.8)	<5 (100)
General muscle weakness, n (%)	124 (83.8)	20 (90.9)	138 (65.4)	16 (76.2)	35 (70.0)	64 (68.8)	42 (79.2)	19 (82.6)	25 (75.8)	<5 (66.7)
Muscle or joint pain, n (%)	129 (87.2)	19 (86.4)	142 (67.3)	17 (80.9)	36 (72.0)	63 (67.7)	42 (79.2)	17 (73.9)	24 (72.7)	<5 (66.7)
SOB with activity, n (%)	130 (87.8)	18 (81.8)	163 (77.3)	19 (90.5)	46 (92.0)	77 (82.8)	44 (83.0)	19 (82.6)	31 (93.9)	<5 (100)
Issues with concentration, thinking and memory, n (%)	123 (83.1)	19 (86.4)	179 (84.8)	21 (100)	46 (92.0)	79 (84.9)	51 (96.2)	22 (95.7)	30 (90.9)	<5 (100)
Issues with pain or discomfort, n (%)	114 (77.0)	20 (90.9)	136 (64.5)	17 (80.9)	41 (82.0)	62 (66.7)	40 (75.5)	18 (78.6)	23 (69.7)	<5 (100)
Difficulty sleeping, n (%)	107 (72.3)	17 (77.3)	148 (70.1)	16 (76.2)	40 (80.0)	66 (71.0)	38 (71.7)	18 (78.6)	27 (81.9)	<5 (33.3)
Anxiety, n (%)	113 (76.4)	19 (86.4)	147 (69.6)	18 (85.7)	40 (80.0)	68 (73.1)	41 (77.4)	21 (91.3)	24 (72.7)	<5 (66.7)
SOB at rest, n (%)	122 (82.4)	17 (77.3)	123 (58.3)	15 (71.4)	38 (76.0)	56 (60.2)	31 (58.5)	14 (60.9)	24 (72.7)	<5 (66.7)
Dizziness, faint, Loss of consciousness, n (%)	84 (56.8)	11 (50.0)	121 (57.3)	13 (61.9)	39 (78.0)	59 (63.4)	39 (73.6)	15 (65.2)	25 (75.8)	<5 (66.7)
Chest pain at activity, n (%)	105 (70.9)	16 (72.7)	112 (53.1)	14 (66.7)	34 (68.0)	58 (62.4)	33 (62.3)	15 (65.2)	22 (66.7)	<5 (33.3)
Depression, n (%)	93 (62.8)	17 (77.3)	123 (58.3)	14 (66.7)	30 (60.0)	54 (58.1)	31 (58.5)	15 (65.2)	22 (66.7)	0
Chest pain at rest, n (%)	99 (66.9)	16 (72.7)	87 (41.2)	11 (52.4)	34 (68.0)	47 (50.5)	27 (50.9)	11 (47.8)	18 (54.5)	<5 (33.3)
Difficulty eating, drinking	65 (43.9)	13 (59.1)	50 (23.7)	8 (38.1)	19 (38.0)	24 (25.8)	12 (22.6)	<5 (17.4)	9 (27.3)	<5 (100)

and swallowing, n (%)										
Difficulty walking, n (%)	71 (48.0)	14 (63.6)	81 (8.4)	10 (47.6)	27 (54.0)	44 (47.3)	27 (50.9)	11 (47.8)	15 (45.5)	<5 (33.3)
Difficulty controlling movement of the body, n (%)	55 (37.2)	10 (45.5)	59 (28.0)	11 (52.4)	17 (34.0)	30 (32.3)	16 (30.2)	8 (34.8)	11 (33.3)	<5 (33.3)
Other, n (%)	58 (39.2)	10 (45.5)	54 (25.6)	7 (33.3)	14 (28.0)	27 (29.0)	12 (22.6)	<5 (17.4)	<5 (12.1)	<5 (33.3)

**Each person may have more than one symptom*

¹ Emergency department, ² Physiotherapist, ³ Occupational therapist, ⁴ Respiratory therapist, ⁵ Speech therapist.