

Supplemental table 1. Sequence of primers used for real-time PCR.

<i>Target gene</i>	<i>Forward (sequence 5'-3')</i>	<i>Reverse (sequence 5'-3')</i>
Mouse <i>Ccl5</i>	CCAGAGAAGAAGTGGGTTCAAG	AGCAATGACAGGGAAGCTATAC
Mouse <i>Cxcl10</i>	TCAGGCTCGTCAGTTCTAAGT	CCTTGGGAAGATGGTGGTTAAG
Mouse <i>Il6</i>	TTTCCTCTGGTCTTCTGGAGTA	CTCTGAAGGACTCTGGCTTTG
Mouse <i>Nos2</i>	AGGAGGAGAGAGATCCGATTTAG	TCAGACTTCCCTGTCTCAGTAG
Mouse <i>Ptgs2</i>	CGGACTGGATTCTATGGTGAAA	CTTGAAGTGGGTCAGGATGTAG
Mouse <i>Rplp0</i>	CCTCCTTCTTCCAGGCTTTG	CCACCTTGTCTCCAGTCTTTATC
Human <i>ACTIN</i>	GGATCAGCAAGCAGGAGTATG	AGAAAGGGTGTAAACGCAACTAA
Human <i>CCL5</i>	TGCCACATCAAGGAGTATTT	GATGTAICTCCCGAACCCATTT
Human <i>CCR1</i>	GACTATGACACGACCACAGAGT	CCAACCAGGCCAATGACAAATA
Human <i>CCR7</i>	TGAGGTCACGGACGATTACAT	GTAGGCCACGAAACAAATGAT
Human <i>CD40</i>	TTGGGGTCAAGCAGATTGCTA	GCAGATGACACATTGGAGAAGA
Human <i>CIITA</i>	CCTGGAGCTTCTTAACAGCGA	TGTGTCCGGTTCTGAGTAGAG
Human <i>CXCL10</i>	GTAATAACTCTACCCTGGCACTATAA	GATGGGAAAGGTGAGGGAAATA
Human <i>GSDMD</i>	GTGTGTCAACCTGTCTATCAAGG	CATGGCATCGTAGAAGTGAAG
Human <i>IL6</i>	GGAGACTTGCCTGGTGAAA	CTGGCTTGTTCTCACTACTC
Human <i>NOS2</i>	GTCAGAGTCACCATCCTCTTTG	GCAGCTCAGCCTGTACTTATC
Human <i>PTGS2</i>	TACTGGAAGCCAAGCACTTT	GGACAGCCCTTCACGTTATT