

Supplementary Table 4. Association between SRS-total T-score and right or left P1m latency controlling for Mental processing scale score in K-ABC and signal noise ratio

	Coeff.	Robust SE	t	<i>p</i>	95%CI	F	Prob > F	<i>R</i> ²
vs.SRS-total T-score								
Left P1m latency	-0.18	0.69	-2.62	0.011*	-0.32 -0.04	22.21	<0.001	0.55
Diagnosis	13.86	10.21	1.36	0.181	-6.63 34.35			
Interaction between left P1m latency and diagnosis	0.85	0.12	0.70	0.488	-0.16 0.32			
Mental processing scale score	-0.02	0.11	-0.19	0.850	-0.25 0.21			
Square root of the number of averages	-1.38	1.49	-0.92	0.359	-4.36 1.61			
vs.SRS-total T-score								
<u>TD</u>								
Left P1m latency	-0.16	0.06	-2.61	0.018*	-0.29 -0.31	2.52	0.09	0.23
Mental processing scale score	-0.09	0.13	-0.68	0.508	-0.36 0.18			
Square root of the number of averages	0.76	1.92	0.40	0.695	-3.28 4.80			
<u>ASD</u>								
Left P1m latency	-0.10	0.10	-1.07	0.294	-0.30 0.09	0.88	0.46	0.05
Mental processing scale score	-0.03	0.15	-0.23	0.819	-0.33 0.26			
Square root of the number of averages	-2.04	1.97	-1.03	0.308	-6.04 1.97			

Coeff., regression coefficient; SE, standard error; CI, confidence interval;

**p*<.05.