nature portfolio

Corresponding author(s):	Deog-Hwan Oh
Last updated by author(s):	Feb 10, 2024

Reporting Summary

Nature Portfolio wishes to improve the reproducibility of the work that we publish. This form provides structure for consistency and transparency in reporting. For further information on Nature Portfolio policies, see our <u>Editorial Policies</u> and the <u>Editorial Policy Checklist</u>.

~ .			
St	at	ıctı	CS

For	all statistical analyses, confirm that the following items are present in the figure legend, table legend, main text, or Methods section.
n/a	Confirmed
	\square The exact sample size (n) for each experimental group/condition, given as a discrete number and unit of measurement
	🔀 A statement on whether measurements were taken from distinct samples or whether the same sample was measured repeatedly
	The statistical test(s) used AND whether they are one- or two-sided Only common tests should be described solely by name; describe more complex techniques in the Methods section.
	A description of all covariates tested
	🔀 A description of any assumptions or corrections, such as tests of normality and adjustment for multiple comparisons
	A full description of the statistical parameters including central tendency (e.g. means) or other basic estimates (e.g. regression coefficient) AND variation (e.g. standard deviation) or associated estimates of uncertainty (e.g. confidence intervals)
	For null hypothesis testing, the test statistic (e.g. <i>F</i> , <i>t</i> , <i>r</i>) with confidence intervals, effect sizes, degrees of freedom and <i>P</i> value noted <i>Give P values as exact values whenever suitable.</i>
	For Bayesian analysis, information on the choice of priors and Markov chain Monte Carlo settings
	For hierarchical and complex designs, identification of the appropriate level for tests and full reporting of outcomes
	\boxtimes Estimates of effect sizes (e.g. Cohen's d , Pearson's r), indicating how they were calculated
	Our web collection on <u>statistics for biologists</u> contains articles on many of the points above.

Software and code

Policy information about availability of computer code

Data collection Description of

Description of all the commercial, open access code used to collect the data in this study, specifying the version were provided in the manuscript - TCMSP, DisGeNET, and GeneCards

Data analysis

Description of all the commercial , open access code used to collect the data in this study, specifying the version were provided in the manuscript

For manuscripts utilizing custom algorithms or software that are central to the research but not yet described in published literature, software must be made available to editors and reviewers. We strongly encourage code deposition in a community repository (e.g. GitHub). See the Nature Portfolio guidelines for submitting code & software for further information.

Data

Policy information about availability of data

All manuscripts must include a data availability statement. This statement should provide the following information, where applicable:

- Accession codes, unique identifiers, or web links for publicly available datasets
- A description of any restrictions on data availability
- For clinical datasets or third party data, please ensure that the statement adheres to our policy

The authors declare that all data related to this study are included in this paper and its supplementary information.

		vith <u>human participants or human data</u> . See also policy information about <u>sex, gender (identity/presentation)</u> ,
and sexual orientate Reporting on sex		thnicity and racism. Not applicable
Reporting on rac other socially rele groupings	e, ethnicity, or	Not applicable
Population chara	cteristics	Not applicable
Recruitment		Not applicable
Ethics oversight		Not applicable
Note that full informa	ation on the appro	oval of the study protocol must also be provided in the manuscript.
Field-spe		porting s the best fit for your research. If you are not sure, read the appropriate sections before making your selection.
Life sciences		ehavioural & social sciences
		all sections, see nature.com/documents/nr-reporting-summary-flat.pdf
Life scier	nces stu	udy design
All studies must dis	sclose on these	points even when the disclosure is negative.
All studies must dis Sample size	We used n=50 v	points even when the disclosure is negative. worms/90mm Petri dishes in three independent studies to evaluate each treatments in the lifespan studies. A study was pid accumulation in worms utilizing fluorescence microscopy, RT-QPCR analysis, triglyceride and FFA assays, metabolomics 0), and other relevant methods.
	We used n=50 v	worms/90mm Petri dishes in three independent studies to evaluate each treatments in the lifespan studies. A study was pid accumulation in worms utilizing fluorescence microscopy, RT-QPCR analysis, triglyceride and FFA assays, metabolomics 0), and other relevant methods.
Sample size	We used n=50 v conducted on li analysis (n<100	worms/90mm Petri dishes in three independent studies to evaluate each treatments in the lifespan studies. A study was pid accumulation in worms utilizing fluorescence microscopy, RT-QPCR analysis, triglyceride and FFA assays, metabolomics 0), and other relevant methods.
Sample size Data exclusions	We used n=50 v conducted on li analysis (n<100 No data were examples at all attempts attem	worms/90mm Petri dishes in three independent studies to evaluate each treatments in the lifespan studies. A study was pid accumulation in worms utilizing fluorescence microscopy, RT-QPCR analysis, triglyceride and FFA assays, metabolomics 0) , and other relevant methods.
Sample size Data exclusions Replication	We used n=50 v conducted on li analysis (n<100 No data were examples at all attempts attem	worms/90mm Petri dishes in three independent studies to evaluate each treatments in the lifespan studies. A study was pid accumulation in worms utilizing fluorescence microscopy, RT-QPCR analysis, triglyceride and FFA assays, metabolomics 0), and other relevant methods. xcluded. replication were successful.
Sample size Data exclusions Replication Randomization Blinding	We used n=50 v conducted on li analysis (n<100 No data were examples at all samples were no blinding	worms/90mm Petri dishes in three independent studies to evaluate each treatments in the lifespan studies. A study was pid accumulation in worms utilizing fluorescence microscopy, RT-QPCR analysis, triglyceride and FFA assays, metabolomics 0), and other relevant methods. xcluded. replication were successful.
Sample size Data exclusions Replication Randomization Blinding Reportin We require informati	We used n=50 v conducted on li analysis (n<100 No data were expenses at all attempts at all samples were no blinding The property of the conduction of the conducted on line analysis (n<100). The conducted of the conducted on line analysis (n<100). The conducted on line analysis (n<100) analys	worms/90mm Petri dishes in three independent studies to evaluate each treatments in the lifespan studies. A study was pid accumulation in worms utilizing fluorescence microscopy, RT-QPCR analysis, triglyceride and FFA assays, metabolomics 0), and other relevant methods. xcluded. replication were successful.
Data exclusions Replication Randomization Blinding Reportin We require informati system or method list Materials & ex	We used n=50 No conducted on lianalysis (n<100) No data were expensed and the samples were no blinding The samples were no blinding and the samples were not blinding and the samples	worms/90mm Petri dishes in three independent studies to evaluate each treatments in the lifespan studies. A study was pid accumulation in worms utilizing fluorescence microscopy, RT-QPCR analysis, triglyceride and FFA assays, metabolomics 0), and other relevant methods. xcluded. replication were successful. re allocated randomly. Decific materials, systems and methods about some types of materials, experimental systems and methods used in many studies. Here, indicate whether each materia your study. If you are not sure if a list item applies to your research, read the appropriate section before selecting a response.
Data exclusions Replication Randomization Blinding Reportin We require informati system or method list Materials & ex n/a Involved in the	We used n=50 of conducted on line analysis (n<100) No data were expensed and the samples were no blinding The samples were no blinding and the samples were no blinding and the samples were no blinding and the samples were no graph of the samples were no blinding and the samples were no blinding and the samples were no blinding and the samples were not because	worms/90mm Petri dishes in three independent studies to evaluate each treatments in the lifespan studies. A study was pid accumulation in worms utilizing fluorescence microscopy, RT-QPCR analysis, triglyceride and FFA assays, metabolomics 0), and other relevant methods. xcluded. replication were successful. re allocated randomly. Decific materials, systems and methods used in many studies. Here, indicate whether each material your study. If you are not sure if a list item applies to your research, read the appropriate section before selecting a response. Methods n/a Involved in the study
Data exclusions Replication Randomization Blinding Reportin We require informati system or method list	We used n=50 of conducted on line analysis (n<100) No data were expensed and samples were no blinding The samples were no blinding and samples were no blinding and samples were no from authors at the samples were study and samples were study and samples were no samples were not s	worms/90mm Petri dishes in three independent studies to evaluate each treatments in the lifespan studies. A study was pid accumulation in worms utilizing fluorescence microscopy, RT-QPCR analysis, triglyceride and FFA assays, metabolomics 0), and other relevant methods. xcluded. replication were successful. re allocated randomly. Decific materials, systems and methods about some types of materials, experimental systems and methods used in many studies. Here, indicate whether each material your study. If you are not sure if a list item applies to your research, read the appropriate section before selecting a response. Methods Methods

Clinical data
Dual use rese

Dual use research of concern

Animals and other research organisms

Policy information about <u>studies involving animals</u>; <u>ARRIVE guidelines</u> recommended for reporting animal research, and <u>Sex and Gender in Research</u>

Laboratory animals	Caenorhabditis elegans (N2 wild type) were acquired from the Caenorhabditis Genetics Center (CGC), University of Minnesota, Minneapolis.
Wild animals	This study did not involve wild animals.
Reporting on sex	The experiments were performed with hermaphrodite animals.
Field-collected samples	The study did not involve sample collected from the field.
Ethics oversight	In vivo C. elegans animal model do not have ethical concerns.

Note that full information on the approval of the study protocol must also be provided in the manuscript.

Plants

Seed stocks	Not applicable
Novel plant genotypes	Not applicable
Authentication	Not applicable