

## Supplemental Data

References for case reports and case series summarizing the clinical course of 157 patients.[1-73]

1. Chung HSP, K. R.; Kim, D. W. Two case reports of successful therapeutic erythrocytapheresis as an adjunctive therapy in severe falciparum malaria. Therapeutic apheresis and dialysis : official peer-reviewed journal of the International Society for Apheresis, the Japanese Society for Apheresis, the Japanese Society for Dialysis Therapy **2010**; 14(2): 230-3.
2. Shelat SGL, J. P.; Braga, M. S. Considerations on the use of adjunct red blood cell exchange transfusion in the treatment of severe Plasmodium falciparum malaria. Transfusion **2010**; 50(4): 875-80.
3. Shanbag PJ, M.; More, V.; Vaidya, M. Exchange transfusion in children with severe falciparum malaria and heavy parasitaemia. Annals of tropical paediatrics **2006**; 26(3): 199-204.
4. Boctor FN. Red blood cell exchange transfusion as an adjunct treatment for severe pediatric falciparum malaria, using automated or manual procedures. Pediatrics **2005**; 116(4): e592-5.
5. Deshpande AK, S.; Udani, S. Red cell exchange using cell separator (therapeutic erythrocytapheresis) in two children with acute severe malaria. The Journal of the Association of Physicians of India **2003**; 51: 925-6.
6. Zhang YT, L.; Vinetz, J. M.; Yawn, D.; Rossmann, S.; Indrikovs, A. J. Erythrocytapheresis for Plasmodium falciparum infection complicated by cerebral malaria and hyperparasitemia. Journal of clinical apheresis **2001**; 16(1): 15-8.
7. Rego SJSR, S. D.; Hejmadi, A.; Rekha, S. Partial exchange transfusion as an adjunct to the treatment of severe falciparum malaria in children. Journal of tropical pediatrics **2001**; 47(2): 118-9.

8. Macallan DCP, M.; Robinson, G. T.; Parker-Williams, J.; Bevan, D. H. Red cell exchange, erythrocytapheresis, in the treatment of malaria with high parasitaemia in returning travellers. *Transactions of the Royal Society of Tropical Medicine and Hygiene* **2000**; 94(4): 353-6.
9. Tejura BS, D. A.: Fischer, R. A.: Daskal, I.: Eiger, G. Transfusion-associated falciparum malaria successfully treated with red blood cell exchange transfusion. *The American journal of the medical sciences* **2000**; 320(5): 337-41.
10. Weir EGK, K. E.; Ness, P. M.; Eshleman, S. H. Automated RBC exchange transfusion: treatment for cerebral malaria. *Transfusion* **2000**; 40(6): 702-7.
11. Mainwaring CJL, M. J.; Nayak, N.; Green, S. T.; Jones, D. A.; Winfield, D. A. Automated exchange transfusion for life-threatening plasmodium falciparum malaria--lessons relating to prophylaxis and treatment. *The Journal of infection* **1999**; 39(3): 231-3.
12. Boctor FNA, N. M.: Choi, Y. J.: Morse, E. E. Exchange transfusion with red blood cells preserved in adenine clears a child of severe falciparum malaria. *Annals of clinical and laboratory science* **1997**; 27(3): 193-5.
13. Aquinas SR, C.: Vincent, J.: Sridhar, C. B. Partial exchange transfusion in the treatment of severe falciparum malaria. *The National medical journal of India* **1996**; 9(4): 163-5.
14. Eisenman AB, Y.: Shechter, Y.: Oren, I. Blood exchange [correction of exchange]-a rescue procedure for complicated falciparum malaria. *Vox sanguinis* **1995**; 68(1): 19-21.
15. Wong RDM, A. R.; Mathisen, G. E.; Glover, N.; Thornton, P. J. Treatment of severe falciparum malaria during pregnancy with quinidine and exchange transfusion. *The American journal of medicine* **1992**; 92(5): 561-2.
16. Lercari GP, G.; Malfanti, L.; Rolla, D.; Machi, A. M.; Rizzo, F.; Cannella, G.; Valbonesi, M. Apheresis for severe malaria complicated by cerebral malaria, acute respiratory distress

- syndrome, acute renal failure, and disseminated intravascular coagulation. *Journal of clinical apheresis* **1992**; 7(2): 93-6.
17. Nielsen RLK, R. B.; Chin, W.; McCarthy, L. J.; Luft, F. C. The use of exchange transfusions: a potentially useful adjunct in the treatment of fulminant falciparum malaria. *The American journal of the medical sciences* **1979**; 277(3): 325-9.
  18. Roncoroni AJM, O. A. Therapeutic use of exchange transfusion in malaria. *The American journal of tropical medicine and hygiene* **1979**; 28(3): 440-4.
  19. Kurathong SS, T.; Isarangkura, P.; Phanichphant, S. Exchange transfusion in cerebral malaria complicated by disseminated intravascular coagulation. *The Southeast Asian journal of tropical medicine and public health* **1979**; 10(3): 389-92.
  20. Yarrish RLJ, J. S.; Nosanchuk, J. S.; Steigbigel, R. T.; Nusbacher, J. Transfusion malaria: treatment with exchange transfusion after delayed diagnosis. *Archives of internal medicine* **1982**; 142(1): 187-8.
  21. Kramer SLC, C. C.; Moncrieff, R. E. Fulminant Plasmodium falciparum infection treated with exchange blood transfusion. *JAMA : the journal of the American Medical Association* **1983**; 249(2): 244-5.
  22. Chiodini PLS, M.; Salam, I.; Tubbs, H. R.; Wood, M. J.; Ellis, C. J. Exchange transfusion in severe falciparum malaria. *Transactions of the Royal Society of Tropical Medicine and Hygiene* **1985**; 79(6): 865-6.
  23. Watanaboonyongcharoen PP, Y. A.; Poisson, J. L.; Brecher, M. E. Rapid increases in parasitemia following red cell exchange for malaria. *Journal of clinical apheresis* **2011**; 26(6): 315-9.
  24. Harris PP, S.; Senthuran, S.; Cochupanachimootil, J.; Norton, R. Automated erythrocytapheresis for severe falciparum malaria. *Internal medicine journal* **2011**; 41(1a): 60-3.

25. Viridi VSG, J. S.; Khadwal, A.; Seth, A. Neonatal transfusion malaria requiring exchange transfusion. *Annals of tropical paediatrics* **2003**; 23(3): 205-7.
26. Rahimy MCD, V.; Akpona, S.; Massougbdji, A.; Falanga, P. B. Partial exchange transfusion prior to treating cerebral malaria in an African child with glucose-6-phosphate dehydrogenase deficiency. *Transfusion* **1997**; 37(9): 984-5.
27. Elder ATC, M. J.; Boulton, F. E.; Brettle, R. P. Exchange transfusion of whole blood in the treatment of cerebral malaria. *Scottish medical journal* **1990**; 35(5): 146-7.
28. Smit WMO-vS, H. M.; Zandstra, D. F. Fulminant falciparum malaria. *Intensive care medicine* **1990**; 16(8): 517-9.
29. Brill-Edwards PK, J. S. Exchange transfusion in a case of severe Plasmodium falciparum infection: a case report. *Canadian family physician Medecin de famille canadien* **1989**; 35: 2129-73.
30. Habeeb H, Ripper JR, Cohen A, Hinfey PB. A Case of Imported Severe Plasmodium falciparum Malaria in the Emergency Department and the Current Role of Exchange Transfusion Treatment. *The Journal of emergency medicine* **2012**.
31. Nieuwenhuis JAM, J. H.; Zijlstra, J. G.; Ligtenberg, J. J.; Tulleken, J. E.; van der Werf, T. S. Automated erythrocytapheresis in severe falciparum malaria: A critical appraisal. *Acta tropica* **2006**; 98(3): 201-6.
32. Gulprasutdilong SC, V.; Buranakitjaroen, P.; Jaroonvesama, N. Exchange transfusion in severe falciparum malaria. *Journal of the Medical Association of Thailand = Chotmaihet thangphaet* **1999**; 82(1): 1-8.
33. Looreesuwan SP, R. E.; Karbwang, J.; White, N. J.; Flegg, P. J.; Warrell, D. A. Plasmodium falciparum hyperparasitaemia: use of exchange transfusion in seven patients and a review of the literature. *The Quarterly journal of medicine* **1990**; 75(277): 471-81.

34. Molla SdLR, J.; Arriaga, F.; Fernandez, M. J.; Carpio, N.; Marty, M. L. Role of exchange transfusion in patients with severe *Falciparum malaria*: report of six cases. *Haematologica* **2001**; 86(2): 208-9.
35. Mirete Ferrer C, Masia Canuto M, Navarro Ruiz A, Gutierrez Rodero F. [Fatal cerebral malaria caused by *Plasmodium falciparum* after treatment with exchange transfusion]. *Medicina clinica* **2000**; 115(1): 38.
36. Kato YO, K.; Sawada, Y.; Suenaga, M. Purpura fulminans: an unusual manifestation of severe *falciparum malaria*. *Transactions of the Royal Society of Tropical Medicine and Hygiene* **2007**; 101(10): 1045-7.
37. Reichard UM, H.: Eiffert, H.: Ramadori, G.: Schworer, H. [Successful management of malaria tropica with 50% parasitaemia]. *Deutsche medizinische Wochenschrift* **2006**; 131(37): 2010-2.
38. Kendrick BJG, A. G.: Pickworth, A.: Watters, M. P. Drotrecogin alfa (activated) in severe *falciparum malaria*. *Anaesthesia* **2006**; 61(9): 899-902.
39. Ayyub MB, S.; Lubbad, E. Usefulness of exchange transfusion in acute liver failure due to severe *falciparum malaria*. *The American journal of gastroenterology* **2000**; 95(3): 802-4.
40. Morch KF, S. L.: Ormaasen, V.: Bruun, J. N. [Severe *falciparum malaria* treated with exchange transfusion]. *Tidsskrift for den Norske laegeforening : tidsskrift for praktisk medicin, ny raekke* **2002**; 122(10): 999-1001.
41. Mathon LR, C. A.: Allaouchiche, B.: Chassard, D. [Acute pernicious malaria treated with exchange transfusion]. *Annales francaises d'anesthesie et de reanimation* **1999**; 18(5): 538-41.
42. Botella de Maglia JCR, I.: Oltra Chorda, R. [Multiple organ failure in *Plasmodium falciparum malaria*]. *Revista clinica espanola* **1995**; 195(10): 688-92.

43. Graber PB, B.: Gerber, A. U. [Continuous quinidine infusion and blood exchange transfusion in severe tropical malaria: a case report]. *Schweizerische medizinische Wochenschrift* **1991**; 121(37): 1336-9.
44. Owen-Falkenberg AW, T.: Bjorvatn, B. [Exchange transfusion in cases of falciparum malaria]. *Nordisk medicin* **1991**; 106(10): 270-1.
45. Sighinolfi LL, M.; Biccocchi, R.; Reverberi, R.; Bedetti, A.; Ghinelli, F. Treatment of cerebral malaria by erythrocyte exchange. *Recenti progressi in medicina* **1990**; 81(12): 804-5.
46. Phillips PN, S.; Benny, W. B. Exchange transfusion as an adjunct to the treatment of severe falciparum malaria: case report and review. *Reviews of infectious diseases* **1990**; 12(6): 1100-8.
47. Gyr KS, B.: Ritz, R.: Cornu, P.: Buckner, C. D. [Cerebral tropical malaria with blackwater fever. A current diagnostic and therapeutic problem]. *Schweizerische medizinische Wochenschrift* **1974**; 104(45): 1628-30.
48. Heim MUM, J.: Scheurlen, C.: Twardzik, L.: Wilmanns, W. [Exchange transfusion and (or) plasmapheresis: effective measures in severe tropical malaria?]. *Deutsche medizinische Wochenschrift* **1988**; 113(23): 941-4.
49. Rouvier BM, P.: Debue, J. F.: Joussemet, M.: Roue, R. [Treatment of fulminant falciparum malaria with erythrapheresis]. *Annales francaises d'anesthesie et de reanimation* **1988**; 7(3): 257-60.
50. Carlsson TB, L.: Hellgren, U. Homeopathic Resistant Malaria. *Journal of travel medicine* **1996**; 3(1): 62.
51. Beards SCJ, G. M.; Lipman, J. Haemodynamic and oxygen transport response during exchange transfusion for severe falciparum malaria. *Postgraduate medical journal* **1994**; 70(829): 801-4.
52. Files JCC, C. J.; Morrison, F. S. Automated erythrocyte exchange in fulminant falciparum malaria. *Annals of internal medicine* **1984**; 100(3): 396.

53. Hall AY, A.; Marsh, A. Exchange transfusion and quinine concentrations in falciparum malaria. *British medical journal* **1985**; 291(6503): 1169-70.
54. Malin ASC, P. L.; Hudson, C. N. Exchange transfusion for severe falciparum malaria in pregnancy. *Bmj* **1990**; 300(6734): 1240-1.
55. Fazili TF, M.: Eagle, R.: Camp, M.: Williams, D.: Boyd, A. Severe falciparum malaria: a case report. *The Journal of the Oklahoma State Medical Association* **2010**; 103(2): 48-9.
56. Green G. Intravenous quinidine gluconate and exchange transfusion for malignant Plasmodium falciparum malaria. *Delaware medical journal* **1994**; 66(10): 553.
57. Schunkert HG, U. [Exchange blood transfusion in cerebral tropical malaria]. *Deutsche medizinische Wochenschrift* **1986**; 111(41): 1582.
58. Lelarge PH, B.: Jeanraux, N.: Gerard, A.: Schooneman, F.: Kures, L.: Canton, P.: Dureux, J. B. [A severe and atypical form of Plasmodium falciparum malaria treated with intravenous quinine and exsanguinotransfusion]. *Presse medicale* **1989**; 18(10): 540.
59. Manquat GB, J. P.: Carpentier, F.: Micoud, M.: Guignier, M. [Pernicious malaria attack. Rapidly favorable course after exchange blood transfusion]. *Presse medicale* **1986**; 15(42): 2118.
60. Martinez Rodriguez JEHG, J. P.: Gascon Brustenga, J.: Corachan Cuyas, M. [Exchange blood transfusion and P. falciparum malaria]. *Medicina clinica* **2000**; 114(1): 37-8.
61. Fernandez-Fuertes LFT-M, M.: Angel-Moreno, A.: Pisos-Alamo, E.: Losada-Castillo, M. C.: Diaz-Cremades, J. M.: Perez-Arellano, J. L. [Automated erythrocytapheresis as treatment of severe malaria. Study of 6 patients]. *Medicina clinica* **2008**; 131(8): 298-301.
62. Botella de Maglia JEC, A. [Severe and complicated malaria. Report of six cases]. *Revista clinica espanola* **1998**; 198(8): 509-13.

63. Lataste PS, G.: Nlend, A.: Le Bras, M.: Roue, R.: Wone, C.: Ragnaud, J. C.: Buil, A.: Briand, M. C.: Ripert, C.: et al.,. [Value of exchange transfusion in the treatment of severe malaria (apropos of 5 cases)]. Bulletin de la Societe de pathologie exotique et de ses filiales **1987**; 80(3 Pt 2): 561-8.
64. von Sonnenburg FL, T.: Nothdurft, H. D.: Pruffer, L. [Complicated malaria tropica: specific and supportive therapy in the imported diseases]. Deutsche medizinische Wochenschrift **1986**; 111(24): 934-8.
65. Loutan LP, C.: Soulier-Lauper, M.: Pascual, M.: Subilia, L.: Chevrolet, J. C.: Unger, P. F.: Grau, G. E. Serum TNF in patients with severe malaria treated by exchange transfusion. Tropical medicine and parasitology : official organ of Deutsche Tropenmedizinische Gesellschaft and of Deutsche Gesellschaft fur Technische Zusammenarbeit **1992**; 43(4): 285-6.
66. Van den Ende JM, G.; Van Gompel, A.; Demey, H.; Lins, R.; Maldague, P.; Pelfrene, E.; Van den Enden, E.; Taelman, H.; Van der Stuyft, P.; et al.,. Twelve patients with severe malaria treated with partial exchange transfusion. Comparison between mathematically predicted and observed effect on parasitaemia. Tropical and geographical medicine **1994**; 46(6): 340-5.
67. Govoni MG, G. Erythrocyte exchange in cerebral malaria. Vox sanguinis **1993**; 64(1): 56.
68. Moorkens GHZ, P. B.; Coolen, L. J.; Lauwers, L. F.; Demey, H. E.; Vanpellicom, J. A.; Daelemans, R. A.; Lins, R. L. Exchange transfusion for fulminant Plasmodium falciparum infection. The International journal of artificial organs **1991**; 14(2): 122-3.
69. Khoo KLT, W. L.: Eng, P.: Ong, Y. Y. Malaria requiring intensive care. Annals of the Academy of Medicine, Singapore **1998**; 27(3): 353-7.
70. Mazaudier ER, C. P.: Schmitt, A.: Le Bras, M.: Ripert, C. [Imported malaria in Bordeaux in 1989. Epidemiologic, clinical and therapeutic study of 71 cases]. Bulletin de la Societe de pathologie exotique **1990**; 83(5): 693-704.
71. Ronn AMB, C.: Jacobsen, E. [Complicated malaria]. Ugeskrift for laeger **1989**; 151(35): 2187-9.



72. Pats BR, J. M.: Joussemet, M.: Crenn, Y.: Diraison, Y.: Rouvier, B.: Chabanne, J. P. [Exchange transfusion as an approach in pernicious malaria: apropos of 3 cases]. *Annales francaises d'anesthesie et de reanimation* **1989**; 8 Suppl: R245.
73. Bellmann RS, W.: Pechlaner, C.: Weiss, G.: Bellmann-Weiler, R.: Wiedermann, C. J.: Patsch, J. R. Imported malaria: six cases of severe Plasmodium falciparum infection in Innsbruck, Austria, within a period of five weeks (February/March 1999). *Wiener klinische Wochenschrift* **2000**; 112(10): 453-8.