

S1Table. Profile of ASM used in Pregnant Women With Epilepsy (PWWE)  
(n=229)

<b>Drug Treatment</b>	<b>N</b>	<b>%</b>
<b>Oxcarbazepine</b>		
Levetiracetan		
No	229	100,0
<b>Others drugs</b>		
yes	26	11,1
no	208	88,9
<b>Missing data</b>	4	1,7
<b>Carbamazepine, Phenobarbital and Phenytoin</b>	2	1,0
no	195	99,0
total	197	100,0
<b>Carbamazepine and Phenobarbital</b>		
yes	18	9,1
no	178	90,9
total	197	100,0
<b>Carbamazepine and Phenytoin</b>		
yes	4	2,0
no	193	98,0
total	197	100,0
<b>Carbamazepine and Diazepam</b>		
yes	13	6,6
No	184	93,4
total	197	100,0
<b>Phenytoin and Diazepam</b>		

yes	6	3,0
<hr/>		
<b>Drug Treatment</b>	<b>N</b>	<b>%</b>
<hr/>		
no	191	97,0
total	197	100,0
<b>Phenobarbital and Diazepam</b>		
yes	17	91,4
no	180	8,6
total	197	100,0
<b>Valproicacid and Diazepam</b>		
yes	6	3,0
no	191	97,0
total	197	100,0
<b>Phenobarbital and Phenytoin</b>		
yes	13	6,6
no	184	93,4
total	197	100,0
<b>Phenobarbital and Valproicacid</b>		
yes	12	6,1
no	185	93,9
total	197	100,0
<b>Lamotrigine and Valproic acid</b>		
yes	6	3,0
no	191	97,0
total	197	100

source: author's own production