## Figure S1. Beta-lactam allergy interview questions.

What antibiotic caused the reaction?
□ Penicillin
☐ Amoxicillin or amoxicillin-clavulanate
☐ Ampicillin or ampicillin-sulbactam
☐ Piperacillin or piperacillin-tazobactam
☐ Nafcillin, oxacillin, dicloxacillin
□ Cephalosporin
■ Examples: cephalexin (Keflex®), cefdinir (Omnicef®), cefpodoxime (Vantin®), cefixime (Suprax®), ceftriaxone (Rocephin®), cefepime (Maxipime®)
□ Aztreonam
□ Carbapenem
□ Other
What was/were the reaction/s?
☐ No reaction — family history of penicillin allergy
□ Unknown reaction
$\hfill\square$ Nausea, vomiting, abdominal pain or diarrhea alone (no other allergic symptoms)
$\hfill\Box$ Headache or fatigue alone (no other allergic symptoms)
□ Minor rash
□ Itching (pruritus)
□ Hives
$\hfill\Box$ Lesions or ulcers involving the lips, mouth, or eyes or peeling of the skin
☐ Involvement of the kidney or liver
☐ Anemia or low blood counts
☐ Joint pains/swelling and fevers or "serum sickness"
$\hfill\Box$ Immediate respiratory symptoms (such as wheezing, cough, trouble breathing)
☐ Immediate swelling of the lips or tongue
□ Hypotension
□ Anaphylaxis
$\hfill\Box$ "Steven-Johnson syndrome (SJS)," "toxic epidermal necrolysis (TEN)," or "drug rash with eosinophilia and systemic symptoms (DRESS)"
□ Other
How long ago did the reaction occur?
□ Less than 1 year ago
□ 1–5 years ago
□ 6–10 years ago
☐ Greater than 10 years ago
How long after first taking the antibiotic did the reaction occur?
☐ Within 1 hour of first dose
☐ Between 1 hour and 24 hours of first dose
☐ Greater than 24 hours after first dose
□ Other/unknown

## Figure S1. Beta-lactam allergy interview questions.

□ No

How was the reaction treated? (if applicable)
☐ Resolved without any intervention or medication
☐ Resolved with medication
o Medication(s):
☐ Epinephrine administration greater than 24 hours after first dose
How long did it take for the reaction to resolve? (if applicable)
□ Within 1 hour
☐ Between 1 hour and 24 hours
☐ Greater than 24 hours
Did the patient have to receive medical care from any of the following for the reaction?
(if applicable)
□ Pediatrician's office
□ Allergist's office
☐ Urgent Care or emergency room
□ Overnight hospitalization
□ None of the above
Have you ever taken any antibiotics since the reaction? If so, which antibiotics?
□ Yes
o Antibiotic(s):
■ Examples: amoxicillin (Amoxil®), amoxicillin/clavulanicacid (Augmentin®), penicillin (Pen-VK®) cephalexin (Keflex®)

Figure S2. Beta-lactam allergy de-labeling protocol algorithm.

