

Supplemental Information

Smart Discharges to improve post-discharge health outcomes in children

Page 1

Followup Post Discharge Autopsy

Study ID	_____
Study ID	_____
Confirm study ID	_____
Latitude	_____
Longitude	_____
Altitude	_____
Post-discharge verbal autopsy date	_____
Relationship of the person interviewed to the child	<input type="radio"/> Biological parent <input type="radio"/> Grandparent <input type="radio"/> Sibling <input type="radio"/> Aunt / uncle / cousin <input type="radio"/> Stepmother / stepfather <input type="radio"/> Care home / orphanage <input type="radio"/> Other
If 'other', please specify	_____
Sex of the person being interviewed	<input type="radio"/> Female <input type="radio"/> Male <input type="radio"/> N/A (in care)
Age of the person being interviewed	<input type="radio"/> < = 18 years old <input type="radio"/> > 18 years old <input type="radio"/> > 50 years old <input type="radio"/> N/A (in care)
Is the person being interviewed the primary caregiver of the child?	<input type="radio"/> Yes <input type="radio"/> No
Did the child suffer an injury or accident that led to death?	<input type="radio"/> Yes <input type="radio"/> No <input type="radio"/> Unknown <input type="radio"/> Refused to answer

03/25/2023 1:00pm

projectredcap.org



What kind of injury or accident did the child suffer from (select all that apply)?

- Road traffic crash or injury
- Poisoning
- Significant fall
- Burn or fire
- Drowning
- Homicide or abuse
- Bite or sting by venomous animal
- Other (specify)
- Don't know
- Refused to answer

If 'other', please specify

Was the injury or accident intentionally inflicted by someone else?

- Yes
- No
- Unknown
- Refused to answer

How long did the illness that led to death last?

- Less than 24 hours
- 1 day
- 2 days
- 3 days
- 4 days
- 5 days
- 6 days
- 7 days
- 7-14 days
- 15-30 days
- More than 30 days
- Don't know
- Refused to answer

How old (in months) was the deceased at time of death?

During the illness that led to death, did the child have a fever?

- Yes
- No
- Don't know

How long did the fever last?

- Less than 24 hours
- 1 day
- 2 days
- 3 days
- 4 days
- 5 days
- 6 days
- 7 days
- 7-14 days
- 15-30 days
- More than 30 days
- Don't know

Did the fever continue until death?

- Yes
- No
- Don't know

How severe was the fever?	<input type="radio"/> Mild < 38C <input type="radio"/> Moderate (38-39.5C) <input type="radio"/> Severe (>39.5C) <input type="radio"/> Don't know
---------------------------	--

During the illness that led to death, did the child have more frequent loose or liquid stools than usual?	<input type="radio"/> Yes <input type="radio"/> No <input type="radio"/> Don't know
---	---

How many stools did the child have on the day that loose or liquid stools were most frequent?	<input type="radio"/> 1 stool <input type="radio"/> 2 stools <input type="radio"/> 3 stools <input type="radio"/> 4 stools <input type="radio"/> 5 stools <input type="radio"/> 5-10 stools <input type="radio"/> More than 10 stools <input type="radio"/> Don't know
---	---

Did the frequent loose or liquid stools continue until death?	<input type="radio"/> Yes <input type="radio"/> No <input type="radio"/> Don't know
---	---

During the illness that led to death, did the child have a cough?	<input type="radio"/> Yes <input type="radio"/> No <input type="radio"/> Don't know
---	---

For how many days did the cough last?	<input type="radio"/> Less than 24 hours <input type="radio"/> 1 day <input type="radio"/> 2 days <input type="radio"/> 3 days <input type="radio"/> 4 days <input type="radio"/> 5 days <input type="radio"/> 6 days <input type="radio"/> 7 days <input type="radio"/> 7-14 days <input type="radio"/> 15-30 days <input type="radio"/> More than 30 days <input type="radio"/> Don't know
---------------------------------------	---

Was the cough very severe?	<input type="radio"/> Yes <input type="radio"/> No <input type="radio"/> Don't know
----------------------------	---

During the illness that led to death, did the child have difficulty breathing?	<input type="radio"/> Yes <input type="radio"/> No <input type="radio"/> Don't know
--	---

For how many days did the difficulty breathing last?	<input type="radio"/> Less than 24 hours <input type="radio"/> 1 day <input type="radio"/> 2 days <input type="radio"/> 3 days <input type="radio"/> 4 days <input type="radio"/> 5 days <input type="radio"/> 6 days <input type="radio"/> 7 days <input type="radio"/> 7-14 days <input type="radio"/> 15-30 days <input type="radio"/> More than 30 days <input type="radio"/> Don't know
--	---

03/25/2023 1:00pm

projectredcap.org



During the illness that led to death, did the child have fast breathing?	<input type="radio"/> Yes <input type="radio"/> No <input type="radio"/> Don't know
--	---

For how many days did the fast breathing last?	<input type="radio"/> Less than 24 hours <input type="radio"/> 1 day <input type="radio"/> 2 days <input type="radio"/> 3 days <input type="radio"/> 4 days <input type="radio"/> 5 days <input type="radio"/> 6 days <input type="radio"/> 7 days <input type="radio"/> 7-14 days <input type="radio"/> 15-30 days <input type="radio"/> More than 30 days <input type="radio"/> Don't know
--	---

During the illness that led to death, did the child have indrawing of the chest?	<input type="radio"/> Yes <input type="radio"/> No <input type="radio"/> Don't know
--	---

During the illness that led to death, did the child's breathing sound like grunting?	<input type="radio"/> Yes <input type="radio"/> No <input type="radio"/> Don't know
--	---

Did the child experience any generalized convulsions or fits during the illness that led to death?	<input type="radio"/> Yes <input type="radio"/> No <input type="radio"/> Don't know
--	---

Was the child unconscious during the illness that led to death?	<input type="radio"/> Yes <input type="radio"/> No <input type="radio"/> Don't know
---	---

How long before death did unconsciousness start?	<input type="radio"/> Less than 6 hours <input type="radio"/> 6-23 hours <input type="radio"/> 24 hours or more <input type="radio"/> Don't know
--	---

Did the child have a stiff neck during the illness that led to death?	<input type="radio"/> Yes <input type="radio"/> No <input type="radio"/> Don't know
---	---

Did the child have a bulging fontanelle during the illness that led to death?	<input type="radio"/> Yes <input type="radio"/> No <input type="radio"/> Don't know
---	---

During the month before he/she died, did the child have a skin rash?	<input type="radio"/> Yes <input type="radio"/> No <input type="radio"/> Don't know
--	---

How many days did the rash last?

- Less than 24 hours
- 1 day
- 2 days
- 3 days
- 4 days
- 5 days
- 6 days
- 7 days
- 7-14 days
- 15-30 days
- Don't know

During the illness that led to death, did the child's skin flake off in patches?

- Yes
- No
- Don't know

Did the child's hair change in color to a reddish or yellowish color?

- Yes
- No
- Don't know

Did the child have a protruding belly?

- Yes
- No
- Don't know

During the illness that led to death, did the child suffer from anemia or pallor?

- Yes
- No
- Don't know

During the illness that led to death, did the child have swelling in the armpits?

- Yes
- No
- Don't know

During the illness that led to death, did the child bleed from anywhere?

- Yes
- No
- Don't know

During the illness that led to death, did the child have areas of the skin that turned black?

- Yes
- No
- Don't know

Is the cause of death known or recorded?

- Yes
- No
- Don't know

What was the cause of death?

Was a death certificate issued?

- Yes
- No
- Don't know

Is the death certificate available?

- Yes
- No
- Don't know

Record the immediate cause of death from the certificate

Record the other underlying causes of death from the certificate

Comments

Comments
