

**Supplemental tables 5a, 5b:**

## **The Canadian Cow-calf Surveillance Network – Productivity and Health Data 2018 to 2022**

**Cheryl Waldner<sup>1\*</sup>, M. Claire Windeyer<sup>2</sup>, Marjolaine Rousseau<sup>3</sup>, John Campbell<sup>1</sup>**

<sup>1</sup>Large Animal Clinical Sciences, University of Saskatchewan, Saskatoon, SK, Canada

<sup>2</sup>Faculty of Veterinary Medicine, University of Calgary, Calgary, AB, Canada

<sup>3</sup>Département de sciences cliniques, Faculté de médecine vétérinaire, Université de Montréal, Saint-Hyacinthe, QC, Canada

**Table S5a.** Summary of calving sickness and death loss from 24 hours to 30 days from **Western Canadian** cow-calf herds reported in submitted annual herd calving records (n=379) for the C3SN between 2019 and 2022.

	Percent of calves dead 24 h to 30 d			Percent of calves reported treated with antibiotics 24 h to 30 d			Percent of calves dead with attributed cause 24 h to 30 d			
	Cows	Heifers	Total	Calf diarrhea	Respiratory disease	Navel or joint infection	Calf diarrhea	Respiratory disease	Navel or joint infection	Total
Total herd records	N=378	N=356	N=378	N=376	N=374	N=374	N=375	N=375	N=375	N=375
Mean	1.6%	1.9%	1.7%	2.4%	2.8%	1.8%	0.4%	0.3%	0.1%	0.7%
SD*	1.6%	3.5%	1.6%	4.4%	5.0%	3.5%	0.9%	0.6%	0.3%	1.2%
2.5 <sup>th</sup> percentile	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
5 <sup>th</sup> percentile	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
25 <sup>th</sup> percentile	0.5%	0.0%	0.6%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
Median	1.1%	0.0%	1.2%	0.9%	0.9%	0.6%	0.0%	0.0%	0.0%	0.3%
75 <sup>th</sup> percentile	2.3%	2.6%	2.3%	2.6%	2.9%	1.8%	0.5%	0.4%	0.0%	0.9%
95 <sup>th</sup> percentile	4.5%	9.6%	4.6%	9.4%	12.2%	8.3%	1.9%	1.4%	0.6%	3.1%
97.5 <sup>th</sup> percentile	5.7%	11.1%	5.9%	16.1%	16.9%	11.5%	2.5%	1.8%	0.8%	4.1%

\*Standard deviation

**Table S5b.** Summary of calving sickness and death loss from 24 hours to 30 days from **Eastern Canadian** cow-calf herds reported in submitted annual herd calving records (n=186) for the C3SN between 2019 and 2022.

	Percent of calves dead 24 h to 30 d			Percent of calves reported treated with antibiotics 24 h to 30 d			Percent of calves dead with attributed cause 24 h to 30 d			
	Cows	Heifers	Total	Calf diarrhea	Respiratory disease	Navel or joint infection	Calf diarrhea	Respiratory disease	Navel or joint infection	Total
Total herd records	N=184	N=165	N=184	N=181	N=184	N=182	N=183	N=183	N=183	N=183
Mean	2.3%	3.1%	2.4%	7.0%	3.7%	3.0%	0.7%	0.5%	0.2%	1.5%
SD*	2.8%	9.2%	2.9%	12.2%	6.8%	5.0%	1.8%	2.0%	1.1%	3.2%
2.5 <sup>th</sup> percentile	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
5 <sup>th</sup> percentile	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
25 <sup>th</sup> percentile	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
Median	1.6%	0.0%	1.8%	3.4%	1.0%	1.0%	0.0%	0.0%	0.0%	0.0%
75 <sup>th</sup> percentile	2.9%	0.0%	3.4%	9.1%	4.7%	4.0%	0.5%	0.0%	0.0%	2.0%
95 <sup>th</sup> percentile	6.6%	14.3%	7.7%	23.5%	15.2%	14.2%	3.8%	2.5%	1.0%	7.1%
97.5 <sup>th</sup> percentile	10.8%	19.7%	9.8%	42.1%	21.1%	17.9%	5.7%	3.4%	1.9%	9.9%

\*Standard deviation