## Supplementary File 5: Study populations within studies identified in systematic review

Study	Description of participants	Number of	(	Characteristics of particip	ants who were hon	neless, does not include an	y participants who were	staff		
		Participants	Age (years)	Educational achievement	Number in employment	Ethnicity/ race	Physical/Mental health/ psychological trauma	Biological Sex		
								F	м	Other
Dawes et al, 2019	Adult women with lived experience of homelessness, who had attended running groups for a minimum of 4 weeks.	11	Range: 23-57 Mean (SD): NS	NS	NS	NS	NS	11	0	
Grabbe et al, 2013	Adult women living in shelters or on the street.	8	Range: 20-59 Mean (SD): NS	4/8 high school or less 4/8 some college or technical school	NS	NS	4/8 ≥ 1 mental illnesses; including bipolar disorder, depression, obsessive-compulsive disorder, and borderline personality disorder	8	0	
Grimes & Smirnova, 2020	Adult men who had completed the "earn-a- bike" programme and had experienced homelessness at the time of participating in the programme.	16	Range: 30-65 Mean: 46.0 SD: NS	1/16 less than high school 9/16 high school 4/16 some college 2/16 completed college	2/8 <sup>b</sup>	4/8 African American 4/8 White	NS	0	16	
Helge et al, 2014 & Randers et al, 2012	Homeless adult men recruited from shelters and unemployment offices in Copenhagen.	28	Range: NS Football group: Mean (SD): 36.4 (10.0) Control group: Mean (SD): 42.7 (8.5)	NS	NS	NS	NS	0	28	
Kendzor et al, 2017	Adults living in transitional shelters, a score of ≥4 on Rapid Estimate of Adult Literacy in Medicine- Short Form, physically ambulatory and resident at shelter for ≤3 months.	32	Range: NS Mean (SD): 48.38 (8.12)	12.63 (2.08)ª	NS	27/32 African American	NS	8	24	

Knestaut et al, 2010	Adult men and women living in a homeless shelter	11	Range: 18-50	NS	NS	Caucasian ( $n = 9$ ), Latina ( $n = 1$ ) African American ( $n = 1$ )	NS	8	3	
Magee & Jeanes, 2013	Men who played in United Kingdom Homeless Word Cup squad. All of whom lived in either social services accommodation or hostels and had spent time living rough.	6	Range: 16-29 Mean (SD): NS	NS	0/6	NS	NS	0	6	
Malden et al, 2019	Adults experiencing homelessness (living in hostel accommodation or on the streets) and had attended ≤10 Street Fit Scotland sessions.	10	Range: 21-36 Mean (SD): NS	NS	1/10	NS	NS	5	5	
Norton et al, 2020	Adult women who, at the time of study, were living in a shelter for women without housing.	82	Range: 18-63 Mean (SD): 35.8 (11.4)	NS	NS	41/83 Black 16/83 White 18/83 Hispanic 3/83 Other	NS	82	0	
Parry et al, 2021a	Young people experiencing or at risk of homelessness who attended at least one My Strength Training for life (MST4Life) and consented/ engaged with qualitative data collection; housing service staff with one-to-one experience with MST4Life participants; and, Outdoor Adventure Education (OAE) staff supporting phase 2 of MST4Life programme.	30 PEH 6 housing service staff 5 OAE staff	Range: 16-24 Mean (SD): 20 (2.04)	NS	10/30	18/30° White 8/30° Mixed ethnicities 2/30° Black 2/30° Asian 1/30° other	23/30 <sup>c</sup> mental health condition	15	14	1 <sup>d</sup>
Parry et al, 2021b	Young people experiencing or at risk of homelessness who had participated in phase 1 of My Strength Training for life (MST4Life).	54	Range: 16-24 Mean, SD: 19.43 (2.18)	NS	3/54***	33/54 <sup>c</sup> White 11/54 <sup>c</sup> multiple or mixed ethnic groups 2/54 <sup>c</sup> Asian 2/54 <sup>c</sup> Black 2/54 <sup>c</sup> Other	NS	22	31	1 <sup>d</sup>

Randers et al 2010	Homeless men	15	Range: 19-44 Mean, SD: 29 (2)	NS	NS	NS	NS	0	15	
Randers et al, 2018	Adult women participating in the Women's Homeless World Cup.	15	Range: NS Mean, SD: 30.3 ± 5.0	NS	NS	NS	NS	15	0	
Shors et al, 2014	Adult women (mothers) who were recently homeless and >1 month poverty, trauma and addictive behaviour	15	Range: 18-36 Mean (SD): 25.0 (5.0)	NS	NS	NS	NS	15	0	
Sherry, 2010	Men, >16 years old, who played in Australian 2006 Homeless World Cup team, had experienced homelessness in previous 2 years and/or in a drug or alcohol rehabilitation programme.	8	NS	NS	NS	NS	NS	0	8	
Sherry & Strybosch, 2012	Soccer program participants of the Community Street Soccer Programme; coaches and support workers of the programme.	165 players 11 Coaches 10 (support workers)	Range: 'under 18'- 40 Most concentrated cohort 20-24 Mean (SD): NS	NS	NS	NS	66/165 <sup>c</sup> suffering from depression or other mental illness	23 <sup>c</sup>	142 <sup>c</sup>	
Welty Peachey et al, 2013	Participants were players, coaches and administrators from Street Soccer USA Cup (SSUSA) who represented the geographic areas served by SSUSA	11 players 6 staff	Range: 17-54 Mean (SD): NS	NS	NS	4/11 White 4/11 African-American 2/11 Hispanic 1/11 Mixed race	NS	3	8	

NS: not stated, SD: standard deviation, <sup>a</sup> mean(sd) years of education, <sup>b</sup> number in employment/education/training, <sup>c</sup> percentage supplied without accompanying numbers, closest whole number deduced relative to number of participants is reported, <sup>d</sup> identified as transgender