

**Designing of potent Tyrosinase Inhibiting *N*-Arylated-4-yl-benzamides bearing 2-aminothiazole-triazole bi-heterocycles: Mechanistic Insight through Enzyme Inhibition, Kinetics and Computational Studies.**

Farhan Mahmood Khan<sup>1</sup>, Muhammad Athar Abbasi<sup>1,\*</sup>, Aziz-ur-Rehman<sup>1</sup>, Sabahat Zahra Siddiqui<sup>1</sup>, Abdul Rehman Sadiq Butt<sup>1</sup>, Hussain Raza<sup>2</sup>, Mubashir Hassan<sup>2</sup>, Syed Adnan Ali Shah<sup>3</sup>, Muhammad Shahid<sup>4</sup> and Song Ja Kim<sup>2</sup>

<sup>1</sup>Department of Chemistry, Government College University, Lahore-54000, Pakistan.


<sup>2</sup>College of Natural Sciences, Department of Biological Science, Kongju National University, Gongju, 32588, South Korea.

<sup>3</sup>Faculty of Pharmacy and Atta-ur-Rahman Institute for Natural Products Discovery (AuRIns), Level 9, FF3, UniversitiTeknologi MARA, PuncakAlam Campus, 42300 Bandar PuncakAlam, Selangor DarulEhsan, Malaysia.


<sup>4</sup>Department of Biochemistry, University of Agriculture, Faisalabad-38040, Pakistan.

---


\*Corresponding Authors: Dr. Muhammad Athar Abbasi, E-mail: [abbasi@gcu.edu.pk](mailto:abbasi@gcu.edu.pk) Tel: (+92)-42-111000010 Ext. 266




**FIGURE S1**  $^1\text{H}$ -NMR spectrum of **9a**




**FIGURE S2**  $^{13}\text{C}$ -NMR spectrum of **9a**




**FIGURE S3**  $^1\text{H}$ -NMR spectrum of **9b**




**FIGURE S4**  $^{13}\text{C}$ -NMR spectrum of **9b**




**FIGURE S5**  $^1\text{H}$ -NMR spectrum of **9d**




**FIGURE S6**  $^{13}\text{C}$ -NMR spectrum of **9d**




**FIGURE S7**  $^1\text{H}$ -NMR spectrum of **9e**




**FIGURE S8**  $^{13}\text{C}$ -NMR spectrum of **9e**




**FIGURE S9**  $^1\text{H}$ -NMR spectrum of **9f**




**FIGURE S10**  $^{13}\text{C}$ -NMR spectrum of **9f**




**FIGURE S11**  $^1\text{H}$ -NMR spectrum of **9g**




**FIGURE S12**  $^{13}\text{C}$ -NMR spectrum of **9g**




**FIGURE S13**  $^1\text{H}$ -NMR spectrum of **9h**





**FIGURE S14**  $^{13}\text{C}$ -NMR spectrum of **9h**




**FIGURE S15**  $^1\text{H}$ -NMR spectrum of **9i**




**FIGURE S16**  $^{13}\text{C}$ -NMR spectrum of **9i**






**FIGURE S19**  $^1\text{H}$ -NMR spectrum of **9k**




**FIGURE S20**  $^{13}\text{C}$ -NMR spectrum of **9k**



#### Interactions

van der Waals	Pi-Sulfur
Conventional Hydrogen Bond	Alkyl
Pi-Sigma	Pi-Alkyl


**FIGURE S21** Docked configuration of **9a**




#### Interactions

van der Waals	Pi-Pi T-shaped
Conventional Hydrogen Bond	Alkyl
Pi-Sigma	Pi-Alkyl
Pi-Sulfur	

**FIGURE S22** Docked configuration of **9b**






#### Interactions

van der Waals	Pi-Pi T-shaped
Pi-Sigma	Alkyl
Pi-Sulfur	Pi-Alkyl
Pi-Pi Stacked	


**FIGURE S24** Docked configuration of **9e**



#### Interactions

- |                                       |                            |  |                |
|---------------------------------------|----------------------------|--|----------------|
| <span style="color: green;">█</span>  | van der Waals              | <span style="color: purple;">█</span>    | Pi-Sigma       |
| <span style="color: orange;">█</span> | Attractive Charge          | <span style="color: yellow;">█</span>    | Pi-Sulfur      |
| <span style="color: green;">█</span>  | Conventional Hydrogen Bond | <span style="color: pink;">█</span>      | Pi-Pi T-shaped |
| <span style="color: orange;">█</span> | Pi-Anion                   | <span style="color: lightpink;">█</span> | Pi-Alkyl       |


**FIGURE S25** Docked configuration of **9f**



#### Interactions

- |   |   |
|---|---|
| <span style="color: green;">█</span> van der Waals              | <span style="color: yellow;">█</span> Pi-Sulfur |
| <span style="color: green;">█</span> Conventional Hydrogen Bond | <span style="color: pink;">█</span> Alkyl       |
| <span style="color: purple;">█</span> Pi-Sigma                  | <span style="color: pink;">█</span> Pi-Alkyl    |


**FIGURE S26** Docked configuration of **9g**



#### Interactions

- |              |                            |                  |               |
|--------------|----------------------------|------------------|---------------|
| [Green Box]  | van der Waals              | [Yellow Box]     | Pi-Sulfur     |
| [Green Box]  | Conventional Hydrogen Bond | [Pink Box]       | Pi-Pi Stacked |
| [Orange Box] | Pi-Cation                  | [Light Blue Box] | Alkyl         |
| [Purple Box] | Pi-Sigma                   | [Light Blue Box] | Pi-Alkyl      |


**FIGURE S27** Docked configuration of **9h**



**Interactions**

	van der Waals		Pi-Sulfur
	Conventional Hydrogen Bond		Pi-Alkyl
	Pi-Sigma		

**FIGURE S28** Docked configuration of **9i**



#### Interactions

[Green] van der Waals


[Blue] Conventional Hydrogen Bond

[Purple] Pi-Sigma

[Yellow] Pi-Sulfur

[Pink] Pi-Alkyl

**FIGURE S29** Docked configuration of **9j**



#### Interactions

- |                            |           |
|----------------------------|-----------|
| van der Waals              | Pi-Sulfur |
| Conventional Hydrogen Bond | Pi-Alkyl  |
| Pi-Sigma                   |           |

**FIGURE S30** Docked configuration of **9k**