
Supplementary Figure 2



B OS by cohort

Variable	N		Hazard ratio			р
cohort	INS-A 19				Reference	
	INS-B 22		-	 	1.31 (0.69, 2.49)	0.416
	INS-C 21			! 	0.76 (0.39, 1.46)	0.405
	INS-D 12	-			0.20 (0.07, 0.60)	0.004
	INS-E 13			<u> </u>	0.76 (0.36, 1.63)	0.484
		0.1	0.2	1 2		

PFS by cohort

Variable	N	Hazard ratio		р
cohort	INS-A 19	■ R	Reference	
	INS-B 22	¦	2.46 (1.28, 4.70)	0.007
	INS-C 21	<u>├</u> 2	2.11 (1.10, 4.05)	0.024
	INS-D 12	· 0	.31 (0.11, 0.85)	0.023
	INS-E 13	<u> </u>	.86 (0.40, 1.84)	0.697
		0.2 0.5 1 2		

Supplementary Figure 2. Overall survival (OS) and progression free survival (PFS) in included patients by cohort. (A) Kaplan-meier curves are shown indicating the OS and PFS of patients in five histology-specific cohorts. (B) Forest plot of the hazard ratios for each cohort in a Cox proportional hazards model, with Cohort A as the reference level.