GP64-pseudotyped lentiviral vectors target liver endothelial cells and correct hemophilia A mice

Michela Milani¹, Cesare Canepari^{1,2}, Simone Assanelli³, Simone Merlin³, Ester Borroni³, Francesco Starinieri¹, Mauro Biffi¹, Fabio Russo¹, Anna Fabiano¹, Desirèe Zambroni⁴, Andrea Annoni¹, Luigi Naldini^{1,2}, Antonia Follenzi³, Alessio Cantore^{1,2}

¹San Raffaele Telethon Institute for Gene Therapy, IRCCS San Raffaele Scientific Institute, Milan, Italy

²Vita-Salute San Raffaele University, Milan, Italy

³Department of Health Sciences, University of Piemonte Orientale, Novara, Italy.


⁴IRCCS San Raffaele Scientific Institute, Milan, Italy

Appendix

Table of content:

Appendix Figure S1 and legend		
Appendix Figure S2 and legend	3	


Appendix Figure S1




Appendix Figure S1. Ex vivo transduction of primary murine hepatocytes

- A. VCN of primary murine hepatocytes of the indicated strains transduced with VSV.G-LV or GP64-LV at the indicated MOI. Doses have been matched based on LV titers measured on 293T cells.
- B. Mean and SEM of normalized VCN values over 293T of VCN shown in A (n=2).

Appendix Figure S2





Appendix Figure S2. Characterization of immortalized LSEC

- A. Flow cytometry histograms showing the expression of CD31, CD144, CD34, CD45, and CD90 in primary human immortalized LSEC.
- B. Anti-human FVIII immunofluorescence image of primary human immortalized LSEC. Green: FVIII. Blue: DAPI (nuclei). Scale bar: 25μm.