Page 39 of 40

BMJ Open

STROBE Statement-checklist of items that should be included in reports of observational studies

	Item No	Recommendation	Pag No
Title and abstract	1	(<i>a</i>) Indicate the study's design with a commonly used term in the title or the abstract	1
		(b) Provide in the abstract an informative and balanced summary of what	1
		was done and what was found	1
Introduction		was cone and what was found	
Background/rationale	2	Explain the scientific background and rationale for the investigation being reported	3
Objectives	3	State specific objectives, including any prespecified hypotheses	3
Methods			15
Study design	4	Present key elements of study design early in the paper	3-4
	5	Describe the setting, locations, and relevant dates, including periods of	4
Setting	5	recruitment, exposure, follow-up, and data collection	-
Participants	6	(a) Cohort study—Give the eligibility criteria, and the sources and	4
Participants	0	methods of selection of participants. Describe methods of follow-up	+
		Case-control study—Give the eligibility criteria, and the sources and	
		methods of case ascertainment and control selection. Give the rationale	
		for the choice of cases and controls	
		<i>Cross-sectional study</i> —Give the eligibility criteria, and the sources and	
		methods of selection of participants (b) Cohort study—For matched studies, give matching criteria and	n/a
		number of exposed and unexposed	11/2
		<i>Case-control study</i> —For matched studies, give matching criteria and the	
		number of controls per case	
Variables	7	Clearly define all outcomes, exposures, predictors, potential confounders,	n/a
	,	and effect modifiers. Give diagnostic criteria, if applicable	11/4
Data sources/	8*	For each variable of interest, give sources of data and details of methods	4
measurement	-	of assessment (measurement). Describe comparability of assessment	
		methods if there is more than one group	
Bias	9	Describe any efforts to address potential sources of bias	5
Study size	10	Explain how the study size was arrived at	4
Quantitative variables	11	Explain how quantitative variables were handled in the analyses. If	4-5
	-	applicable, describe which groupings were chosen and why	
Statistical methods	12	(<i>a</i>) Describe all statistical methods, including those used to control for	4-5
		confounding	
		(b) Describe any methods used to examine subgroups and interactions	4-5
		(c) Explain how missing data were addressed	n/a
		(d) Cohort study—If applicable, explain how loss to follow-up was	n/a
		addressed	
		Case-control study—If applicable, explain how matching of cases and	
		controls was addressed	
		Cross-sectional study—If applicable, describe analytical methods taking	
		cross sectional stady in applicable, describe analytical methods taking	
		account of sampling strategy	

Continued on next page

For peer review only - http://bmjopen.bmj.com/site/about/guidelines.xhtml

60

Page 40 of 40

BMJ Open

Participants	13*	(a) Report numbers of individuals at each stage of study—eg numbers	5-6
		potentially eligible, examined for eligibility, confirmed eligible, included in the	
		study, completing follow-up, and analysed	
		(b) Give reasons for non-participation at each stage	5
		(c) Consider use of a flow diagram	Figure 1 page 5-6
Descriptive data	14*	(a) Give characteristics of study participants (eg demographic, clinical, social) and information on exposures and potential confounders	5-14
		(b) Indicate number of participants with missing data for each variable of interest	5
		(c) <i>Cohort study</i> —Summarise follow-up time (eg, average and total amount)	n/a
Outcome data	15*	<i>Cohort study</i> —Report numbers of outcome events or summary measures over time	n/a
		<i>Case-control study</i> —Report numbers in each exposure category, or summary measures of exposure	n/a
		Cross-sectional study—Report numbers of outcome events or summary measures	5-13
Main results	16	(a) Give unadjusted estimates and, if applicable, confounder-adjusted estimates	n/a
		and their precision (eg, 95% confidence interval). Make clear which	qualitati
		confounders were adjusted for and why they were included	study
		(b) Report category boundaries when continuous variables were categorized	n/a
		Ċ,	qualitati study
		(c) If relevant, consider translating estimates of relative risk into absolute risk	n/a
		for a meaningful time period	qualitati study
Other analyses	17	Report other analyses done—eg analyses of subgroups and interactions, and sensitivity analyses	5-13
Discussion		\frown	
Key results	18	Summarise key results with reference to study objectives	14-15
Limitations	19	Discuss limitations of the study, taking into account sources of potential bias or imprecision. Discuss both direction and magnitude of any potential bias	
Interpretation	20	Give a cautious overall interpretation of results considering objectives, limitations, multiplicity of analyses, results from similar studies, and other relevant evidence	
Generalisability	21	Discuss the generalisability (external validity) of the study results	16
Other information	on		
Funding	22	Give the source of funding and the role of the funders for the present study and, if applicable, for the original study on which the present article is based	16-17

Note: An Explanation and Elaboration article discusses each checklist item and gives methodological background and published examples of transparent reporting. The STROBE checklist is best used in conjunction with this article (freely

For peer review only - http://bmjopen.bmj.com/site/about/guidelines.xhtml

Page 41 of 40

BMJ Open

available on the Web sites of PLoS Medicine at http://www.plosmedicine.org/, Annals of Internal Medicine at http://www.annals.org/, and Epidemiology at http://www.epidem.com/). Information on the STROBE Initiative is available at www.strobe-statement.org.

to peet eview only

For peer review only - http://bmjopen.bmj.com/site/about/guidelines.xhtml