




A


MR leave-one-out sensitivity analysis for
els || id:ebi-a-GCST90025986' on 'Gastroesophageal reflux

B


MR leave-one-out sensitivity analysis for
lucose levels || id:ebi-a-GCST90025986' on 'Gastric ulcer ||

C


MR leave-one-out sensitivity analysis for
bi-a-GCST90025986' on 'Diagnoses - main ICD10: K29.5 C

D

MR leave-one-out sensitivity analysis for glucose levels || id:ebi-a-GCST90025986 on 'Acute gastritis || i


E

MR leave-one-out sensitivity analysis for glucose levels || id:ebi-a-GCST90025986 on 'Gastric cancer |

F


MR leave-one-out sensitivity analysis for i-a-GCST90025986 on 'Non-cancer illness code, self-report

G




MR leave-one-out sensitivity analysis for d:ebi-a-GCST90025986 on 'Non-cancer illness code, self-re

H




MR leave-one-out sensitivity analysis for d:ebi-a-GCST90025986 on 'Non-cancer illness code, self-re

I




MR leave-one-out sensitivity analysis for d glucose levels || id:ebi-a-GCST90025986 on 'Colorectal c

J




MR leave-one-out sensitivity analysis for || id:ebi-a-GCST90025986 on 'Non-cancer illness code, se

K



MR leave-one-out sensitivity analysis for s || id:ebi-a-GCST90025986 on 'Non-cancer illness code, self-report

L



MR leave-one-out sensitivity analysis for ucose levels || id:ebi-a-GCST90025986 on 'Functional dyspepsia || i

M

