Phenotype	Transcript	HGVS	HGVS	ene reported in Perry syndrome.  Country of the patient (ref.)	
		nucleotide	protein		
Perry	NM_004082	c.121C>T	Arg41Ter	Japan (1)	
		c.133G>C	Ala45Pro	India (2)	
		c.156T>G	Phe52Leu	Japan(3), Japan (4), Portuguese (5)	
		c.200G>A	Gly67Asp	UK (6), Republic of Korea (7), Argentina (8)	
		c.202A>G	Lys68Glu	Japan (9)	
		c.202A>G	Gly71Val	Japan (9)	
		c.212G>C	Gly71Ala	USA (10), England (10), Japan (10), USA	
				(11)	
		c.212G>A	Gly71Glu	Mexico (present study), France (10), Poland	
				(12), France (13), Canada(14), Poland (14)	
		c.211G>A	Gly71Arg	Canada (10), Turkey (10), USA (15),	
				Colombian (15), UK (16), Republic of Korea	
				(7), USA (11), UK (17)	
		c.212G>T	Gly71Val	Japan (9)	
		c.214A>C	Thr72Pro	USA (10)	
		c.221A>C	Gln74Pro	Japan (10)	
		c.233A>G	Tyr78Cys	New Zealand (15), New Zealand (18),	
				Republic of Korea (7)	
		c.232T>C	Tyr78His	USA (19)	

HGVS, Human Genome Variation Society.

**Table SII.** Clinical characteristics of patients with Perry syndrome with Gly71Glu (G71E) reported in varous countries.

Characteristic	Mexico	Poland -	France -	France -	Canada - Purdy et
	(present study)	Konno et al	Caroppo et al	Lechevalier et al	al (21), 1979
		(17), 2017	(16), 2013	(20), 1992	
Number of	4	4	8	5	3
affected					
members					
Age of proband	49	42	39-59	NA	46
at onset, years					
Age of proband	57	NA	43-64	NA	48
at death, years					
Cause of death	Respiratory	NA	Respiratory failure	Respiratory	Respiratory failure
	failure			failure	
Parkinsonism	+	+	+	+	+
Weight loss	+	+	+	+	+
Depression/	_a	+	+	+	+
apathy					
Hypoventilation	+	+	+	+	+
Additional	NA	NA	Slow vertical	NA	NA
clinical features			saccade,		
			blepharospasm		

<sup>&</sup>lt;sup>a</sup>Depression was not reported by the patient or his wife, but a formal psychiatric evaluation was no performed in the patient. Farrer *et al* 2008 (10) detected a family in France but did not report the clinical data. NA, information not available; +, positive/present; -, negative.