





Actin 88F (Full dataset)




Actin 88F (Partial dataset)



Bearded

D.pseudoobscura


D.melanogaster



Beadex

D.pseudoobscura

D.melanogaster




cousin of atonal

D.pseudoobscura





D.melanogaster





K
 $\pi \times 10$



within
between




cut



daughterless

D.pseudoobscura

D.melanogaster




Distal-less



D.pseudoobscura


D.melanogaster



deadpan

D.pseudoobscura


D.melanogaster



dishevelled

D.pseudoobscura

D.melanogaster




deltex

D.pseudoobscura




D.melanogaster




extra macrochaetae


D.pseudoobscura



D.melanogaster




friend of echinoid



D.pseudoobscura

D.melanogaster



K

$\pi \times 10$

π

π

D

D. melanogaster

D. simulans


D. pseudoobscura

within
between

Hairless

D.pseudoobscura


D.melanogaster



mastermind

D.pseudoobscura


D.melanogaster



neuralized

D.pseudoobscura

D.melanogaster





numb

D.pseudoobscura



D.melanogaster




pointed



D.pseudoobscura


D.melanogaster



quemao

D.pseudoobscura


D.melanogaster



scabrous

D.pseudoobscura


D.melanogaster




scalloped

D.pseudoobscura

D.melanogaster




Serrate



D.pseudoobscura


D.melanogaster



smooth

D.pseudoobscura


D.melanogaster



split ends

D.pseudoobscura


D.melanogaster



tramtrack

D.pseudoobscura


D.melanogaster



vein

D.pseudoobscura

D.melanogaster



wingless

D.pseudoobscura



D.melanogaster

