

Supplementary Information – Online Resource 9

Evaluating cost-utility of continuous glucose monitoring in individuals with type 1 diabetes: a systematic review of methods and quality of studies using decision models and/or empirical data.

de Jong LA^{1*} (ORCID ID: 0000-0001-8814-0670), Li X² (ORCID ID: 0000-0002-0225-6937), Emamipour S³, van der Werf S⁴ (ORCID ID: 0000-0001-5856-7657), Postma MJ^{1,5}, van Dijk PR⁶ (ORCID ID: 0000-0002-9702-6551), Feenstra TL² (ORCID ID: 0000-0002-5788-0454)

¹ Department of Health Sciences, University Medical Center Groningen, University of Groningen, Groningen, the Netherlands

² Unit of PharmacoTherapy, -Epidemiology & -Economics, University of Groningen, Groningen Research Institute of Pharmacy (GRIP), Groningen, the Netherlands

³ Department of Clinical Pharmacy and Pharmacology, University Medical Center Groningen, University of Groningen, Groningen, the Netherlands

⁴ Central Medical Library, University Medical Center Groningen, University of Groningen, Groningen, the Netherlands

⁵ Department of Economics, Econometrics and Finance, Faculty of Economics & Business, University of Groningen, Groningen, the Netherlands

⁶ Department of Endocrinology. University Medical Center Groningen, University of Groningen, Groningen, The Netherlands

*Corresponding author: t.l.deenstra@rug.nl

Table 1. Diabetes-related complications included in the models.

Publication (author year, country)	MI	Angina	CHF	Stroke	PVD	CHD/IHD	Neuropathy	Ulcer	Amputation	Retinopathy	Macular oedema	Cataract	Vision loss/blindness	Nephropathy	Macroalbuminuria	Gross proteinuria	ESRD	Hypoglycemia	Ketoacidosis	Lactic acidosis	Depression	Edema
Wan 2018, US [1]	y	y	y	y	y	n	y	y	y	y	y	y	y	n	y	y	y	y	n	y	n	
Bilir 2018, Sweden [2]	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	y	NR	NR	NR	NR
Chaugule 2017, Canada [3]	y	y	y	y	y	n	y	y	y	y	y	y	n	y	n	n	n	y	y	y	y	y
Conget 2018, Spain [4]	y	y	y	y	y	n	y	y	y	y	y	y	y	y	n	y	y	y	y	n	y	y
Gomez 2016 , Colombia [5]	y	y	y	y	n	n	y	y	y	y	y	y	y	n	y	y	y	y	n	n	n	n
Isitt 2022, Australia [6]	y	y	y	y	y	n	y	y	y	y	n	y	y	n	y	n	y	y	y	n	n	n
Jendle 2017, Sweden [7]	y	y	y	y	y	n	y	y	y	y	y	y	y	y	n	y	y	n	n	n	n	n
Jendle 2019, Sweden [8]	y	y	y	y	y	n	y	y	y	y	y	y	y	y	n	y	y	y	y	n	n	n
Jendle 2021, Sweden [9]	y	y	y	y	y	n	y	y	y	n	n	y	y	n	n	n	n	y	y	n	n	n
Kamble 2012, US [10]	y	y	y	y	y	n	y	y	y	y	y	y	y	y	y	n	y	y	y	y	y	y
Lambadiari 2022, Greece [11]	y	y	y	y	y	n	y	y	y	y	n	y	y	n	y	n	y	y	y	n	n	n
Nicolucci 2018, Italy [12]	y	y	y	y	y	n	y	y	y	y	y	y	y	n	y	n	y	y	n	n	n	y
Riemsma 2016, UK [13]	y	y	y	y	y	n	y	y	y	y	y	y	y	y	y	n	y	n	y	y	n	y
Roze 2015, Sweden [14]	y	y	y	y	y	n	y	y	y	y	y	y	y	y	n	n	n	y	n	n	n	n
Roze 2016, France [15]	y	y	y	y	y	n	y	y	y	y	y	y	y	y	n	y	y	y	y	y	y	y
Roze 2016, UK [16]	y	y	y	y	y	n	y	y	y	y	y	y	y	y	y	n	y	y	y	y	y	y
Roze 2017, Denmark [17]	y	y	y	y	y	n	y	y	y	y	y	y	y	y	n	n	y	y	y	y	y	n
Roze 2019, The Netherlands [18]	y	y	y	y	n	n	y	y	y	y	n	y	y	y	n	n	y	n	y	y	y	n
Roze 2019, Turkey [19]	y	y	y	y	y	n	y	y	y	y	n	y	y	y	n	n	y	n	y	y	y	y
Roze 2020, UK [20]	y	y	y	y	y	n	y	y	y	y	y	y	y	n	y	n	n	n	y	n	n	n
Roze 2021, Canada [21]	y	y	y	y	y	n	y	y	y	y	y	y	y	y	y	n	y	n	y	n	n	n
Roze 2021, UK [22]	y	y	y	y	y	n	y	y	y	n	n	y	y	y	n	n	n	y	y	n	n	n

Roze 2021, France [23]	y	y	y	y	y	n	y	y	y	n	n	y	y	y	n	n	n	n	y	n	n	n	n
Serné 2022, The Netherlands [24]	y	y	y	y	y	n	y	y	y	n	n	y	y	n	n	n	n	n	y	y	y	n	n
Zhao 2021, China [25]	y	y	y	y	y	n	y	y	y	y	y	y	y	n	y	n	y	y	y	y	n	n	n
Garcia-Lorenzo 2018, Spain [26]	y	y	y	y	n	y	y	n	y	n	n	y	y	y	n	n	y	n	n	n	n	n	n
Health Quality Ontario 2018, Canada [27]	n	n	n	n	n	y	y	n	y	y	n	n	y	y	n	n	n	y	y	n	n	n	n
Huang 2010, US [28]	y	y	y	y	n	n	y	y	y	y	y	y	n	y	y	n	n	n	y	n	n	n	n
McQueen 2011, US [29]	y	y	y	y	n	y	y	n	y	y	y	y	n	y	y	n	n	n	y	n	n	n	n
Pease 2020, Australia [30]	y	y	y	y	n	n	y	y	y	y	y	y	n	y	y	y	n	n	y	y	n	n	n
Pease 2022, Australia [31]	y	y	y	y	n	n	n	y	y	y	y	n	n	y	y	y	y	n	y	y	n	n	n
Rotondi 2022, Canada [32]	n	n	n	n	n	n	y	n	y	y	n	n	y	y	n	n	y	y	y	y	n	n	n

Abbreviations: CHD, coronary heart disease; CHF, congestive heart failure; IHD, ischaemic heart disease; ESRD, end-stage renal disease; MI, myocardial infarction; NR, not reported.




Figure 1. Proportion of studies that included diabetes-related complications. Abbreviations: CHD, coronary heart disease; CHF, congestive heart failure; IHD, ischemic heart disease; ESRD, end-stage renal disease; MI, myocardial infarction.

References

1. Wan W, Skandari MR, Minc A, Nathan AG, Winn A, Zarei P, et al. Cost-effectiveness of Continuous Glucose Monitoring for Adults With Type 1 Diabetes Compared With Self-Monitoring of Blood Glucose: The DIAMOND Randomized Trial. *Diabetes Care.* 2018 Jun 1;41(6):1227–34.
2. Bilir SP, Hellmund R, Wehler B, Li H, Munakata J, Lamotte M. Cost-effectiveness Analysis of a Flash Glucose Monitoring System for Patients with Type 1 Diabetes Receiving Intensive Insulin Treatment in Sweden. *Eur Endocrinol.* 2018 Sep 1;14(2):73–9.
3. Chaugule S, Graham C. Cost-effectiveness of G5 Mobile continuous glucose monitoring device compared to self-monitoring of blood glucose alone for people with type 1 diabetes from the Canadian societal perspective. *J Med Econ.* 2017 Nov 2;20(11):1128–35.
4. Conget I, Martín-Vaquero P, Roze S, Elías I, Pineda C, Álvarez M, et al. Cost-effectiveness analysis of sensor-augmented pump therapy with low glucose-suspend in patients with type 1 diabetes mellitus and high risk of hypoglycemia in Spain. *Endocrinol Diabetes Nutr.* 2018 Aug 1;65(7):380–6.
5. Gomez AM, Alfonso-Cristancho R, Orozco JJ, Lynch PM, Prieto D, Saunders R, et al. Clinical and economic benefits of integrated pump/CGM technology therapy in patients with type 1 diabetes in Colombia. *Endocrinol Nutr.* 2016 Nov 1;63(9):466–74.
6. Isitt JJ, Roze S, Tilden D, Arora N, Palmer AJ, Jones T, Rentoul D, Lynch P. Long-term cost-effectiveness of Dexcom G6 real-time continuous glucose monitoring system in people with type 1 diabetes in Australia. *Diabet Med.* 2022 Jul;39(7):e14831.
7. Jendle J, Smith-Palmer J, Delbaere A, de Portu S, Papo N, Valentine W, et al. Cost-Effectiveness Analysis of Sensor-Augmented Insulin Pump Therapy with Automated Insulin Suspension Versus Standard Insulin Pump Therapy in Patients with Type 1 Diabetes in Sweden. *Diabetes Ther.* 2017 Oct 1;8(5):1015–30.
8. Jendle J, Pöhlmann J, De Portu S, Smith-Palmer J, Roze S. Cost-Effectiveness Analysis of the MiniMed 670G Hybrid Closed-Loop System Versus Continuous Subcutaneous Insulin Infusion for Treatment of Type 1 Diabetes. *Diabetes Technol Ther.* 2019 Mar 1;21(3):110–8.
9. Jendle J, Buompensiere MI, Holm AL, de Portu S, Malkin SJP, Cohen O. The Cost-Effectiveness of an Advanced Hybrid Closed-Loop System in People with Type 1 Diabetes: a Health Economic Analysis in Sweden. *Diabetes Ther.* 2021 Nov 1;12(11):2977–91.
10. Kamble S, Schulman KA, Reed SD. Cost-effectiveness of sensor-augmented pump therapy in adults with type 1 diabetes in the United States. *Value Health.* 2012 Jul;15(5):632–8.
11. Lambadiari V, Ozdemir Saltik AZ, De Portu S, Buompensiere MI, Kountouri A, Korakas E, et al. Cost-Effectiveness Analysis of an Advanced Hybrid Closed-Loop Insulin Delivery System in People with Type 1 Diabetes in Greece. *Diabetes Technol Ther.* 2022 May 1;24(5):316–23.
12. Nicolucci A, Rossi MC, D'Ostilio D, Delbaere A, de Portu S, Roze S. Cost-effectiveness of sensor-augmented pump therapy in two different patient populations with type 1 diabetes in Italy. *Nutr Metab Cardiovasc Dis.* 2018 Jul 1;28(7):707–15.
13. Riemsma R, Ramos IC, Birnie R, Büyükkaramikli N, Armstrong N, Ryder S, et al. Integrated sensor-augmented pump therapy systems [the MiniMed® Paradigm™ Veo system and the Vibe™ and G4® PLATINUM CGM (continuous glucose monitoring) system] for managing blood glucose levels in type 1 diabetes: a systematic review and economic evaluation. *Health Technol Assess.* 2016 Feb 1;20(17):1–252.
14. Roze S, Saunders R, Brandt AS, de Portu S, Papo NL, Jendle J. Health-economic analysis of real-time continuous glucose monitoring in people with Type 1 diabetes. *Diabet Med.* 2015 May 1;32(5):618–26.
15. Roze S, Smith-Palmer J, Valentine W, Payet V, De Portu S, Papo N, et al. Cost-Effectiveness of Sensor-Augmented Pump Therapy with Low Glucose Suspend Versus Standard Insulin Pump Therapy in Two Different Patient Populations with Type 1 Diabetes in France. *Diabetes Technol Ther.* 2016 Feb 1;18(2):75–84.

16. Roze S, Smith-Palmer J, Valentine WJ, Cook M, Jethwa M, De Portu S, et al. Long-term health economic benefits of sensor-augmented pump therapy vs continuous subcutaneous insulin infusion alone in type 1 diabetes: a U.K. perspective. *J Med Econ.* 2016 Mar;19(3):236–42.
17. Roze S, de Portu S, Smith-Palmer J, Delbaere A, Valentine W, Ridderstråle M. Cost-effectiveness of sensor-augmented pump therapy versus standard insulin pump therapy in patients with type 1 diabetes in Denmark. *Diabetes Res Clin Pract.* 2017 Jun;128:6–14.
18. Roze S, Smith-Palmer J, De Portu S, Delbaere A, De Brouwer B, De Valk HW. Cost-effectiveness of sensor-augmented insulin pump therapy vs continuous subcutaneous insulin infusion in patients with type 1 diabetes in the Netherlands. *Clinicoecon Outcomes Res.* 2019;11:73–82.
19. Roze S, Smith-Palmer J, De Portu S, Özdemir Saltik AZ, Akgül T, Deyneli O. Cost-Effectiveness of Sensor-Augmented Insulin Pump Therapy Versus Continuous Insulin Infusion in Patients with Type 1 Diabetes in Turkey. *Diabetes Technol Ther.* 2019 Dec;21(12):727–35.
20. Roze S, Isitt J, Smith-Palmer J, Javanbakht M, Lynch P. Long-term Cost-Effectiveness of Dexcom G6 Real-time Continuous Glucose Monitoring Versus Self-Monitoring of Blood Glucose in Patients With Type 1 Diabetes in the U.K. *Diabetes Care.* 2020 Oct;43(10):2411–7.
21. Roze S, Isitt JJ, Smith-Palmer J, Lynch P. Evaluation of the Long-Term Cost-Effectiveness of the Dexcom G6 Continuous Glucose Monitor versus Self-Monitoring of Blood Glucose in People with Type 1 Diabetes in Canada. *Clinicoecon Outcomes Res.* 2021;13:717–25.
22. Roze S, Buompensiere MI, Ozdemir Z, de Portu S, Cohen O. Cost-effectiveness of a novel hybrid closed-loop system compared with continuous subcutaneous insulin infusion in people with type 1 diabetes in the UK. *J Med Econ.* 2021;24(1):883–90.
23. Roze S, Isitt JJ, Smith-Palmer J, Lynch P, Klinkenbijl B, Zammit G, et al. Long-Term Cost-Effectiveness the Dexcom G6 Real-Time Continuous Glucose Monitoring System Compared with Self-Monitoring of Blood Glucose in People with Type 1 Diabetes in France. *Diabetes Ther.* 2021 Jan;12(1):235–46.
24. Serné EH, Roze S, Buompensiere MI, Valentine WJ, De Portu S, de Valk HW. Cost-Effectiveness of Hybrid Closed Loop Insulin Pumps Versus Multiple Daily Injections Plus Intermittently Scanned Glucose Monitoring in People With Type 1 Diabetes in The Netherlands. *Adv Ther.* 2022 Apr;39(4):1844–56.
25. Zhao X, Ming J, Qu S, Li HJ, Wu J, Ji L, et al. Cost-Effectiveness of Flash Glucose Monitoring for the Management of Patients with Type 1 and Patients with Type 2 Diabetes in China. *Diabetes Ther.* 2021 Dec;12(12):3079–92.
26. García-Lorenzo B, Rivero-Santana A, Vallejo-Torres L, Castilla-Rodríguez I, García-Pérez S, García-Pérez L, et al. Cost-effectiveness analysis of real-time continuous monitoring glucose compared to self-monitoring of blood glucose for diabetes mellitus in Spain. *J Eval Clin Pract.* 2018 Aug;24(4):772–81.
27. Health Quality Ontario. Continuous Monitoring of Glucose for Type 1 Diabetes: A Health Technology Assessment. *Ont Health Technol Assess Ser.* 2018 Feb;21;18(2):1–160.
28. Huang ES, O’Grady M, Basu A, Winn A, John P, Lee J, et al. The cost-effectiveness of continuous glucose monitoring in type 1 diabetes. *Diabetes Care.* 2010 Jun;33(6):1269–74.
29. McQueen RB, Ellis SL, Campbell JD, Nair K V., Sullivan PW. Cost-effectiveness of continuous glucose monitoring and intensive insulin therapy for type 1 diabetes. *Cost Eff Resour Alloc.* 2011 Sep;14;9.
30. Pease A, Zomer E, Liew D, Earnest A, Soldatos G, Ademi Z, et al. Cost-Effectiveness Analysis of a Hybrid Closed-Loop System Versus Multiple Daily Injections and Capillary Glucose Testing for Adults with Type 1 Diabetes. *Diabetes Technol Ther.* 2020 Nov;22(11):812–21.
31. Pease A, Callander E, Zomer E, Abraham MB, Davis EA, Jones TW, et al. The Cost of Control: Cost-effectiveness Analysis of Hybrid Closed-Loop Therapy in Youth. *Diabetes Care.* 2022 Sep;45(9):1971–80.
32. Rotondi MA, Wong O, Riddell M, Perkins B. Population-Level Impact and Cost-effectiveness of Continuous Glucose Monitoring and Intermittently Scanned Continuous Glucose Monitoring Technologies for Adults With Type 1 Diabetes in Canada: A Modeling Study. *Diabetes Care.* 2022 Sep;45(9):2012–9.