



AMERICAN SOCIETY FOR REPRODUCTIVE MEDICINE REVISED CLASSIFICATION OF ENDOMETRIOSIS

Patient's Name _____ Date _____

Stage I (Minimal) - 1-5
 Stage II (Mild) - 6-15
 Stage III (Moderate) - 16-40
 Stage IV (Severe) - >40

Laparoscopy _____ Laparotomy _____ Photography _____

Recommended Treatment _____

Total _____ Prognosis _____

PERITONEUM	ENDOMETRIOSIS	< 1cm	1-3cm	> 3cm
		Superficial	1	2
	Deep	2	4	6
OVARY	R Superficial	1	2	4
	Deep	4	16	20
	L Superficial	1	2	4
	Deep	4	16	20
POSTERIOR CULDESAC OBLITERATION		Partial	Complete	
		4	40	
OVARY	ADHESIONS	< 1/3 Enclosure	1/3-2/3 Enclosure	> 2/3 Enclosure
	R Filmy	1	2	4
	Dense	4	8	16
	L Filmy	1	2	4
	Dense	4	8	16
	TUBE	R Filmy	1	2
Dense		4*	8*	16
L Filmy		1	2	4
Dense		4*	8*	16

*If the fimbriated end of the fallopian tube is completely enclosed, change the point assignment to 16.

Denote appearance of superficial implant types as red [(R), red, red-pink, flamelike, vesicular blobs, clear vesicles], white [(W), opacifications, peritoneal defects, yellow-brown], or black [(B) black, hemosiderin deposits, blue]. Denote percent of total described as R___%, W___% and B___%. Total should equal 100%.

Additional Endometriosis: _____

Associated Pathology: _____





Figure S1: Revised American Society for Reproductive Medicine (rASRM) classification of endometriosis. Reprinted from the Revised American Society for Reproductive Medicine classification of endometriosis: 1996. *Fertil Steril.* 1997;67:817-21. Copyright © 1997 American Society for Reproductive Medicine, with permission from Elsevier. All rights reserved.