




1. Blots in Figure 3E:




(1). Full blots of PIGR:




(2). Full blots of Tubulin



2. Blots in Figure 3F




(2.1) Full blots of PIGR in Figure 3F




(2.2) Full blots of GAPDH in Figure 3F




3. Blots in Figure 3G




(3.1) Full blots of PIGR in Figure 3G




(3.2) Full blots of GAPDH in Figure 3G



4. Blots in Figure 4B




(4.1) Full blots of PIGR in Figure 4B




(4.2) Full blots of Tubulin in Figure 4B



5. Blots in Figure 5B



(5.1) Full blots of PIGR in Figure 5B




(5.2) Full blots of Tubulin in Figure 5B




6.1 Blots-1 in Figure 7A



(6.1.1) Full blots of PIGR in 6.1




(6.1.2) Full blots of GAPDH in 6.1




6.2 Blots-2 in Figure 7A




(6.2.1) Full blots of PIGR in 6.2




(6.2.2) Full blots of GAPDH in 6.2




7.1 Blots-1 in Figure 7D




(7.1.1) Full blots of E-cad in 7.1




(7.1.2) Full blots of α -SMA in 7.1



(7.1.3) Full blots of GAPDH in 7.1



7.2 Blots-2 in Figure 7D



(7.2.1) Full blots of E-cad in 7.2



(7.2.2) Full blots of α -SMA in 7.2



(7.2.3) Full blots of GAPDH in 7.2

