

***Disability and side effects of oral versus long-acting injectable antipsychotics in schizophrenia spectrum and bipolar disorder: a comparison based on data-driven taxonomy***

**Clinical Drug Investigation**

Alessandro Rodolico \* <sup>1</sup>, Sofia Francesca Aprile \* <sup>2</sup>, Pierfelice Cutrufelli # <sup>1</sup>, Gabriele Privitera <sup>1</sup>, Sabrina Castellano <sup>2</sup>, Carmen Concerto <sup>1</sup>, Rosaria Furnari <sup>1</sup>, Claudia Savia Guerrera <sup>2</sup>, Ludovico Mineo <sup>1</sup>, Giuseppe Alessio Platania <sup>2</sup>, Antonino Petralia <sup>1</sup>, Filippo Caraci <sup>3,4</sup>, Maria Salvina Signorelli <sup>1,3</sup>

<sup>1</sup> Psychiatry Unit, Department of Clinical and Experimental Medicine, University of Catania, Via Santa Sofia 78, 95123 Catania, Italy

<sup>2</sup> Department of Educational Sciences, Section of Psychology, University of Catania, Via Teatro Greco 84, 95124 Catania, Italy

<sup>3</sup> Oasi Research Institute - IRCCS, Via Conte Ruggero 73, 94018 Troina, Italy

<sup>4</sup> Department of Drug and Health Sciences, Via Valdisavoia, 5, 95123 Catania University of Catania, Catania, Italy

\* Alessandro Rodolico and Sofia Francesca Aprile contributed equally to this work and share first authorship

# Pierfelice Cutrufelli pierfelicecutrufelli@yahoo.it is the corresponding author

**Table A1.** Correlation Matrix – Psychological Side Effects

		WHODAS Total	Cognition	Mobility	Selfcare	Getting along	Life activities	Participation
UKU_Total	Spearman's rho	0.475 ***	0.386 ***	0.281 **	0.275 **	0.364 ***	0.389 ***	0.479 ***
	df	124	124	124	124	124	124	124
	p-value	< .001	< .001	0.001	0.002	< .001	< .001	< .001
	N	126	126	126	126	126	126	126
Psychological Side Effects	Spearman's rho	0.484 ***	0.435 ***	0.266 **	0.194 *	0.394 ***	0.421 ***	0.491 ***
	df	124	124	124	124	124	124	124
	p-value	< .001	< .001	0.003	0.030	< .001	< .001	< .001
	N	126	126	126	126	126	126	126
UKU_1.1	Spearman's rho	0.359 ***	0.436 ***	0.216 *	0.157	0.314 ***	0.243 **	0.371 ***
	df	124	124	124	124	124	124	124
	p-value	< .001	< .001	0.015	0.078	< .001	0.006	< .001
	N	126	126	126	126	126	126	126
UKU_1.2	Spearman's rho	0.316 ***	0.314 ***	0.311 ***	0.209 *	0.226 *	0.223 *	0.298 ***
	df	124	124	124	124	124	124	124
	p-value	< .001	< .001	< .001	0.019	0.011	0.012	< .001
	N	126	126	126	126	126	126	126
UKU_1.3	Spearman's rho	0.223 *	0.200 *	0.212 *	0.093	0.015	0.162	0.233 **
	df	124	124	124	124	124	124	124
	p-value	0.012	0.025	0.017	0.298	0.870	0.070	0.009
	N	126	126	126	126	126	126	126
UKU_1.4	Spearman's rho	0.277 **	0.306 ***	0.231 **	0.230 **	0.237 **	0.187 *	0.254 **
	df	124	124	124	124	124	124	124
	p-value	0.002	< .001	0.009	0.009	0.008	0.036	0.004
	N	126	126	126	126	126	126	126
UKU_1.5	Spearman's rho	0.365 ***	0.354 ***	0.176 *	0.251 **	0.333 ***	0.340 ***	0.258 **
	df	124	124	124	124	124	124	124
	p-value	< .001	< .001	0.048	0.005	< .001	< .001	0.003
	N	126	126	126	126	126	126	126

		WHODAS Total	Cognition	Mobility	Selfcare	Getting along	Life activities	Participation
UKU_1.6	Spearman's rho	0.440 ***	0.376 ***	0.161	0.121	0.379 ***	0.425 ***	0.462 ***
	df	124	124	124	124	124	124	124
	p-value	< .001	< .001	0.072	0.178	< .001	< .001	< .001
	N	126	126	126	126	126	126	126
UKU_1.7	Spearman's rho	0.061	-0.001	0.019	0.050	0.001	0.064	0.102
	df	124	124	124	124	124	124	124
	p-value	0.494	0.993	0.835	0.577	0.994	0.474	0.257
	N	126	126	126	126	126	126	126
UKU_1.8	Spearman's rho	0.146	0.156	0.031	-0.031	0.106	0.154	0.130
	df	124	124	124	124	124	124	124
	p-value	0.103	0.081	0.733	0.734	0.237	0.085	0.148
	N	126	126	126	126	126	126	126
UKU_1.9	Spearman's rho	0.141	0.027	0.076	0.015	0.154	0.196 *	0.118
	df	124	124	124	124	124	124	124
	p-value	0.114	0.764	0.397	0.865	0.086	0.028	0.188
	N	126	126	126	126	126	126	126
UKU_1.10	Spearman's rho	0.169	0.148	0.070	0.155	0.202 *	0.019	0.194 *
	df	124	124	124	124	124	124	124
	p-value	0.059	0.099	0.438	0.084	0.024	0.829	0.029
	N	126	126	126	126	126	126	126

Note. \* p < .05, \*\* p < .01, \*\*\* p < .001

**Table A2.** Correlation Matrix – Neurological Side Effects

		<b>WHODAS Total</b>	<b>Cognition</b>	<b>Mobility</b>	<b>Selfcare</b>	<b>Getting along</b>	<b>Life activies</b>	<b>Participation</b>
Neurological Side Effects	Spearman's rho	0.282 **	0.277 **	0.266 **	0.236 **	0.154	0.215 *	0.215 *
	df	124	124	124	124	124	124	124
	p-value	0.001	0.002	0.003	0.008	0.085	0.015	0.016
	N	126	126	126	126	126	126	126
UKU_2.1	Spearman's rho	0.187 *	0.206 *	0.197 *	0.167	0.030	0.149	0.151
	df	124	124	124	124	124	124	124
	p-value	0.036	0.020	0.027	0.062	0.742	0.096	0.092
	N	126	126	126	126	126	126	126
UKU_2.2	Spearman's rho	-0.026	0.069	-0.112	-0.045	0.099	0.071	-0.039
	df	124	124	124	124	124	124	124
	p-value	0.769	0.440	0.211	0.619	0.270	0.432	0.661
	N	126	126	126	126	126	126	126
UKU_2.3	Spearman's rho	0.227 *	0.240 **	0.199 *	0.284 **	0.229 **	0.152	0.111
	df	124	124	124	124	124	124	124
	p-value	0.011	0.007	0.025	0.001	0.010	0.090	0.216
	N	126	126	126	126	126	126	126
UKU_2.4	Spearman's rho	0.200 *	0.212 *	0.167	0.087	0.133	0.222 *	0.102
	df	124	124	124	124	124	124	124
	p-value	0.025	0.017	0.062	0.332	0.137	0.013	0.258
	N	126	126	126	126	126	126	126
UKU_2.5	Spearman's rho	0.116	0.077	0.086	0.067	-0.048	0.056	0.106
	df	124	124	124	124	124	124	124
	p-value	0.198	0.392	0.341	0.459	0.594	0.536	0.237
	N	126	126	126	126	126	126	126
UKU_2.6	Spearman's rho	0.235 **	0.226 *	0.231 **	0.151	0.192 *	0.159	0.160
	df	124	124	124	124	124	124	124
	p-value	0.008	0.011	0.009	0.091	0.031	0.076	0.073
	N	126	126	126	126	126	126	126

		WHODAS Total	Cognition	Mobility	Selfcare	Getting along	Life activities	Participation
UKU_2.7	Spearman's rho	-0.017	-0.136	-0.015	0.015	-0.043	0.003	0.106
	df	124	124	124	124	124	124	124
	p-value	0.846	0.128	0.872	0.865	0.629	0.977	0.239
	N	126	126	126	126	126	126	126
UKU_2.8	Spearman's rho	0.237 **	0.151	0.167	0.172	0.110	0.248 **	0.227 *
	df	124	124	124	124	124	124	124
	p-value	0.008	0.092	0.062	0.054	0.218	0.005	0.010
	N	126	126	126	126	126	126	126

Note. \* p < .05, \*\* p < .01, \*\*\* p < .001

**Table A3.** Correlation Matrix – Autonomic Side effects

		WHODAS total	Cognition	Mobility	Selfcare	Getting along	Life activities	Participation
Autonomic Side Effects	Spearman's rho	0.201 *	0.211 *	0.188 *	0.139	0.072	0.146	0.173
	df	124	124	124	124	124	124	124
	p-value	0.024	0.018	0.035	0.120	0.422	0.102	0.053
	N	126	126	126	126	126	126	126
UKU_3.1	Spearman's rho	0.112	0.228 *	0.116	-0.009	-0.040	0.102	0.118
	df	124	124	124	124	124	124	124
	p-value	0.212	0.010	0.196	0.924	0.657	0.257	0.189
	N	126	126	126	126	126	126	126
UKU_3.2	Spearman's rho	0.044	0.033	0.046	-0.067	0.041	0.105	-0.154
	df	124	124	124	124	124	124	124
	p-value	0.627	0.711	0.608	0.459	0.652	0.240	0.084
	N	126	126	126	126	126	126	126

		<b>WHODAS total</b>	<b>Cognition</b>	<b>Mobility</b>	<b>Selfcare</b>	<b>Getting along</b>	<b>Life activities</b>	<b>Participation</b>
UKU_3.3	Spearman's rho	0.112	0.150	0.099	0.103	0.034	0.014	0.166
	df	124	124	124	124	124	124	124
	p-value	0.210	0.093	0.270	0.252	0.701	0.876	0.063
	N	126	126	126	126	126	126	126
UKU_3.4	Spearman's rho	0.142	0.064	0.202 *	0.079	0.061	0.123	0.137
	df	124	124	124	124	124	124	124
	p-value	0.114	0.477	0.024	0.377	0.497	0.169	0.125
	N	126	126	126	126	126	126	126
UKU_3.5	Spearman's rho	0.075	0.024	0.051	0.032	0.075	0.144	0.090
	df	124	124	124	124	124	124	124
	p-value	0.406	0.792	0.568	0.726	0.405	0.107	0.316
	N	126	126	126	126	126	126	126
UKU_3.6	Spearman's rho	-0.019	0.023	-0.091	0.036	-0.052	-0.094	0.026
	df	124	124	124	124	124	124	124
	p-value	0.834	0.798	0.308	0.686	0.562	0.296	0.772
	N	126	126	126	126	126	126	126
UKU_3.7	Spearman's rho	-0.057	-0.067	0.005	0.016	-0.148	0.040	-0.053
	df	124	124	124	124	124	124	124
	p-value	0.524	0.457	0.957	0.858	0.097	0.659	0.555
	N	126	126	126	126	126	126	126
UKU_3.8.1	Spearman's rho	0.077	0.035	0.073	0.109	0.073	0.079	0.056
	df	124	124	124	124	124	124	124
	p-value	0.392	0.698	0.418	0.226	0.419	0.381	0.532
	N	126	126	126	126	126	126	126
UKU_3.8.2	Spearman's rho	0.096	0.009	0.154	0.199 *	0.044	0.117	0.007
	df	124	124	124	124	124	124	124
	p-value	0.286	0.922	0.085	0.025	0.624	0.190	0.942
	N	126	126	126	126	126	126	126

		WHODAS total	Cognition	Mobility	Selfcare	Getting along	Life activities	Participation
UKU_3.9	Spearman's rho	0.071	0.072	0.046	0.095	0.053	0.061	0.119
	df	124	124	124	124	124	124	124
	p-value	0.428	0.426	0.613	0.289	0.558	0.501	0.183
	N	126	126	126	126	126	126	126
UKU_3.10	Spearman's rho	0.269**	0.194*	0.181*	0.111	0.274**	0.214*	0.222*
	df	124	124	124	124	124	124	124
	p-value	0.002	0.029	0.043	0.218	0.002	0.016	0.012
	N	126	126	126	126	126	126	126
UKU_3.11	Spearman's rho	0.070	0.106	0.036	0.012	-0.019	0.016	0.078
	df	124	124	124	124	124	124	124
	p-value	0.433	0.236	0.688	0.898	0.832	0.855	0.388
	N	126	126	126	126	126	126	126

Note. \* p < .05, \*\* p < .01, \*\*\* p < .001

**Table A4.** Correlation Matrix – Other Side Effects

		WHODAS Total	Cognition	Mobility	Selfcare	Getting along	Life activities	Participation
Other side effects	Spearman's rho	0.241**	0.139	0.091	0.160	0.285**	0.186*	0.296***
	df	124	124	124	124	124	124	124
	p-value	0.007	0.122	0.309	0.073	0.001	0.037	<.001
	N	126	126	126	126	126	126	126
UKU_4.1	Spearman's rho	-0.110	-0.074	-0.087	-0.087	-0.055	-0.084	-0.162
	df	124	124	124	124	124	124	124
	p-value	0.221	0.411	0.333	0.331	0.544	0.349	0.071
	N	126	126	126	126	126	126	126

		<b>WHODAS Total</b>	<b>Cognition</b>	<b>Mobility</b>	<b>Selfcare</b>	<b>Getting along</b>	<b>Life activities</b>	<b>Participation</b>
UKU_4.2	Spearman's rho	0.035	0.048	0.011	0.063	0.015	0.074	-0.065
	df	124	124	124	124	124	124	124
	p-value	0.701	0.591	0.898	0.486	0.868	0.413	0.466
	N	126	126	126	126	126	126	126
UKU_4.3	Spearman's rho	0.130	0.160	0.081	0.134	0.046	0.016	0.122
	df	124	124	124	124	124	124	124
	p-value	0.146	0.073	0.369	0.135	0.608	0.862	0.172
	N	126	126	126	126	126	126	126
UKU_4.4	Spearman's rho	-0.154	-0.070	-0.116	-0.073	-0.139	-0.032	-0.111
	df	124	124	124	124	124	124	124
	p-value	0.086	0.439	0.195	0.414	0.119	0.725	0.215
	N	126	126	126	126	126	126	126
UKU_4.5	Spearman's rho	0.106	0.058	0.095	0.052	0.074	0.111	0.062
	df	124	124	124	124	124	124	124
	p-value	0.236	0.522	0.290	0.562	0.409	0.215	0.487
	N	126	126	126	126	126	126	126
UKU_4.6	Spearman's rho	0.028	0.037	0.012	0.107	0.066	0.040	0.061
	df	124	124	124	124	124	124	124
	p-value	0.758	0.678	0.898	0.234	0.460	0.658	0.498
	N	126	126	126	126	126	126	126
UKU_4.7	Spearman's rho	0.015	-0.023	-0.050	-0.064	0.120	-0.032	0.085
	df	124	124	124	124	124	124	124
	p-value	0.870	0.797	0.580	0.473	0.181	0.719	0.342
	N	126	126	126	126	126	126	126
UKU_4.8	Spearman's rho	0.058	0.031	0.000	-0.024	0.084	0.104	0.089
	df	124	124	124	124	124	124	124
	p-value	0.517	0.732	0.996	0.787	0.349	0.245	0.321
	N	126	126	126	126	126	126	126



		WHODAS Total	Cognition	Mobility	Selfcare	Getting along	Life activities	Participation
UKU_4.9	Spearman's rho	0.061	-0.062	0.053	0.086	-0.047	0.082	0.121
	df	124	124	124	124	124	124	124
	p-value	0.497	0.493	0.557	0.338	0.601	0.362	0.178
	N	126	126	126	126	126	126	126
UKU_4.10.1	Spearman's rho	-0.006	-0.033	0.003	0.052	0.066	-0.014	-0.026
	df	124	124	124	124	124	124	124
	p-value	0.946	0.712	0.975	0.566	0.463	0.876	0.774
	N	126	126	126	126	126	126	126
UKU_4.10.2	Spearman's rho	0.064	0.002	-0.002	0.033	0.059	0.067	0.099
	df	124	124	124	124	124	124	124
	p-value	0.475	0.986	0.984	0.711	0.511	0.455	0.269
	N	126	126	126	126	126	126	126
UKU_4.11	Spearman's rho	-0.110	-0.048	-0.070	-0.088	-0.067	-0.112	-0.105
	df	124	124	124	124	124	124	124
	p-value	0.222	0.593	0.439	0.328	0.455	0.211	0.243
	N	126	126	126	126	126	126	126
UKU_4.12	Spearman's rho	0.316***	0.226*	0.127	0.143	0.321***	0.249**	0.390***
	df	124	124	124	124	124	124	124
	p-value	<.001	0.011	0.156	0.110	<.001	0.005	<.001
	N	126	126	126	126	126	126	126
UKU_4.13	Spearman's rho	0.146	0.046	0.008	0.146	0.171	0.100	0.177*
	df	124	124	124	124	124	124	124
	p-value	0.102	0.611	0.929	0.103	0.056	0.263	0.048
	N	126	126	126	126	126	126	126
UKU_4.14	Spearman's rho	0.128	0.045	0.034	0.101	0.128	0.049	0.173
	df	124	124	124	124	124	124	124
	p-value	0.154	0.614	0.706	0.262	0.153	0.586	0.053
	N	126	126	126	126	126	126	126

		WHODAS Total	Cognition	Mobility	Selfcare	Getting along	Life activities	Participation
UKU_4.15	Spearman's rho	0.222 *	0.099	0.054	0.117	0.292 ***	0.195 *	0.238 **
	df	124	124	124	124	124	124	124
	p-value	0.013	0.268	0.552	0.191	< .001	0.028	0.007
	N	126	126	126	126	126	126	126
UKU_4.16	Spearman's rho	0.170	0.163	0.144	0.095	0.199 *	0.055	0.101
	df	124	124	124	124	124	124	124
	p-value	0.057	0.068	0.109	0.292	0.026	0.544	0.259
	N	126	126	126	126	126	126	126
UKU_4.17	Spearman's rho	0.081	0.058	0.083	0.101	0.046	0.034	0.068
	df	124	124	124	124	124	124	124
	p-value	0.366	0.520	0.358	0.258	0.608	0.708	0.450
	N	126	126	126	126	126	126	126

Note. \* p < .05, \*\* p < .01, \*\*\* p < .001

**Table A5.** Correlation Matrix – Sexual Side Effects

		WHODAS Total	Cognition	Mobility	Selfcare	Getting along	Life activities	Participation
Sexual Side Effects	Spearman's rho	0.265 **	0.153	0.076	0.107	0.307 ***	0.208 *	0.361 ***
	df	124	124	124	124	124	124	124
	p-value	0.003	0.086	0.400	0.234	< .001	0.019	< .001
	N	126	126	126	126	126	126	126

Note. \* p < .05, \*\* p < .01, \*\*\* p < .001

**Table B1.** Partial Correlation – Psychological Side Effects

		WHODAS Total	Cognition	Mobility	Selfcare	Getting along	Life activities	Participation
UKU_Total	Spearman's rho	0.456 ***	0.376 ***	0.233 *	0.255 **	0.368 ***	0.345 ***	0.437 ***

		WHODAS Total	Cognition	Mobility	Selfcare	Getting along	Life activities	Participation
	p-value	< .001	< .001	0.012	0.006	< .001	< .001	< .001
	N	126	126	126	126	126	126	126
Psychological Side Effects	Spearman's rho	0.488 ***	0.443 ***	0.247 **	0.181	0.421 ***	0.405 ***	0.458 ***
	p-value	< .001	< .001	0.008	0.051	< .001	< .001	< .001
	N	126	126	126	126	126	126	126
UKU_1.1	Spearman's rho	0.387 ***	0.470 ***	0.239 **	0.179	0.335 ***	0.251 **	0.359 ***
	p-value	< .001	< .001	0.010	0.055	< .001	0.007	< .001
	N	126	126	126	126	126	126	126
UKU_1.2	Spearman's rho	0.303 ***	0.300 **	0.292 **	0.189 *	0.230 *	0.204 *	0.290 **
	p-value	< .001	0.001	0.001	0.043	0.013	0.028	0.002
	N	126	126	126	126	126	126	126
UKU_1.3	Spearman's rho	0.171	0.175	0.150	0.036	-0.000	0.117	0.190 *
	p-value	0.066	0.060	0.109	0.699	0.999	0.211	0.041
	N	126	126	126	126	126	126	126
UKU_1.4	Spearman's rho	0.248 **	0.302 ***	0.212 *	0.183 *	0.232 *	0.150	0.221 *
	p-value	0.007	< .001	0.022	0.049	0.012	0.108	0.017
	N	126	126	126	126	126	126	126
UKU_1.5	Spearman's rho	0.386 ***	0.358 ***	0.180	0.294 **	0.333 ***	0.336 ***	0.239 **
	p-value	< .001	< .001	0.053	0.001	< .001	< .001	0.010
	N	126	126	126	126	126	126	126
UKU_1.6	Spearman's rho	0.452 ***	0.372 ***	0.151	0.108	0.395 ***	0.420 ***	0.433 ***
	p-value	< .001	< .001	0.107	0.250	< .001	< .001	< .001
	N	126	126	126	126	126	126	126
UKU_1.7	Spearman's rho	0.002	-0.047	-0.029	-0.002	-0.030	0.026	0.029
	p-value	0.986	0.613	0.761	0.980	0.750	0.783	0.756
	N	126	126	126	126	126	126	126
UKU_1.8	Spearman's rho	0.134	0.148	0.005	-0.030	0.111	0.099	0.104

		WHODAS Total	Cognition	Mobility	Selfcare	Getting along	Life activities	Participation
UKU_1.9	p-value	0.152	0.113	0.953	0.747	0.238	0.291	0.267
	N	126	126	126	126	126	126	126
	Spearman's rho	0.132	0.011	0.052	0.007	0.163	0.203 *	0.111
	p-value	0.158	0.905	0.576	0.941	0.081	0.028	0.236
	N	126	126	126	126	126	126	126
	Spearman's rho	0.129	0.119	0.010	0.148	0.176	-0.012	0.151
UKU_1.10	p-value	0.169	0.205	0.918	0.113	0.059	0.902	0.105
	N	126	126	126	126	126	126	126
	Spearman's rho	0.129	0.119	0.010	0.148	0.176	-0.012	0.151

Note. controlling for 'Age', 'Sex', 'Smoking', 'Antipsychotic administration', 'Diagnosis', 'Children', 'Educational status', 'Family history', 'Substance misuse', and 'Group of drug'

Note. \* p < .05, \*\* p < .01, \*\*\* p < .001

**Table B2.** Partial Correlation – Neurological Side Effects

		WHODAS Total	Cognition	Mobility	Selfcare	Getting along	Life activities	Participation
Neurological Side Effects	Spearman's rho	0.185 *	0.232 *	0.167	0.138	0.119	0.131	0.120
	p-value	0.046	0.012	0.073	0.141	0.202	0.161	0.199
	N	126	126	126	126	126	126	126
UKU_2.1	Spearman's rho	0.165	0.206 *	0.207 *	0.146	0.005	0.105	0.114
	p-value	0.076	0.026	0.025	0.118	0.961	0.264	0.225
	N	126	126	126	126	126	126	126
UKU_2.2	Spearman's rho	-0.046	0.051	-0.149	-0.060	0.102	0.059	-0.047
	p-value	0.623	0.590	0.110	0.523	0.277	0.527	0.614
	N	126	126	126	126	126	126	126
UKU_2.3	Spearman's rho	0.177	0.204 *	0.147	0.267 **	0.236 *	0.092	0.050
	p-value	0.057	0.028	0.116	0.004	0.011	0.323	0.594
	N	126	126	126	126	126	126	126
UKU_2.4	Spearman's rho	0.180	0.200 *	0.149	0.044	0.113	0.202 *	0.074

		WHODAS Total	Cognition	Mobility	Selfcare	Getting along	Life activities	Participation
	p-value	0.053	0.031	0.111	0.642	0.226	0.030	0.429
	N	126	126	126	126	126	126	126
UKU_2.5	Spearman's rho	0.043	0.047	-0.025	-0.048	-0.084	0.015	0.080
	p-value	0.646	0.615	0.789	0.609	0.372	0.871	0.392
	N	126	126	126	126	126	126	126
UKU_2.6	Spearman's rho	0.208 *	0.237 *	0.204 *	0.107	0.196 *	0.136	0.129
	p-value	0.025	0.010	0.028	0.253	0.035	0.146	0.169
	N	126	126	126	126	126	126	126
UKU_2.7	Spearman's rho	-0.028	-0.163	-0.021	0.038	-0.078	-0.017	0.068
	p-value	0.764	0.080	0.823	0.686	0.406	0.854	0.467
	N	126	126	126	126	126	126	126
UKU_2.8	Spearman's rho	0.179	0.119	0.118	0.114	0.062	0.193 *	0.159
	p-value	0.054	0.203	0.206	0.222	0.506	0.038	0.089
	N	126	126	126	126	126	126	126

Note. controlling for 'Age', 'Sex', 'Smoking', 'Antipsychotic administration', 'Diagnosis', 'Children', 'Educational status', 'Family history', 'Substance misuse', and 'Group of drug'

Note. \* p < .05, \*\* p < .01, \*\*\* p < .001

**Table B3.** Partial Correlation – Autonomic Side Effects

		WHODAS total	Cognition	Mobility	Selfcare	Getting along	Life activities	Participation
Autonomic Side Effects	Spearman's rho	0.145	0.180	0.125	0.097	0.063	0.090	0.109
	p-value	0.120	0.054	0.181	0.299	0.501	0.339	0.243
	N	126	126	126	126	126	126	126
UKU_3.1	Spearman's rho	0.038	0.195 *	0.036	-0.064	-0.074	0.043	0.036
	p-value	0.687	0.036	0.704	0.497	0.428	0.650	0.702
	N	126	126	126	126	126	126	126

		<b>WHODAS total</b>	<b>Cognition</b>	<b>Mobility</b>	<b>Selfcare</b>	<b>Getting along</b>	<b>Life activities</b>	<b>Participation</b>
UKU_3.2	Spearman's rho	0.011	0.015	-0.028	-0.115	0.067	0.108	-0.164
	p-value	0.907	0.873	0.761	0.219	0.475	0.249	0.078
	N	126	126	126	126	126	126	126
UKU_3.3	Spearman's rho	0.128	0.167	0.123	0.104	0.060	-0.006	0.179
	p-value	0.170	0.074	0.188	0.265	0.520	0.952	0.055
	N	126	126	126	126	126	126	126
UKU_3.4	Spearman's rho	0.087	0.025	0.160	0.058	-0.002	0.078	0.069
	p-value	0.352	0.790	0.087	0.536	0.983	0.406	0.464
	N	126	126	126	126	126	126	126
UKU_3.5	Spearman's rho	0.049	0.007	0.022	-0.001	0.066	0.150	0.073
	p-value	0.599	0.942	0.819	0.994	0.480	0.108	0.433
	N	126	126	126	126	126	126	126
UKU_3.6	Spearman's rho	-0.024	0.011	-0.116	0.082	-0.017	-0.135	0.023
	p-value	0.798	0.905	0.214	0.384	0.852	0.150	0.806
	N	126	126	126	126	126	126	126
UKU_3.7	Spearman's rho	-0.070	-0.073	-0.002	0.019	-0.137	0.017	-0.046
	p-value	0.458	0.439	0.987	0.839	0.142	0.860	0.625
	N	126	126	126	126	126	126	126
UKU_3.8.1	Spearman's rho	0.057	0.027	0.066	0.087	0.059	0.059	-0.010
	p-value	0.545	0.774	0.480	0.351	0.527	0.532	0.917
	N	126	126	126	126	126	126	126
UKU_3.8.2	Spearman's rho	0.067	-0.007	0.148	0.155	0.034	0.124	-0.054
	p-value	0.478	0.944	0.114	0.096	0.715	0.184	0.568
	N	126	126	126	126	126	126	126
UKU_3.9	Spearman's rho	0.037	0.064	0.020	0.044	0.031	0.043	0.090
	p-value	0.694	0.492	0.833	0.637	0.738	0.645	0.339
	N	126	126	126	126	126	126	126

		<b>WHODAS total</b>	<b>Cognition</b>	<b>Mobility</b>	<b>Selfcare</b>	<b>Getting along</b>	<b>Life activities</b>	<b>Participation</b>
UKU_3.10	Spearman's rho	0.262 **	0.182	0.169	0.083	0.261 **	0.202 *	0.210 *
	p-value	0.005	0.051	0.070	0.374	0.005	0.030	0.023
	N	126	126	126	126	126	126	126
UKU_3.11	Spearman's rho	0.094	0.114	0.075	0.017	-0.026	-0.001	0.088
	p-value	0.318	0.224	0.423	0.855	0.785	0.989	0.347
	N	126	126	126	126	126	126	126

Note. controlling for 'Age', 'Sex', 'Smoking', 'Antipsychotic administration', 'Diagnosis', 'Children', 'Educational status', 'Family history', 'Substance misuse', and 'Group of drug'  
Note. \* p < .05, \*\* p < .01, \*\*\* p < .001

**Table B4.** Partial Correlation – Other Side Effects

		<b>WHODAS total</b>	<b>Cognition</b>	<b>Mobility</b>	<b>Selfcare</b>	<b>Getting along</b>	<b>Life activities</b>	<b>Participation</b>
Other side effects	Spearman's rho	0.249 **	0.140	0.085	0.207 *	0.277 **	0.151	0.258 **
	p-value	0.007	0.134	0.365	0.026	0.003	0.105	0.005
	N	126	126	126	126	126	126	126
UKU_4.1	Spearman's rho	-0.094	-0.061	-0.066	-0.090	-0.054	-0.104	-0.145
	p-value	0.316	0.518	0.482	0.337	0.566	0.264	0.120
	N	126	126	126	126	126	126	126
UKU_4.2	Spearman's rho	-0.042	0.014	-0.069	0.002	-0.018	0.025	-0.168
	p-value	0.656	0.885	0.459	0.983	0.850	0.792	0.072
	N	126	126	126	126	126	126	126
UKU_4.3	Spearman's rho	0.079	0.123	0.032	0.097	0.026	-0.050	0.084
	p-value	0.402	0.189	0.729	0.298	0.779	0.591	0.368
	N	126	126	126	126	126	126	126
UKU_4.4	Spearman's rho	-0.145	-0.068	-0.096	-0.068	-0.137	0.003	-0.126
	p-value	0.121	0.466	0.304	0.467	0.142	0.976	0.178

		WHODAS total	Cognition	Mobility	Selfcare	Getting along	Life activities	Participation
	N	126	126	126	126	126	126	126
UKU_4.5	Spearman's rho	0.074	0.026	0.039	0.032	0.027	0.085	0.050
	p-value	0.431	0.785	0.679	0.730	0.776	0.363	0.594
	N	126	126	126	126	126	126	126
UKU_4.6	Spearman's rho	0.071	0.066	0.084	0.190 *	0.094	0.052	0.055
	p-value	0.452	0.480	0.372	0.041	0.314	0.576	0.556
	N	126	126	126	126	126	126	126
UKU_4.7	Spearman's rho	0.000	-0.051	-0.095	-0.041	0.095	-0.062	0.084
	p-value	0.997	0.587	0.311	0.658	0.308	0.511	0.369
	N	126	126	126	126	126	126	126
UKU_4.8	Spearman's rho	0.060	0.014	-0.009	0.033	0.083	0.106	0.045
	p-value	0.522	0.882	0.922	0.721	0.376	0.260	0.632
	N	126	126	126	126	126	126	126
UKU_4.9	Spearman's rho	0.072	-0.064	0.087	0.114	-0.077	0.081	0.071
	p-value	0.445	0.494	0.351	0.225	0.414	0.388	0.446
	N	126	126	126	126	126	126	126
UKU_4.10.1	Spearman's rho	-0.019	-0.053	-0.017	0.042	0.064	-0.039	-0.034
	p-value	0.837	0.570	0.857	0.655	0.495	0.679	0.721
	N	126	126	126	126	126	126	126
UKU_4.10.2	Spearman's rho	0.034	-0.034	-0.054	0.004	0.046	0.043	0.068
	p-value	0.714	0.716	0.565	0.967	0.624	0.649	0.471
	N	126	126	126	126	126	126	126
UKU_4.11	Spearman's rho	-0.105	-0.059	-0.048	-0.108	-0.095	-0.120	-0.108
	p-value	0.261	0.531	0.606	0.250	0.309	0.198	0.250
	N	126	126	126	126	126	126	126
UKU_4.12	Spearman's rho	0.363 ***	0.273 **	0.182 *	0.209 *	0.342 ***	0.246 **	0.390 ***
	p-value	< .001	0.003	0.050	0.024	< .001	0.008	< .001



		WHODAS total	Cognition	Mobility	Selfcare	Getting along	Life activities	Participation
	N	126	126	126	126	126	126	126
UKU_4.13	Spearman's rho	0.206 *	0.090	0.060	0.163	0.183 *	0.151	0.236 *
	p-value	0.027	0.335	0.521	0.080	0.049	0.106	0.011
	N	126	126	126	126	126	126	126
UKU_4.14	Spearman's rho	0.221 *	0.112	0.125	0.156	0.147	0.113	0.262 **
	p-value	0.017	0.230	0.181	0.093	0.116	0.229	0.004
	N	126	126	126	126	126	126	126
UKU_4.15	Spearman's rho	0.235 *	0.123	0.036	0.152	0.317 ***	0.179	0.251 **
	p-value	0.011	0.188	0.704	0.104	<.001	0.055	0.007
	N	126	126	126	126	126	126	126
UKU_4.16	Spearman's rho	0.148	0.157	0.100	0.120	0.196 *	0.008	0.074
	p-value	0.114	0.092	0.284	0.200	0.035	0.933	0.427
	N	126	126	126	126	126	126	126
UKU_4.17	Spearman's rho	0.104	0.066	0.109	0.124	0.043	0.049	0.065
	p-value	0.265	0.481	0.244	0.186	0.649	0.599	0.491
	N	126	126	126	126	126	126	126

Note. controlling for 'Age', 'Sex', 'Smoking', 'Antipsychotic administration', 'Diagnosis', 'Children', 'Educational status', 'Family history', 'Substance misuse', and 'Group of drug'  
Note. \* p < .05, \*\* p < .01, \*\*\* p < .001

**Table B5.** Partial Correlation – Sexual Side Effects

		WHODAS total	Cognition	Mobility	Selfcare	Getting along	Life activities	Participation
Sexual Side Effects	Spearman's rho	0.315 ***	0.184 *	0.120	0.180	0.317 ***	0.202 *	0.356 ***
	p-value	<.001	0.048	0.199	0.053	<.001	0.030	<.001
	N	126	126	126	126	126	126	126

Note. controlling for 'Age', 'Sex', 'Smoking', 'Antipsychotic administration', 'Diagnosis', 'Children', 'Educational status', 'Family history', 'Substance misuse', and 'Group of drug'  
Note. \* p < .05, \*\* p < .01, \*\*\* p < .001

**Table C1.** Group comparison - Sex

		<b>Statistic</b>	<b>P</b>	<b>Mean difference</b>	<b>SE difference</b>	<b>Effect Size</b>
Total Side Effects	Mann-Whitney U	1301	0.002	4.0000	Rank biserial correlation	0.3308
Psychological Side Effects	Mann-Whitney U	1302	0.001	2.0000	Rank biserial correlation	0.3302
Neurological Side Effects	Mann-Whitney U	1485	0.020	1.0000	Rank biserial correlation	0.2361
Autonomic Side Effects	Mann-Whitney U	1445	0.013	1.0001	Rank biserial correlation	0.2567
Other side effects	Mann-Whitney U	1544	0.047	1.0000	Rank biserial correlation	0.2060
Sexual Side Effects	Mann-Whitney U	1677	0.170	1.77e-5	Rank biserial correlation	0.1373
WHODAS total	Mann-Whitney U	1638	0.132	0.0500	Rank biserial correlation	0.1574
Cognition	Mann-Whitney U	1682	0.194	0.0333	Rank biserial correlation	0.1348
Mobility	Mann-Whitney U	1603	0.090	0.1000	Rank biserial correlation	0.1757
Self-care	Mann-Whitney U	1859	0.666	2.59e-6	Rank biserial correlation	0.0437
Getting along	Mann-Whitney U	1855	0.655	5.91e-5	Rank biserial correlation	0.0460
Life activities	Mann-Whitney U	1681	0.192	0.0501	Rank biserial correlation	0.1353
Participation	Mann-Whitney U	1567	0.063	0.0937	Rank biserial correlation	0.1939

Note.  $H_a \mu_{\text{female}} \neq \mu_{\text{male}}$

#### Group Descriptives

	<b>Group</b>	<b>N</b>	<b>Mean</b>	<b>Median</b>	<b>SD</b>	<b>SE</b>
Total Side Effects	female	54	17.667	15.000	10.096	1.3739
	male	72	12.361	11.000	7.249	0.8543
Psychological Side Effects	female	54	6.593	5.500	5.268	0.7169
	male	72	3.847	3.000	3.266	0.3849
Neurological Side Effects	female	54	2.074	2.000	1.941	0.2642
	male	72	1.264	1.000	1.463	0.1724
Autonomic Side Effects	female	54	4.630	4.500	3.252	0.4426
	male	72	3.292	3.000	2.537	0.2990
Other side effects	female	54	4.370	4.000	2.980	0.4055
	male	72	3.472	3.000	3.076	0.3626
Sexual Side Effects	female	54	2.056	2.000	2.210	0.3007
	male	72	2.236	0.500	3.523	0.4151
WHODAS total	female	54	0.391	0.367	0.193	0.0262
	male	72	0.343	0.300	0.188	0.0222

## Group Descriptives

	Group	N	Mean	Median	SD	SE
Cognition	female	54	0.394	0.317	0.267	0.0364
	male	72	0.343	0.292	0.222	0.0262
Mobility	female	54	0.391	0.400	0.254	0.0346
	male	72	0.319	0.200	0.267	0.0314
Self-care	female	54	0.281	0.200	0.228	0.0310
	male	72	0.255	0.200	0.219	0.0258
Getting along	female	54	0.345	0.300	0.238	0.0324
	male	72	0.342	0.200	0.253	0.0298
Life activities	female	54	0.444	0.400	0.282	0.0383
	male	72	0.371	0.400	0.249	0.0294
Participation	female	54	0.500	0.500	0.242	0.0330
	male	72	0.423	0.400	0.206	0.0243

**Table C2.** Group comparison - Age

		Statistic	p	Mean difference	SE difference	Effect Size
Total Side Effects	Mann-Whitney U	1951	0.996	-4.43e-5		Rank biserial correlation 7.68e-4
Psychological Side Effects	Mann-Whitney U	1729	0.269	-1.0000		Rank biserial correlation 0.1147
Neurological Side Effects	Mann-Whitney U	1673	0.156	-4.23e-5		Rank biserial correlation 0.1431
Autonomic Side Effects	Mann-Whitney U	1877	0.710	-3.45e-5		Rank biserial correlation 0.0387
Other side effects	Mann-Whitney U	1501	0.025	1.0000		Rank biserial correlation 0.2315
Sexual Side Effects	Mann-Whitney U	1570	0.049	4.86e-5		Rank biserial correlation 0.1962
WHODAS total	Mann-Whitney U	1853	0.626	-0.0170		Rank biserial correlation 0.0510
Cognition	Mann-Whitney U	1917	0.860	-8.35e-6		Rank biserial correlation 0.0184
Mobility	Mann-Whitney U	1875	0.702	-2.17e-5		Rank biserial correlation 0.0397
Self-care	Mann-Whitney U	1714	0.223	-3.34e-5		Rank biserial correlation 0.1224
Getting along	Mann-Whitney U	1765	0.349	7.15e-5		Rank biserial correlation 0.0960
Life activities	Mann-Whitney U	1814	0.492	-3.13e-5		Rank biserial correlation 0.0712
Participation	Mann-Whitney U	1909	0.830	5.99e-5		Rank biserial correlation 0.0225

Note.  $H_a \mu_{18-49 \text{ yo}} \neq \mu_{>50 \text{ yo}}$

Group Descriptives

	<b>Group</b>	<b>N</b>	<b>Mean</b>	<b>Median</b>	<b>SD</b>	<b>SE</b>
Total Side Effects	18-49 yo	71	14.704	13.000	9.268	1.0999
	>50 yo	55	14.545	14.000	8.593	1.1587
Psychological Side Effects	18-49 yo	71	4.648	4.000	4.141	0.4914
	>50 yo	55	5.509	5.000	4.788	0.6456
Neurological Side Effects	18-49 yo	71	1.465	1.000	1.755	0.2083
	>50 yo	55	1.800	1.000	1.682	0.2268
Autonomic Side Effects	18-49 yo	71	3.845	4.000	3.161	0.3751
	>50 yo	55	3.891	4.000	2.629	0.3545
Other side effects	18-49 yo	71	4.366	4.000	3.181	0.3776
	>50 yo	55	3.200	3.000	2.778	0.3746
Sexual Side Effects	18-49 yo	71	2.549	1.000	3.215	0.3816
	>50 yo	55	1.655	0.000	2.696	0.3635
WHODAS total	18-49 yo	71	0.360	0.333	0.205	0.0243
	>50 yo	55	0.369	0.340	0.172	0.0232
Cognition	18-49 yo	71	0.359	0.300	0.245	0.0291
	>50 yo	55	0.373	0.292	0.241	0.0326
Mobility	18-49 yo	71	0.335	0.300	0.250	0.0297
	>50 yo	55	0.368	0.300	0.279	0.0377
Self-care	18-49 yo	71	0.247	0.200	0.226	0.0269
	>50 yo	55	0.291	0.200	0.216	0.0291
Getting along	18-49 yo	71	0.362	0.300	0.259	0.0307
	>50 yo	55	0.320	0.200	0.228	0.0307
Life activities	18-49 yo	71	0.391	0.400	0.270	0.0321
	>50 yo	55	0.416	0.400	0.260	0.0350
Participation	18-49 yo	71	0.459	0.406	0.219	0.0260
	>50 yo	55	0.452	0.438	0.234	0.0315

**Table C3.** Group comparison – Educational status

		<b>Statistic</b>	<b>p</b>	<b>Mean difference</b>	<b>SE difference</b>	<b>Effect Size</b>
Total Side Effects	Mann-Whitney U	1654	0.141	2.0000		Rank biserial correlation 0.15314
Psychological Side Effects	Mann-Whitney U	1742	0.299	1.0000		Rank biserial correlation 0.10781
Neurological Side Effects	Mann-Whitney U	1389	0.004	0.9999		Rank biserial correlation 0.28860
Autonomic Side Effects	Mann-Whitney U	1766	0.355	5.87e-6		Rank biserial correlation 0.09577

		<b>Statistic</b>	<b>p</b>	<b>Mean difference</b>	<b>SE difference</b>	<b>Effect Size</b>
Other side effects	Mann-Whitney U	1756	0.330	5.76e-5		Rank biserial correlation 0.10090
Sexual Side Effects	Mann-Whitney U	1940	0.949	1.31e-5		Rank biserial correlation 0.00666
WHODAS total	Mann-Whitney U	1823	0.526	0.0171		Rank biserial correlation 0.06633
Cognition	Mann-Whitney U	1888	0.751	3.28e-5		Rank biserial correlation 0.03303
Mobility	Mann-Whitney U	1738	0.288	0.0499		Rank biserial correlation 0.10986
Self-care	Mann-Whitney U	1578	0.056	0.0125		Rank biserial correlation 0.19181
Getting along	Mann-Whitney U	1866	0.667	-1.66e-6		Rank biserial correlation 0.04430
Life activities	Mann-Whitney U	1804	0.463	1.94e-5		Rank biserial correlation 0.07606
Participation	Mann-Whitney U	1881	0.724	5.35e-5		Rank biserial correlation 0.03688

Note.  $H_a \mu_{\text{no education}} \neq \mu_{\text{education} > 8 \text{ y}}$

#### Group Descriptives

	<b>Group</b>	<b>N</b>	<b>Mean</b>	<b>Median</b>	<b>SD</b>	<b>SE</b>
Total Side Effects	no education	55	16.382	14.000	10.253	1.3825
	education > 8 y	71	13.282	12.000	7.584	0.9001
Psychological Side Effects	no education	55	5.600	4.000	4.852	0.6542
	education > 8 y	71	4.577	4.000	4.066	0.4826
Neurological Side Effects	no education	55	2.109	2.000	1.863	0.2512
	education > 8 y	71	1.225	1.000	1.514	0.1796
Autonomic Side Effects	no education	55	4.309	4.000	3.431	0.4627
	education > 8 y	71	3.521	3.000	2.443	0.2899
Other side effects	no education	55	4.091	4.000	3.026	0.4081
	education > 8 y	71	3.676	3.000	3.088	0.3665
Sexual Side Effects	no education	55	2.236	1.000	2.994	0.4037
	education > 8 y	71	2.099	1.000	3.062	0.3634
WHODAS total	no education	55	0.378	0.320	0.185	0.0250
	education > 8 y	71	0.353	0.333	0.196	0.0232
Cognition	no education	55	0.376	0.250	0.240	0.0324
	education > 8 y	71	0.356	0.300	0.246	0.0292
Mobility	no education	55	0.372	0.300	0.257	0.0347
	education > 8 y	71	0.332	0.300	0.268	0.0318
Self-care	no education	55	0.303	0.200	0.234	0.0316
	education > 8 y	71	0.237	0.200	0.210	0.0249
Getting along	no education	55	0.336	0.200	0.244	0.0329
	education > 8 y	71	0.350	0.300	0.249	0.0295

Group Descriptives

	Group	N	Mean	Median	SD	SE
Life activities	no education	55	0.415	0.400	0.257	0.0346
	education > 8 y	71	0.392	0.400	0.273	0.0323
Participation	no education	55	0.464	0.438	0.234	0.0316
	education > 8 y	71	0.450	0.406	0.218	0.0259

**Table C4.** Group comparison – Marital status

		Statistic	p	Mean difference	SE difference	Effect Size
Total Side Effects	Mann-Whitney U	1214	0.039	-3.00004		Rank biserial correlation 0.2377
Psychological Side Effects	Mann-Whitney U	1308	0.119	-1.00003		Rank biserial correlation 0.1790
Neurological Side Effects	Mann-Whitney U	1383	0.239	-1.87e-5		Rank biserial correlation 0.1316
Autonomic Side Effects	Mann-Whitney U	1373	0.229	-0.99997		Rank biserial correlation 0.1378
Other side effects	Mann-Whitney U	1160	0.018	-1.00006		Rank biserial correlation 0.2719
Sexual Side Effects	Mann-Whitney U	1210	0.029	-0.99995		Rank biserial correlation 0.2405
WHODAS total	Mann-Whitney U	1445	0.423	-0.03295		Rank biserial correlation 0.0926
Cognition	Mann-Whitney U	1437	0.393	-0.00826		Rank biserial correlation 0.0980
Mobility	Mann-Whitney U	1519	0.686	-3.75e-5		Rank biserial correlation 0.0465
Self-care	Mann-Whitney U	1146	0.012	-0.09994		Rank biserial correlation 0.2807
Getting along	Mann-Whitney U	1548	0.805	4.32e-5		Rank biserial correlation 0.0283
Life activities	Mann-Whitney U	1506	0.637	-8.03e-6		Rank biserial correlation 0.0543
Participation	Mann-Whitney U	1507	0.642	-7.68e-5		Rank biserial correlation 0.0537

Note.  $H_a \mu_{\text{maiden/divorced/widowed}} \neq \mu_{\text{married}}$

Group Descriptives

	Group	N	Mean	Median	SD	SE
Total Side Effects	maiden/divorced/widowed	91	13.549	12.000	8.391	0.8796
	married	35	17.457	15.000	9.820	1.6599
Psychological Side Effects	maiden/divorced/widowed	91	4.714	4.000	4.448	0.4663

Group Descriptives

	<b>Group</b>	<b>N</b>	<b>Mean</b>	<b>Median</b>	<b>SD</b>	<b>SE</b>
	married	35	5.829	5.000	4.369	0.7385
Neurological Side Effects	maiden/divorced/widowed	91	1.473	1.000	1.615	0.1693
	married	35	1.971	2.000	1.963	0.3318
Autonomic Side Effects	maiden/divorced/widowed	91	3.615	3.000	2.632	0.2759
	married	35	4.514	4.000	3.551	0.6002
Other side effects	maiden/divorced/widowed	91	3.462	3.000	2.899	0.3039
	married	35	4.886	4.000	3.252	0.5497
Sexual Side Effects	maiden/divorced/widowed	91	1.890	1.000	2.964	0.3108
	married	35	2.857	2.000	3.098	0.5236
WHODAS total	maiden/divorced/widowed	91	0.354	0.317	0.183	0.0192
	married	35	0.391	0.359	0.209	0.0354
Cognition	maiden/divorced/widowed	91	0.354	0.300	0.243	0.0255
	married	35	0.392	0.300	0.243	0.0411
Mobility	maiden/divorced/widowed	91	0.345	0.250	0.264	0.0276
	married	35	0.361	0.300	0.264	0.0446
Self-care	maiden/divorced/widowed	91	0.233	0.200	0.205	0.0215
	married	35	0.350	0.250	0.245	0.0414
Getting along	maiden/divorced/widowed	91	0.348	0.300	0.246	0.0258
	married	35	0.331	0.300	0.247	0.0418
Life activities	maiden/divorced/widowed	91	0.393	0.400	0.256	0.0268
	married	35	0.427	0.400	0.291	0.0491
Participation	maiden/divorced/widowed	91	0.447	0.406	0.210	0.0220
	married	35	0.478	0.500	0.261	0.0441

**Table C5.** Group comparison – Parental status

		<b>Statistic</b>	<b>p</b>	<b>Mean difference</b>	<b>SE difference</b>	<b>Effect Size</b>
Total Side Effects	Mann-Whitney U	1674	0.235	-2.0000		Rank biserial correlation 0.1250
Psychological Side Effects	Mann-Whitney U	1757	0.437	-1.90e-5		Rank biserial correlation 0.0816
Neurological Side Effects	Mann-Whitney U	1528	0.048	-2.62e-5		Rank biserial correlation 0.2013
Autonomic Side Effects	Mann-Whitney U	1805	0.590	-2.34e-5		Rank biserial correlation 0.0565
Other side effects	Mann-Whitney U	1884	0.889	0.0000		Rank biserial correlation 0.0149
Sexual Side Effects	Mann-Whitney U	1890	0.907	7.09e-5		Rank biserial correlation 0.0120
WHODAS total	Mann-Whitney U	1603	0.124	-0.0500		Rank biserial correlation 0.1621

		<b>Statistic</b>	<b>p</b>	<b>Mean difference</b>	<b>SE difference</b>		<b>Effect Size</b>
Cognition	Mann-Whitney U	1730	0.362	-0.0249		Rank biserial correlation	0.0954
Mobility	Mann-Whitney U	1655	0.198	-0.0500		Rank biserial correlation	0.1346
Self-care	Mann-Whitney U	1538	0.054	-0.0125		Rank biserial correlation	0.1958
Getting along	Mann-Whitney U	1874	0.848	-5.15e-5		Rank biserial correlation	0.0201
Life activities	Mann-Whitney U	1520	0.050	-0.1000		Rank biserial correlation	0.2052
Participation	Mann-Whitney U	1708	0.309	-0.0375		Rank biserial correlation	0.1069

Note.  $H_a \mu_{\text{without children}} \neq \mu_{\text{with children}}$

#### Group Descriptives

	<b>Group</b>	<b>N</b>	<b>Mean</b>	<b>Median</b>	<b>SD</b>	<b>SE</b>
Total Side Effects	without children	75	13.827	12.000	8.319	0.9606
	with children	51	15.824	14.000	9.756	1.3662
Psychological Side Effects	without children	75	4.613	4.000	4.040	0.4665
	with children	51	5.627	5.000	4.944	0.6922
Neurological Side Effects	without children	75	1.293	1.000	1.422	0.1642
	with children	51	2.078	2.000	2.018	0.2826
Autonomic Side Effects	without children	75	3.707	3.000	2.690	0.3106
	with children	51	4.098	4.000	3.263	0.4570
Other side effects	without children	75	3.853	3.000	2.949	0.3405
	with children	51	3.863	3.000	3.237	0.4533
Sexual Side Effects	without children	75	2.213	1.000	3.164	0.3653
	with children	51	2.078	1.000	2.827	0.3959
WHODAS total	without children	75	0.339	0.317	0.176	0.0203
	with children	51	0.401	0.367	0.207	0.0290
Cognition	without children	75	0.338	0.300	0.218	0.0252
	with children	51	0.404	0.300	0.272	0.0381
Mobility	without children	75	0.324	0.250	0.261	0.0301
	with children	51	0.387	0.300	0.264	0.0370
Self-care	without children	75	0.231	0.200	0.202	0.0233
	with children	51	0.317	0.200	0.242	0.0339
Getting along	without children	75	0.333	0.300	0.225	0.0260
	with children	51	0.360	0.300	0.275	0.0385
Life activities	without children	75	0.364	0.344	0.252	0.0291
	with children	51	0.458	0.500	0.275	0.0386
Participation	without children	75	0.437	0.400	0.207	0.0239
	with children	51	0.484	0.500	0.248	0.0347



## Group Descriptives

	Group	N	Mean	Median	SD	SE
--	-------	---	------	--------	----	----

**Table C6.** Group comparison – Occupational status

		Statistic	p	Mean difference	SE difference	Effect Size
Total Side Effects	Mann-Whitney U	1465	0.586	0.9999		Rank biserial correlation 0.0636
Psychological Side Effects	Mann-Whitney U	1462	0.575	5.49e-5		Rank biserial correlation 0.0652
Neurological Side Effects	Mann-Whitney U	1202	0.040	8.35e-5		Rank biserial correlation 0.2315
Autonomic Side Effects	Mann-Whitney U	1460	0.566	1.39e-5		Rank biserial correlation 0.0665
Other side effects	Mann-Whitney U	1387	0.329	-0.9999		Rank biserial correlation 0.1132
Sexual Side Effects	Mann-Whitney U	1456	0.537	3.76e-5		Rank biserial correlation 0.0691
WHODAS total	Mann-Whitney U	1196	0.043	0.0670		Rank biserial correlation 0.2356
Cognition	Mann-Whitney U	1540	0.896	4.22e-5		Rank biserial correlation 0.0153
Mobility	Mann-Whitney U	1146	0.021	0.1000		Rank biserial correlation 0.2673
Self-care	Mann-Whitney U	1456	0.538	4.76e-5		Rank biserial correlation 0.0694
Getting along	Mann-Whitney U	1250	0.079	0.0999		Rank biserial correlation 0.2011
Life activities	Mann-Whitney U	1312	0.164	0.0625		Rank biserial correlation 0.1611
Participation	Mann-Whitney U	1387	0.330	0.0313		Rank biserial correlation 0.1132

Note.  $H_a \mu_{unemployed} \neq \mu_{employed}$

## Group Descriptives

	Group	N	Mean	Median	SD	SE
Total Side Effects	unemployed	92	15.130	14.000	9.662	1.0073
	employed	34	13.294	12.500	6.567	1.1262
Psychological Side Effects	unemployed	92	5.163	4.000	4.478	0.4668
	employed	34	4.647	4.000	4.368	0.7492
Neurological Side Effects	unemployed	92	1.815	1.000	1.821	0.1899
	employed	34	1.059	1.000	1.301	0.2232
Autonomic Side Effects	unemployed	92	4.011	4.000	3.115	0.3248
	employed	34	3.471	4.000	2.351	0.4033

Group Descriptives

	<b>Group</b>	<b>N</b>	<b>Mean</b>	<b>Median</b>	<b>SD</b>	<b>SE</b>
Other side effects	unemployed	92	3.837	3.000	3.332	0.3474
	employed	34	3.912	4.000	2.179	0.3738
Sexual Side Effects	unemployed	92	2.337	1.000	3.198	0.3334
	employed	34	1.676	1.000	2.458	0.4216
WHODAS total	unemployed	92	0.382	0.365	0.187	0.0195
	employed	34	0.316	0.277	0.195	0.0334
Cognition	unemployed	92	0.366	0.300	0.234	0.0244
	employed	34	0.362	0.300	0.268	0.0460
Mobility	unemployed	92	0.386	0.300	0.278	0.0290
	employed	34	0.251	0.200	0.187	0.0321
Self-care	unemployed	92	0.269	0.200	0.214	0.0223
	employed	34	0.258	0.200	0.245	0.0421
Getting along	unemployed	92	0.369	0.300	0.247	0.0258
	employed	34	0.276	0.200	0.232	0.0398
Life activities	unemployed	92	0.423	0.400	0.274	0.0286
	employed	34	0.347	0.356	0.232	0.0399
Participation	unemployed	92	0.467	0.469	0.228	0.0238
	employed	34	0.426	0.400	0.214	0.0367

**Table C7.** Group comparison – Diagnosis

		<b>Statistic</b>	<b>P</b>	<b>Mean difference</b>	<b>SE difference</b>	<b>Effect Size</b>
Total Side Effects	Mann-Whitney U	1523	0.213	-2.0000		Rank biserial correlation 0.1366
Psychological Side Effects	Mann-Whitney U	1481	0.141	-1.0000		Rank biserial correlation 0.1607
Neurological Side Effects	Mann-Whitney U	1529	0.210	-4.69e-5		Rank biserial correlation 0.1332
Autonomic Side Effects	Mann-Whitney U	1557	0.281	-1.0000		Rank biserial correlation 0.1173
Other side effects	Mann-Whitney U	1709	0.776	-1.86e-6		Rank biserial correlation 0.0312
Sexual Side Effects	Mann-Whitney U	1638	0.497	-2.88e-5		Rank biserial correlation 0.0714
WHODAS total	Mann-Whitney U	1214	0.004	-0.1000		Rank biserial correlation 0.3121
Cognition	Mann-Whitney U	1477	0.135	-0.0583		Rank biserial correlation 0.1627
Mobility	Mann-Whitney U	1308	0.017	-0.1000		Rank biserial correlation 0.2588
Self-care	Mann-Whitney U	1506	0.167	-1.09e-5		Rank biserial correlation 0.1463

		<b>Statistic</b>	<b>p</b>	<b>Mean difference</b>	<b>SE difference</b>	<b>Effect Size</b>
Getting along	Mann-Whitney U	1565	0.295	-8.33e-5		Rank biserial correlation 0.1131
Life activities	Mann-Whitney U	1261	0.009	-0.1626		Rank biserial correlation 0.2854
Participation	Mann-Whitney U	1251	0.008	-0.1000		Rank biserial correlation 0.2911

Note.  $H_a \mu$  schizophrenia spectrum disorder  $\neq \mu$  bipolar disorder

#### Group Descriptives

	<b>Group</b>	<b>N</b>	<b>Mean</b>	<b>Median</b>	<b>SD</b>	<b>SE</b>
Total Side Effects	schizophrenia spectrum disorder	84	13.774	12.000	8.197	0.8944
	bipolar disorder	42	16.357	14.000	10.166	1.5687
Psychological Side Effects	schizophrenia spectrum disorder	84	4.619	4.000	4.222	0.4607
	bipolar disorder	42	5.833	5.000	4.788	0.7388
Neurological Side Effects	schizophrenia spectrum disorder	84	1.500	1.000	1.739	0.1897
	bipolar disorder	42	1.833	2.000	1.695	0.2616
Autonomic Side Effects	schizophrenia spectrum disorder	84	3.690	3.000	2.945	0.3213
	bipolar disorder	42	4.214	4.000	2.901	0.4476
Other side effects	schizophrenia spectrum disorder	84	3.667	3.000	2.743	0.2993
	bipolar disorder	42	4.238	3.000	3.608	0.5567
Sexual Side Effects	schizophrenia spectrum disorder	84	1.976	1.000	2.755	0.3006
	bipolar disorder	42	2.524	1.000	3.501	0.5402
WHODAS total	schizophrenia spectrum disorder	84	0.330	0.283	0.177	0.0193
	bipolar disorder	42	0.431	0.419	0.201	0.0311
Cognition	schizophrenia spectrum disorder	84	0.345	0.250	0.246	0.0269
	bipolar disorder	42	0.404	0.354	0.233	0.0360
Mobility	schizophrenia spectrum disorder	84	0.312	0.200	0.261	0.0285
	bipolar disorder	42	0.425	0.425	0.252	0.0389
Self-care	schizophrenia spectrum disorder	84	0.238	0.200	0.197	0.0215
	bipolar disorder	42	0.322	0.200	0.258	0.0399
Getting along	schizophrenia spectrum disorder	84	0.322	0.300	0.232	0.0253
	bipolar disorder	42	0.388	0.350	0.269	0.0415
Life activities	schizophrenia spectrum disorder	84	0.354	0.306	0.241	0.0263
	bipolar disorder	42	0.498	0.500	0.288	0.0444
Participation	schizophrenia spectrum disorder	84	0.419	0.400	0.215	0.0235
	bipolar disorder	42	0.531	0.500	0.227	0.0350

**Table C8.** Group comparison – antipsychotic administration

		<b>Statistic</b>	<b>p</b>	<b>Mean difference</b>	<b>SE difference</b>	<b>Effect Size</b>
Total Side Effects	Mann-Whitney U	1252	0.002	4.0000		Rank biserial correlation 0.3315
Psychological Side Effects	Mann-Whitney U	1387	0.014	1.0000		Rank biserial correlation 0.2591
Neurological Side Effects	Mann-Whitney U	1599	0.157	8.66e-6		Rank biserial correlation 0.1458
Autonomic Side Effects	Mann-Whitney U	1349	0.008	1.0001		Rank biserial correlation 0.2794
Other side effects	Mann-Whitney U	1303	0.004	1.0000		Rank biserial correlation 0.3040
Sexual Side Effects	Mann-Whitney U	1363	0.008	0.9999		Rank biserial correlation 0.2719
WHODAS total	Mann-Whitney U	1664	0.296	0.0390		Rank biserial correlation 0.1114
Cognition	Mann-Whitney U	1719	0.438	9.58e-6		Rank biserial correlation 0.0820
Mobility	Mann-Whitney U	1754	0.550	1.07e-6		Rank biserial correlation 0.0633
Self-care	Mann-Whitney U	1736	0.480	3.61e-5		Rank biserial correlation 0.0726
Getting along	Mann-Whitney U	1793	0.686	5.17e-5		Rank biserial correlation 0.0425
Life activities	Mann-Whitney U	1530	0.083	0.1000		Rank biserial correlation 0.1830
Participation	Mann-Whitney U	1567	0.125	0.0750		Rank biserial correlation 0.1629

Note.  $H_a \mu_{oral} \neq \mu_{LAI}$

#### Group Descriptives

	<b>Group</b>	<b>N</b>	<b>Mean</b>	<b>Median</b>	<b>SD</b>	<b>SE</b>
Total Side Effects	oral	78	16.436	14.500	9.176	1.0390
	LAI	48	11.708	10.000	7.792	1.1247
Psychological Side Effects	oral	78	5.564	5.000	4.335	0.4909
	LAI	48	4.146	3.000	4.505	0.6503
Neurological Side Effects	oral	78	1.782	1.000	1.799	0.2037
	LAI	48	1.333	1.000	1.576	0.2274
Autonomic Side Effects	oral	78	4.397	4.000	3.042	0.3445
	LAI	48	3.000	2.000	2.535	0.3659
Other side effects	oral	78	4.410	4.000	3.085	0.3493
	LAI	48	2.958	2.500	2.813	0.4060
Sexual Side Effects	oral	78	2.487	1.000	3.145	0.3561
	LAI	48	1.625	0.000	2.757	0.3979
WHODAS total	oral	78	0.378	0.333	0.179	0.0203
	LAI	48	0.342	0.308	0.208	0.0300
Cognition	oral	78	0.379	0.300	0.237	0.0269

Group Descriptives

	Group	N	Mean	Median	SD	SE
Mobility	LAI	48	0.342	0.300	0.252	0.0364
	oral	78	0.355	0.300	0.247	0.0280
Self-care	LAI	48	0.342	0.250	0.289	0.0417
	oral	78	0.278	0.200	0.219	0.0248
Getting along	LAI	48	0.247	0.200	0.228	0.0329
	oral	78	0.346	0.300	0.228	0.0259
Life activities	LAI	48	0.340	0.300	0.274	0.0396
	oral	78	0.433	0.400	0.246	0.0279
Participation	LAI	48	0.352	0.300	0.289	0.0417
	oral	78	0.478	0.453	0.213	0.0242
	LAI	48	0.420	0.400	0.240	0.0346

**Table D.** Orals vs LAIs comparison in specific side effects

Independent Samples T-Test

		Statistic	p	Mean difference	SE difference	Effect Size
UKU_1.1	Mann-Whitney U	1690	0.308	6.95e-5		Rank biserial correlation 0.09749
UKU_1.2	Mann-Whitney U	1667	0.266	7.94e-5		Rank biserial correlation 0.10951
UKU_1.3	Mann-Whitney U	1764	0.495	4.28e-5		Rank biserial correlation 0.05769
UKU_1.4	Mann-Whitney U	1835	0.830	2.31e-5		Rank biserial correlation 0.01976
UKU_1.5	Mann-Whitney U	1656	0.206	8.57e-5		Rank biserial correlation 0.11565
UKU_1.6	Mann-Whitney U	1408	0.012	3.34e-5		Rank biserial correlation 0.24786
UKU_1.7	Mann-Whitney U	1736	0.341	2.27e-5		Rank biserial correlation 0.07292
UKU_1.8	Mann-Whitney U	1565	0.029	5.08e-5		Rank biserial correlation 0.16400
UKU_1.9	Mann-Whitney U	1869	0.982	-8.83e-6		Rank biserial correlation 0.00187
UKU_1.10	Mann-Whitney U	1813	0.697	-2.82e-5		Rank biserial correlation 0.03178
UKU_2.1	Mann-Whitney U	1836	0.743	-6.38e-5		Rank biserial correlation 0.01923
UKU_2.2	Mann-Whitney U	1826	0.738	-5.40e-5		Rank biserial correlation 0.02457
UKU_2.3	Mann-Whitney U	1775	0.536	4.37e-5		Rank biserial correlation 0.05182

## Independent Samples T-Test

		<b>Statistic</b>	<b>p</b>	<b>Mean difference</b>	<b>SE difference</b>		<b>Effect Size</b>
UKU_2.4	Mann-Whitney U	1868	0.962	2.04e-5		Rank biserial correlation	0.00240
UKU_2.5	Mann-Whitney U	1785	0.579	7.99e-6		Rank biserial correlation	0.04647
UKU_2.6	Mann-Whitney U	1820	0.670	4.06e-5		Rank biserial correlation	0.02778
UKU_2.7	Mann-Whitney U	1800	0.174	0.00		Rank biserial correlation	0.03846
UKU_2.8	Mann-Whitney U	1590	0.055	5.87e-5		Rank biserial correlation	0.15091
UKU_3.1	Mann-Whitney U	1709	0.224	1.13e-5		Rank biserial correlation	0.08707
UKU_3.2	Mann-Whitney U	1768	0.473	-1.53e-6		Rank biserial correlation	0.05556
UKU_3.3	Mann-Whitney U	1546	0.054	3.98e-5		Rank biserial correlation	0.17415
UKU_3.4	Mann-Whitney U	1618	0.058	3.40e-5		Rank biserial correlation	0.13595
UKU_3.5	Mann-Whitney U	1840	0.817	-3.32e-5		Rank biserial correlation	0.01736
UKU_3.6	Mann-Whitney U	1493	0.014	1.12e-5		Rank biserial correlation	0.20246
UKU_3.7	Mann-Whitney U	1732	0.152	1.99e-5		Rank biserial correlation	0.07479
UKU_3.8.1	Mann-Whitney U	1688	0.283	6.06e-5		Rank biserial correlation	0.09856
UKU_3.8.2	Mann-Whitney U	1768	0.542	7.51e-7		Rank biserial correlation	0.05582
UKU_3.9	Mann-Whitney U	1833	0.769	-9.33e-7		Rank biserial correlation	0.02083
UKU_3.10	Mann-Whitney U	1839	0.831	-2.96e-5		Rank biserial correlation	0.01790
UKU_3.11	Mann-Whitney U	1606	0.069	4.00e-5		Rank biserial correlation	0.14209
UKU_4.1	Mann-Whitney U	1800	0.174	0.00		Rank biserial correlation	0.03846
UKU_4.2	Mann-Whitney U	1610	0.046	2.27e-5		Rank biserial correlation	0.14022
UKU_4.3	Mann-Whitney U	1829	0.591	2.64e-5		Rank biserial correlation	0.02297
UKU_4.4	Mann-Whitney U	1824	0.270	0.00		Rank biserial correlation	0.02564
UKU_4.5	Mann-Whitney U	1753	0.494	-8.50e-6		Rank biserial correlation	0.06384
UKU_4.6	Mann-Whitney U	1584	0.069	5.17e-5		Rank biserial correlation	0.15411
UKU_4.7	Mann-Whitney U	1827	0.573	9.46e-5		Rank biserial correlation	0.02404
UKU_4.8	Mann-Whitney U	1766	0.180	3.22e-5		Rank biserial correlation	0.05689
UKU_4.9	Mann-Whitney U	1824	0.270	0.00		Rank biserial correlation	0.02564
UKU_4.10.1	Mann-Whitney U	1752	0.076	0.00		Rank biserial correlation	0.06410
UKU_4.10.2	Mann-Whitney U	1799	0.457	2.79e-5		Rank biserial correlation	0.03900

Independent Samples T-Test

		<b>Statistic</b>	<b>p</b>	<b>Mean difference</b>	<b>SE difference</b>	<b>Effect Size</b>
UKU_4.11	Mann-Whitney U	1786	0.333	1.65e-5		Rank biserial correlation 0.04621
UKU_4.12	Mann-Whitney U	1580	0.088	2.98e-5		Rank biserial correlation 0.15598
UKU_4.13	Mann-Whitney U	1861	0.927	7.23e-5		Rank biserial correlation 0.00588
UKU_4.14	Mann-Whitney U	1848	0.839	-4.29e-6		Rank biserial correlation 0.01309
UKU_4.15	Mann-Whitney U	1768	0.474	6.43e-5		Rank biserial correlation 0.05556
UKU_4.16	Mann-Whitney U	1864	0.887	3.44e-5		Rank biserial correlation 0.00427
UKU_4.17	Mann-Whitney U	1728	0.374	1.91e-5		Rank biserial correlation 0.07692

Note.  $H_a \mu_{oral} \neq \mu_{LAI}$

Group Descriptives

	<b>Group</b>	<b>N</b>	<b>Mean</b>	<b>Median</b>	<b>SD</b>	<b>SE</b>
UKU_1.1	oral	78	0.7308	0.00	0.893	0.1011
	LAI	48	0.5625	0.00	0.823	0.1187
UKU_1.2	oral	78	0.8974	1.00	1.014	0.1148
	LAI	48	0.6667	0.00	0.859	0.1240
UKU_1.3	oral	78	0.4103	0.00	0.711	0.0804
	LAI	48	0.3333	0.00	0.663	0.0957
UKU_1.4	oral	78	0.5256	0.00	0.768	0.0870
	LAI	48	0.5000	0.00	0.772	0.1114
UKU_1.5	oral	78	0.5513	0.00	0.750	0.0849
	LAI	48	0.3958	0.00	0.676	0.0976
UKU_1.6	oral	78	0.9744	1.00	0.897	0.1016
	LAI	48	0.5833	0.00	0.739	0.1067
UKU_1.7	oral	78	0.4487	0.00	0.878	0.0994
	LAI	48	0.3333	0.00	0.834	0.1203
UKU_1.8	oral	78	0.4359	0.00	0.815	0.0923
	LAI	48	0.1667	0.00	0.519	0.0749
UKU_1.9	oral	78	0.2436	0.00	0.585	0.0663
	LAI	48	0.2083	0.00	0.459	0.0663
UKU_1.10	oral	78	0.3462	0.00	0.680	0.0770
	LAI	48	0.3958	0.00	0.707	0.1020
UKU_2.1	oral	78	0.1282	0.00	0.406	0.0460
	LAI	48	0.1250	0.00	0.334	0.0482
UKU_2.2	oral	78	0.2179	0.00	0.501	0.0567
	LAI	48	0.2292	0.00	0.472	0.0682

## Group Descriptives

	<b>Group</b>	<b>N</b>	<b>Mean</b>	<b>Median</b>	<b>SD</b>	<b>SE</b>
UKU_2.3	oral	78	0.3718	0.00	0.626	0.0709
	LAI	48	0.2917	0.00	0.544	0.0785
UKU_2.4	oral	78	0.0769	0.00	0.313	0.0354
	LAI	48	0.0625	0.00	0.245	0.0353
UKU_2.5	oral	78	0.3846	0.00	0.669	0.0757
	LAI	48	0.3125	0.00	0.589	0.0850
UKU_2.6	oral	78	0.2051	0.00	0.543	0.0615
	LAI	48	0.1667	0.00	0.476	0.0688
UKU_2.7	oral	78	0.0897	0.00	0.461	0.0522
	LAI	48	0.0000	0.00	0.000	0.0000
UKU_2.8	oral	78	0.3077	0.00	0.492	0.0557
	LAI	48	0.1458	0.00	0.357	0.0515
UKU_3.1	oral	78	0.2436	0.00	0.488	0.0553
	LAI	48	0.1667	0.00	0.476	0.0688
UKU_3.2	oral	78	0.2436	0.00	0.539	0.0610
	LAI	48	0.3750	0.00	0.761	0.1099
UKU_3.3	oral	78	0.5769	0.00	0.765	0.0866
	LAI	48	0.3333	0.00	0.630	0.0910
UKU_3.4	oral	78	0.3590	0.00	0.755	0.0855
	LAI	48	0.1042	0.00	0.309	0.0446
UKU_3.5	oral	78	0.2436	0.00	0.539	0.0610
	LAI	48	0.2708	0.00	0.574	0.0828
UKU_3.6	oral	78	0.4872	0.00	0.752	0.0851
	LAI	48	0.2083	0.00	0.582	0.0840
UKU_3.7	oral	78	0.1667	0.00	0.568	0.0643
	LAI	48	0.0417	0.00	0.202	0.0291
UKU_3.8.1	oral	78	0.6026	0.00	0.858	0.0971
	LAI	48	0.4167	0.00	0.679	0.0980
UKU_3.8.2	oral	78	0.5769	0.00	0.876	0.0991
	LAI	48	0.4167	0.00	0.613	0.0885
UKU_3.9	oral	78	0.1667	0.00	0.375	0.0425
	LAI	48	0.1875	0.00	0.394	0.0569
UKU_3.10	oral	78	0.3462	0.00	0.661	0.0749
	LAI	48	0.3125	0.00	0.512	0.0739
UKU_3.11	oral	78	0.3846	0.00	0.707	0.0800
	LAI	48	0.1667	0.00	0.429	0.0620
UKU_4.1	oral	78	0.0641	0.00	0.336	0.0380
	LAI	48	0.0000	0.00	0.000	0.0000
UKU_4.2	oral	78	0.2692	0.00	0.527	0.0596
	LAI	48	0.1458	0.00	0.545	0.0787
UKU_4.3	oral	78	0.0769	0.00	0.313	0.0354
	LAI	48	0.0417	0.00	0.202	0.0291
UKU_4.4	oral	78	0.0256	0.00	0.159	0.0180



Group Descriptives

	<b>Group</b>	<b>N</b>	<b>Mean</b>	<b>Median</b>	<b>SD</b>	<b>SE</b>
	LAI	48	0.0000	0.00	0.000	0.0000
UKU_4.5	oral	78	0.7436	0.00	1.145	0.1296
	LAI	48	0.7708	0.00	0.973	0.1404
UKU_4.6	oral	78	0.5769	0.00	0.905	0.1024
	LAI	48	0.3333	0.00	0.781	0.1127
UKU_4.7	oral	78	0.1026	0.00	0.414	0.0468
	LAI	48	0.0417	0.00	0.202	0.0291
UKU_4.8	oral	78	0.1923	0.00	0.704	0.0797
	LAI	48	0.0417	0.00	0.289	0.0417
UKU_4.9	oral	78	0.0769	0.00	0.477	0.0540
	LAI	48	0.0000	0.00	0.000	0.0000
UKU_4.10.1	oral	78	0.0641	0.00	0.247	0.0279
	LAI	48	0.0000	0.00	0.000	0.0000
UKU_4.10.2	oral	78	0.1282	0.00	0.406	0.0460
	LAI	48	0.1042	0.00	0.472	0.0682
UKU_4.11	oral	78	0.0897	0.00	0.288	0.0326
	LAI	48	0.0625	0.00	0.320	0.0462
UKU_4.12	oral	78	0.7821	0.00	1.077	0.1219
	LAI	48	0.4792	0.00	0.875	0.1263
UKU_4.13	oral	78	0.2564	0.00	0.763	0.0864
	LAI	48	0.2083	0.00	0.617	0.0891
UKU_4.14	oral	78	0.2821	0.00	0.804	0.0911
	LAI	48	0.2708	0.00	0.707	0.1020
UKU_4.15	oral	78	0.4615	0.00	0.907	0.1027
	LAI	48	0.3542	0.00	0.785	0.1133
UKU_4.16	oral	78	0.0513	0.00	0.318	0.0360
	LAI	48	0.0625	0.00	0.433	0.0625
UKU_4.17	oral	78	0.4487	0.00	0.714	0.0809
	LAI	48	0.3125	0.00	0.552	0.0797

**Table E.** Dwass-Steel-Critchlow-Fligner pairwise comparisons

Pairwise comparisons – UKU Total score

		<b>W</b>	<b>p</b>
muscarinic	adrenergic	-3.797	0.102
muscarinic	serotonergic/dopaminergic	-1.288	0.971
muscarinic	dopaminergic	-2.226	0.699
muscarinic	LAI muscarinic	-4.132	0.054
muscarinic	LAI adrenergic	-2.919	0.375
muscarinic	LAI serotonergic/dopaminergic	-2.848	0.406
adrenergic	serotonergic/dopaminergic	2.092	0.758
adrenergic	dopaminergic	-1.520	0.936
adrenergic	LAI muscarinic	-1.785	0.869
adrenergic	LAI adrenergic	-1.315	0.968
adrenergic	LAI serotonergic/dopaminergic	0.165	1.000
serotonergic/dopaminergic	dopaminergic	-1.944	0.816
serotonergic/dopaminergic	LAI muscarinic	-2.941	0.365
serotonergic/dopaminergic	LAI adrenergic	-2.288	0.671
serotonergic/dopaminergic	LAI serotonergic/dopaminergic	-1.594	0.920
dopaminergic	LAI muscarinic	1.234	0.977
dopaminergic	LAI adrenergic	1.070	0.989
dopaminergic	LAI serotonergic/dopaminergic	1.798	0.865
LAI muscarinic	LAI adrenergic	0.221	1.000
LAI muscarinic	LAI serotonergic/dopaminergic	1.507	0.938
LAI adrenergic	LAI serotonergic/dopaminergic	1.383	0.959

Pairwise comparisons - Psychological Side Effects

		<b>W</b>	<b>p</b>
muscarinic	adrenergic	-2.298	0.666
muscarinic	serotonergic/dopaminergic	-1.729	0.886
muscarinic	dopaminergic	-2.309	0.661
muscarinic	LAI muscarinic	-2.697	0.476
muscarinic	LAI adrenergic	-1.668	0.902
muscarinic	LAI serotonergic/dopaminergic	-2.906	0.380
adrenergic	serotonergic/dopaminergic	1.044	0.990
adrenergic	dopaminergic	-2.280	0.675
adrenergic	LAI muscarinic	-0.817	0.997
adrenergic	LAI adrenergic	-0.498	1.000
adrenergic	LAI serotonergic/dopaminergic	-0.498	1.000
serotonergic/dopaminergic	dopaminergic	-2.274	0.677
serotonergic/dopaminergic	LAI muscarinic	-1.661	0.904
serotonergic/dopaminergic	LAI adrenergic	-0.845	0.997

Pairwise comparisons - Psychological Side Effects

		W	p
serotonergic/dopaminergic	LAI serotonergic/dopaminergic	-1.427	0.952
dopaminergic	LAI muscarinic	2.023	0.786
dopaminergic	LAI adrenergic	1.800	0.865
dopaminergic	LAI serotonergic/dopaminergic	2.184	0.718
LAI muscarinic	LAI adrenergic	-0.167	1.000
LAI muscarinic	LAI serotonergic/dopaminergic	0.438	1.000
LAI adrenergic	LAI serotonergic/dopaminergic	0.214	1.000

Pairwise comparisons - Neurological Side Effects

		W	p
muscarinic	adrenergic	-1.2332	0.977
muscarinic	serotonergic/dopaminergic	-0.7499	0.998
muscarinic	dopaminergic	0.3130	1.000
muscarinic	LAI muscarinic	-0.8496	0.997
muscarinic	LAI adrenergic	-0.3874	1.000
muscarinic	LAI serotonergic/dopaminergic	-1.8820	0.838
adrenergic	serotonergic/dopaminergic	0.3626	1.000
adrenergic	dopaminergic	0.9752	0.993
adrenergic	LAI muscarinic	0.4083	1.000
adrenergic	LAI adrenergic	0.4391	1.000
adrenergic	LAI serotonergic/dopaminergic	-0.8503	0.997
serotonergic/dopaminergic	dopaminergic	0.5289	1.000
serotonergic/dopaminergic	LAI muscarinic	-0.1094	1.000
serotonergic/dopaminergic	LAI adrenergic	0.0394	1.000
serotonergic/dopaminergic	LAI serotonergic/dopaminergic	-1.0112	0.992
dopaminergic	LAI muscarinic	-0.6410	0.999
dopaminergic	LAI adrenergic	-0.7410	0.999
dopaminergic	LAI serotonergic/dopaminergic	-1.2002	0.980
LAI muscarinic	LAI adrenergic	0.0000	1.000
LAI muscarinic	LAI serotonergic/dopaminergic	-1.0556	0.990
LAI adrenergic	LAI serotonergic/dopaminergic	-0.9715	0.993

## Pairwise comparisons - Autonomic Side Effects

		W	p
muscarinic	adrenergic	-2.644	0.501
muscarinic	serotonergic/dopaminergic	-2.156	0.730
muscarinic	dopaminergic	-1.544	0.931
muscarinic	LAI muscarinic	-4.247	0.043
muscarinic	LAI adrenergic	-2.696	0.476
muscarinic	LAI serotonergic/dopaminergic	-2.675	0.486
adrenergic	serotonergic/dopaminergic	0.693	0.999
adrenergic	dopaminergic	-1.052	0.990
adrenergic	LAI muscarinic	-2.488	0.576
adrenergic	LAI adrenergic	-1.640	0.909
adrenergic	LAI serotonergic/dopaminergic	-0.208	1.000
serotonergic/dopaminergic	dopaminergic	-1.347	0.964
serotonergic/dopaminergic	LAI muscarinic	-2.969	0.353
serotonergic/dopaminergic	LAI adrenergic	-1.925	0.823
serotonergic/dopaminergic	LAI serotonergic/dopaminergic	-0.783	0.998
dopaminergic	LAI muscarinic	0.000	1.000
dopaminergic	LAI adrenergic	-0.720	0.999
dopaminergic	LAI serotonergic/dopaminergic	0.859	0.997
LAI muscarinic	LAI adrenergic	-0.449	1.000
LAI muscarinic	LAI serotonergic/dopaminergic	2.064	0.769
LAI adrenergic	LAI serotonergic/dopaminergic	1.393	0.957

## Pairwise comparisons - Other side effects

		W	p
muscarinic	adrenergic	-2.009	0.791
muscarinic	serotonergic/dopaminergic	-0.199	1.000
muscarinic	dopaminergic	-1.311	0.968
muscarinic	LAI muscarinic	-3.021	0.331
muscarinic	LAI adrenergic	-2.735	0.458
muscarinic	LAI serotonergic/dopaminergic	-1.162	0.983
adrenergic	serotonergic/dopaminergic	1.903	0.830
adrenergic	dopaminergic	-1.057	0.990
adrenergic	LAI muscarinic	-2.826	0.416
adrenergic	LAI adrenergic	-2.119	0.746
adrenergic	LAI serotonergic/dopaminergic	0.610	1.000
serotonergic/dopaminergic	dopaminergic	-1.344	0.964
serotonergic/dopaminergic	LAI muscarinic	-3.558	0.154
serotonergic/dopaminergic	LAI adrenergic	-3.235	0.250

Pairwise comparisons - Other side effects

		W	p
serotonergic/dopaminergic	LAI serotonergic/dopaminergic	-0.999	0.992
dopaminergic	LAI muscarinic	-0.633	0.999
dopaminergic	LAI adrenergic	0.000	1.000
dopaminergic	LAI serotonergic/dopaminergic	1.046	0.990
LAI muscarinic	LAI adrenergic	-0.340	1.000
LAI muscarinic	LAI serotonergic/dopaminergic	2.430	0.604
LAI adrenergic	LAI serotonergic/dopaminergic	2.142	0.736

Pairwise comparisons - Sexual Side Effects

		W	p
muscarinic	adrenergic	-1.250	0.975
muscarinic	serotonergic/dopaminergic	0.760	0.998
muscarinic	dopaminergic	0.315	1.000
muscarinic	LAI muscarinic	-2.586	0.529
muscarinic	LAI adrenergic	-2.455	0.592
muscarinic	LAI serotonergic/dopaminergic	-0.718	0.999
adrenergic	serotonergic/dopaminergic	1.772	0.873
adrenergic	dopaminergic	1.175	0.982
adrenergic	LAI muscarinic	-1.941	0.817
adrenergic	LAI adrenergic	-1.900	0.832
adrenergic	LAI serotonergic/dopaminergic	0.288	1.000
serotonergic/dopaminergic	dopaminergic	0.208	1.000
serotonergic/dopaminergic	LAI muscarinic	-2.884	0.390
serotonergic/dopaminergic	LAI adrenergic	-2.635	0.505
serotonergic/dopaminergic	LAI serotonergic/dopaminergic	-1.199	0.980
dopaminergic	LAI muscarinic	-1.588	0.921
dopaminergic	LAI adrenergic	-1.972	0.805
dopaminergic	LAI serotonergic/dopaminergic	-0.505	1.000
LAI muscarinic	LAI adrenergic	-0.263	1.000
LAI muscarinic	LAI serotonergic/dopaminergic	1.340	0.965
LAI adrenergic	LAI serotonergic/dopaminergic	1.588	0.921

Pairwise comparisons - WHODAS Total score

		W	p
muscarinic	adrenergic	0.665	0.999
muscarinic	serotonergic/dopaminergic	0.408	1.000
muscarinic	dopaminergic	-2.224	0.700
muscarinic	LAI muscarinic	-1.807	0.863
muscarinic	LAI adrenergic	-1.516	0.936
muscarinic	LAI serotonergic/dopaminergic	-0.443	1.000
adrenergic	serotonergic/dopaminergic	-0.263	1.000
adrenergic	dopaminergic	-2.170	0.724
adrenergic	LAI muscarinic	-2.352	0.641
adrenergic	LAI adrenergic	-1.910	0.828
adrenergic	LAI serotonergic/dopaminergic	-0.851	0.997
serotonergic/dopaminergic	dopaminergic	-2.353	0.641
serotonergic/dopaminergic	LAI muscarinic	-2.431	0.603
serotonergic/dopaminergic	LAI adrenergic	-2.057	0.772
serotonergic/dopaminergic	LAI serotonergic/dopaminergic	-0.716	0.999
dopaminergic	LAI muscarinic	1.382	0.959
dopaminergic	LAI adrenergic	1.414	0.954
dopaminergic	LAI serotonergic/dopaminergic	1.793	0.867
LAI muscarinic	LAI adrenergic	-0.386	1.000
LAI muscarinic	LAI serotonergic/dopaminergic	1.404	0.956
LAI adrenergic	LAI serotonergic/dopaminergic	1.557	0.928

Pairwise comparisons – Cognition

		W	p
muscarinic	adrenergic	0.6122	1.000
muscarinic	serotonergic/dopaminergic	0.8771	0.996
muscarinic	dopaminergic	-2.0165	0.788
muscarinic	LAI muscarinic	-1.1847	0.981
muscarinic	LAI adrenergic	-1.0577	0.990
muscarinic	LAI serotonergic/dopaminergic	-0.7595	0.998
adrenergic	serotonergic/dopaminergic	0.0147	1.000
adrenergic	dopaminergic	-1.9950	0.797
adrenergic	LAI muscarinic	-1.4083	0.955
adrenergic	LAI adrenergic	-1.4919	0.941
adrenergic	LAI serotonergic/dopaminergic	-1.1814	0.981
serotonergic/dopaminergic	dopaminergic	-2.3760	0.630
serotonergic/dopaminergic	LAI muscarinic	-1.5729	0.925
serotonergic/dopaminergic	LAI adrenergic	-1.4567	0.947

Pairwise comparisons – Cognition

		W	p
serotonergic/dopaminergic	LAI serotonergic/dopaminergic	-1.5142	0.937
dopaminergic	LAI muscarinic	0.7727	0.998
dopaminergic	LAI adrenergic	0.7201	0.999
dopaminergic	LAI serotonergic/dopaminergic	2.0240	0.785
LAI muscarinic	LAI adrenergic	-0.6664	0.999
LAI muscarinic	LAI serotonergic/dopaminergic	0.6384	0.999
LAI adrenergic	LAI serotonergic/dopaminergic	0.5733	1.000

Pairwise comparisons - Mobility

		W	p
muscarinic	adrenergic	0.703	0.999
muscarinic	serotonergic/dopaminergic	-0.251	1.000
muscarinic	dopaminergic	-1.232	0.977
muscarinic	LAI muscarinic	-1.401	0.956
muscarinic	LAI adrenergic	-1.375	0.960
muscarinic	LAI serotonergic/dopaminergic	-0.494	1.000
adrenergic	serotonergic/dopaminergic	-1.492	0.941
adrenergic	dopaminergic	-1.611	0.916
adrenergic	LAI muscarinic	-1.749	0.880
adrenergic	LAI adrenergic	-1.705	0.892
adrenergic	LAI serotonergic/dopaminergic	-1.481	0.943
serotonergic/dopaminergic	dopaminergic	-2.000	0.795
serotonergic/dopaminergic	LAI muscarinic	-1.442	0.950
serotonergic/dopaminergic	LAI adrenergic	-1.318	0.968
serotonergic/dopaminergic	LAI serotonergic/dopaminergic	0.000	1.000
dopaminergic	LAI muscarinic	0.621	0.999
dopaminergic	LAI adrenergic	0.360	1.000
dopaminergic	LAI serotonergic/dopaminergic	1.625	0.913
LAI muscarinic	LAI adrenergic	-0.167	1.000
LAI muscarinic	LAI serotonergic/dopaminergic	1.082	0.988
LAI adrenergic	LAI serotonergic/dopaminergic	1.037	0.991

Pairwise comparisons – Self-care

		W	p
muscarinic	adrenergic	0.508	1.000
muscarinic	serotonergic/dopaminergic	1.839	0.852
muscarinic	dopaminergic	-2.245	0.691
muscarinic	LAI muscarinic	-0.546	1.000
muscarinic	LAI adrenergic	-1.865	0.844
muscarinic	LAI serotonergic/dopaminergic	0.359	1.000
adrenergic	serotonergic/dopaminergic	0.657	0.999
adrenergic	dopaminergic	-2.030	0.783
adrenergic	LAI muscarinic	-0.887	0.996
adrenergic	LAI adrenergic	-1.914	0.827
adrenergic	LAI serotonergic/dopaminergic	-0.259	1.000
serotonergic/dopaminergic	dopaminergic	-2.409	0.614
serotonergic/dopaminergic	LAI muscarinic	-1.334	0.966
serotonergic/dopaminergic	LAI adrenergic	-2.141	0.737
serotonergic/dopaminergic	LAI serotonergic/dopaminergic	-1.229	0.977
dopaminergic	LAI muscarinic	1.580	0.923
dopaminergic	LAI adrenergic	0.882	0.996
dopaminergic	LAI serotonergic/dopaminergic	2.223	0.701
LAI muscarinic	LAI adrenergic	-1.033	0.991
LAI muscarinic	LAI serotonergic/dopaminergic	0.595	1.000
LAI adrenergic	LAI serotonergic/dopaminergic	1.812	0.861

Pairwise comparisons – Getting along

		W	p
muscarinic	adrenergic	0.8365	0.997
muscarinic	serotonergic/dopaminergic	1.0312	0.991
muscarinic	dopaminergic	-1.9701	0.806
muscarinic	LAI muscarinic	-2.0800	0.763
muscarinic	LAI adrenergic	-0.0297	1.000
muscarinic	LAI serotonergic/dopaminergic	1.1000	0.987
adrenergic	serotonergic/dopaminergic	0.0149	1.000
adrenergic	dopaminergic	-1.8212	0.858
adrenergic	LAI muscarinic	-2.2260	0.699
adrenergic	LAI adrenergic	-0.3225	1.000
adrenergic	LAI serotonergic/dopaminergic	-0.0559	1.000
serotonergic/dopaminergic	dopaminergic	-2.1964	0.713
serotonergic/dopaminergic	LAI muscarinic	-2.5117	0.564
serotonergic/dopaminergic	LAI adrenergic	-0.3097	1.000



Pairwise comparisons – Getting along

		W	p
serotonergic/dopaminergic	LAI serotonergic/dopaminergic	0.1641	1.000
dopaminergic	LAI muscarinic	0.3128	1.000
dopaminergic	LAI adrenergic	0.7201	0.999
dopaminergic	LAI serotonergic/dopaminergic	1.8241	0.857
LAI muscarinic	LAI adrenergic	0.7307	0.999
LAI muscarinic	LAI serotonergic/dopaminergic	2.1464	0.735
LAI adrenergic	LAI serotonergic/dopaminergic	0.6095	1.000

Pairwise comparisons – Life activities

		W	p
muscarinic	adrenergic	0.776	0.998
muscarinic	serotonergic/dopaminergic	-0.163	1.000
muscarinic	dopaminergic	-2.392	0.622
muscarinic	LAI muscarinic	-1.483	0.943
muscarinic	LAI adrenergic	-1.698	0.894
muscarinic	LAI serotonergic/dopaminergic	-1.740	0.883
adrenergic	serotonergic/dopaminergic	-1.065	0.989
adrenergic	dopaminergic	-2.287	0.671
adrenergic	LAI muscarinic	-1.751	0.879
adrenergic	LAI adrenergic	-2.136	0.739
adrenergic	LAI serotonergic/dopaminergic	-2.466	0.587
serotonergic/dopaminergic	dopaminergic	-2.401	0.618
serotonergic/dopaminergic	LAI muscarinic	-1.175	0.982
serotonergic/dopaminergic	LAI adrenergic	-1.388	0.958
serotonergic/dopaminergic	LAI serotonergic/dopaminergic	-1.438	0.950
dopaminergic	LAI muscarinic	1.576	0.924
dopaminergic	LAI adrenergic	1.482	0.943
dopaminergic	LAI serotonergic/dopaminergic	2.002	0.794
LAI muscarinic	LAI adrenergic	-0.225	1.000
LAI muscarinic	LAI serotonergic/dopaminergic	0.220	1.000
LAI adrenergic	LAI serotonergic/dopaminergic	0.713	0.999

Pairwise comparisons – Participation in society

		W	p
muscarinic	adrenergic	-0.1992	1.000
muscarinic	serotonergic/dopaminergic	0.7962	0.998
muscarinic	dopaminergic	-1.3083	0.969
muscarinic	LAI muscarinic	-1.9951	0.797
muscarinic	LAI adrenergic	-2.0463	0.776
muscarinic	LAI serotonergic/dopaminergic	-0.0585	1.000
adrenergic	serotonergic/dopaminergic	0.7052	0.999
adrenergic	dopaminergic	-1.6158	0.915
adrenergic	LAI muscarinic	-2.5388	0.551
adrenergic	LAI adrenergic	-1.9542	0.812
adrenergic	LAI serotonergic/dopaminergic	0.0276	1.000
serotonergic/dopaminergic	dopaminergic	-1.9676	0.807
serotonergic/dopaminergic	LAI muscarinic	-2.7614	0.446
serotonergic/dopaminergic	LAI adrenergic	-2.4942	0.573
serotonergic/dopaminergic	LAI serotonergic/dopaminergic	-0.6900	0.999
dopaminergic	LAI muscarinic	-0.4609	1.000
dopaminergic	LAI adrenergic	0.0000	1.000
dopaminergic	LAI serotonergic/dopaminergic	1.2307	0.977
LAI muscarinic	LAI adrenergic	-0.3868	1.000
LAI muscarinic	LAI serotonergic/dopaminergic	2.0404	0.779
LAI adrenergic	LAI serotonergic/dopaminergic	2.0915	0.758