



Raw data for Figure 2b-c


Input
IB:NUMB




IP:ABCG2-FLAG
IB:NUMB




Input
IB:ABCG2-GFP



IP:NUMB-FLAG
IB:ABCG2-GFP



Input
IB:ABCG2-FLAG




IP:ABCG2-FLAG
IB:ABCG2-FLAG



Input
IB:NUMB-FLAG



IP:NUMB-FLAG
IB:NUMB-FLAG



Input
IB:β-ACTIN




Input
IB:β-ACTIN

IP with FLAG antibody in HEK293 cells transfected with empty vector (negative control 1) and those transfected with ABCG2-FLAG plasmid (2)

IP with FLAG antibody in HEK293 cells co-transfected with empty vector and ABCG2-GFP plasmid (negative control 1) and those co-transfected with NUMB-FLAG and ABCG2-GFP plasmids (2)

Raw data for Figure 3e



1: Vector 2: KO * and # indicate distinct samples



Raw data for Figure 4a

Exp-1




Exp-2

Exp-3



NUMB-FLAG



GFP




β -ACTIN




1: NUMB^{WT} 2: NUMB^{R630H}

Raw data for Figure 4 f




Raw data for Figure 4g



1: NUMB^{WT} 2: NUMB^{R630H}

Raw data for Figure 4 n



Raw data for Extended data Figure 3b

