

Supplementary Table 2: Inclusion and Exclusion Criteria

Inclusion Criteria	Exclusion Criteria
<p>1. Study evaluates a behavioral or lifestyle intervention with the goal of weight management or weight prevention.</p> <ul style="list-style-type: none">• If the study evaluates prevention of diabetes mellitus 2, NAFLD, or another chronic disease, it must also include a measure of weight outcomes. <p>2. Outcomes evaluate effectiveness of weight management and/or tailoring of intervention.</p> <p>3. Study population includes Hispanic adult (>18 year old) males living in the United States.</p> <ul style="list-style-type: none">• Studies including both men and women have separate data pools organized by participant's sex.• Studies including both adult men and participants younger than 18 years of age have separate data pools organized by age.• Populations with prediabetes or metabolic syndrome may be included as these terms designate only risk for disease.	<p>1. Study includes the use of pharmacologic or surgical intervention without a comparator group undergoing behavioral or lifestyle intervention.</p> <p>2. Study includes intervention to specifically manage diabetes mellitus 2 and not weight, such as medication management or adherence.</p> <p>3. Study is conducted on a special subset of the target population (e.g. only individuals with an existing health condition such as diabetes mellitus 2, cancer, or NAFLD)</p> <p>4. Study is published in a language other than English.</p> <p>5. Study results were presented in a conference abstract, textbook chapter, or unpublished manuscript.</p>