

Table S4. VFQ-25 Questionnaire Scores at Month 24

	Lower BCVA subgroup (n=170)	Higher BCVA subgroup (n=31)	Overall (N=201)
Overall composite score			
n	118	23	141
Mean (SD)	56.7 (17.0)	72.5 (14.4)	59.3 (17.5)
n	116	23	139
Change from baseline, mean (SD)	-2.8 (9.7)	-0.6 (7.6)	-2.4 (9.4)
General health			
n	118	23	141
Mean (SD)	65.3 (22.7)	68.5 (21.6)	65.8 (22.4)
n	116	23	139
Change from baseline, mean (SD)	-2.4 (25.1)	-5.4 (22.6)	-2.9 (24.7)
General vision			
n	118	23	141
Mean (SD)	49.8 (19.0)	66.1 (16.4)	52.5 (19.5)
n	116	23	139
Change from baseline, mean (SD)	-3.4 (16.7)	0.9 (15.4)	-2.7 (16.5)
Ocular pain			
n	118	23	141
Mean (SD)	86.7 (16.7)	92.9 (14.5)	87.7 (16.5)
n	116	23	139
Change from baseline, mean (SD)	-0.9 (17.5)	-2.2 (11.7)	-1.1 (16.7)
Near activities			
n	118	23	141
Mean (SD)	52.8 (23.9)	78.6 (13.3)	57.0 (24.5)
n	116	23	139
Change from baseline, mean (SD)	-6.8 (15.9)	-0.4 (12.4)	-5.7 (15.5)
Distance activities			
n	118	23	141
Mean (SD)	48.7 (21.2)	69.9 (17.4)	52.1 (22.1)
n	116	23	139
Change from baseline, mean (SD)	-3.5 (15.2)	0.0 (11.5)	-2.9 (14.7)
Social functioning			
n	118	23	141
Mean (SD)	58.4 (22.1)	75.0 (16.9)	61.1 (22.2)

n	116	23	139
Change from baseline, mean (SD)	-3.6 (18.3)	-2.2 (16.3)	-3.3 (17.9)
Mental functioning			
n	118	23	141
Mean (SD)	52.5 (24.6)	67.4 (19.9)	54.9 (24.5)
n	116	23	139
Change from baseline, mean (SD)	2.0 (18.8)	2.7 (12.8)	2.1 (17.9)
Role difficulties			
n	118	23	141
Mean (SD)	56.4 (24.0)	69.6 (28.7)	58.5 (25.2)
n	116	23	139
Change from baseline, mean (SD)	0.1 (22.2)	-2.7 (13.6)	-0.4 (21.0)
Dependency			
n	118	23	141
Mean (SD)	59.5 (26.1)	77.2 (19.7)	62.4 (26.0)
n	116	23	139
Change from baseline, mean (SD)	-1.3 (18.9)	-2.5 (15.0)	-1.5 (18.3)
Driving			
n	63	13	76
Mean (SD)	22.3 (31.4)	54.5 (40.5)	27.8 (35.1)
n	52	12	64
Change from baseline, mean (SD)	-2.3 (17.3)	0.0 (10.1)	-1.9 (16.1)
Color vision			
n	117	23	140
Mean (SD)	74.4 (28.3)	89.1 (16.6)	76.8 (27.3)
n	114	23	137
Change from baseline, mean (SD)	-5.0 (21.9)	-3.3 (15.6)	-4.7 (20.9)
Peripheral vision			
n	117	23	140
Mean (SD)	45.3 (23.4)	51.1 (22.0)	46.3 (23.2)
n	114	23	137
Change from baseline, mean (SD)	-2.4 (20.0)	2.2 (16.7)	-1.6 (19.5)
VFQ-25 score threshold changes from baseline, n (%)			
n	116	23	139
≥5 score point increase	20 (17.2)	4 (17.4)	24 (17.3)

n	116	23	139
≥10 score point increase	8 (6.9)	2 (8.7)	10 (7.2)
n	116	23	139
≥15 score point increase	6 (5.2)	2 (8.7)	8 (5.8)
n	116	23	139
≥5 score point decrease	45 (38.8)	5 (21.7)	50 (36.0)
n	116	23	139
≥10 score point decrease	27 (23.3)	3 (13.0)	30 (21.6)
n	116	23	139
≥15 score point decrease	10 (8.6)	0 (0.0)	10 (7.2)

BCVA = best-corrected visual acuity; SD = standard deviation; VFQ-25 = 25-item Visual Function Questionnaire

Lower BCVA subgroup = 34–73 ETDRS letters

Higher BCVA subgroup = ≥74 ETDRS letters