

Supplementary Table 1: The association between dyslipidemia prevalence and its components with socioeconomic status using logistic regression

Variables	SES	Crude		Model I		Model II	
		OR	95% CI	OR	95% CI	OR	95% CI
Dyslipidemia	Poor	1	-	1	-	1	-
	Middle	0.95	0.86-1.06	1.08	0.96-1.20	0.92	0.81-1.03
	Rich	0.92	0.82-1.03	1.16*	1.03-1.31	0.91	0.80-1.04
Hypercholesterolemia	Poor	1	-	1	-	1	-
	Middle	0.69*	0.62-0.76	0.78*	0.70-0.87	0.74*	0.66-0.83
	Rich	0.62*	0.56-0.69	0.80*	0.71-0.90	0.75*	0.66-0.84
Hypertriglyceridemia	Poor	1	-	1	-	1	-
	Middle	1.04	0.94-1.16	1.00	0.89-1.11	0.87*	0.78-0.98
	Rich	1.16*	1.04-1.29	1.05	0.93-1.17	0.84*	0.74-0.95
Hyper-LDL	Poor	1	-	1	-	1	-
	Middle	0.75*	0.67-0.83	0.83*	0.75-0.93	0.80*	0.71-0.89
	Rich	0.66*	0.59-0.73	0.81*	0.72-0.92	0.76*	0.67-0.87
Hypo-HDL	Poor	1	-	1	-	1	-
	Middle	1.19*	1.08-1.31	1.31*	1.18-1.45	1.18*	1.06-1.30
	Rich	1.13*	1.03-1.25	1.39*	1.25-1.55	1.17*	1.04-1.31

Model I: Adjusted for sex and age; **Model II:** Adjusted for sex, age, BMI, WHR, physical activity, smoking status, alcohol consumption, and comorbidities; **SES:** Socioeconomic Status; **OR=Odds Ratio; CI=Confidence Interval**
* P<0.05