

Supporting Information

for Adv. Sci., DOI 10.1002/advs.202406398

Endothelial Foxo1 Phosphorylation Inhibition via Aptamer-Liposome Alleviates OPN-Induced Pathological Vascular Remodeling Following Spinal Cord Injury

Jiaqi Xu, Chaoran Shi, Yinghe Ding, Tian Qin, Chengjun Li, Feifei Yuan, Yudong Liu, Yong Xie, Yiming Qin, Yong Cao, Tianding Wu, Chunyue Duan, Hongbin Lu*, Jianzhong Hu* and Liyuan Jiang*

Figure 2A

PageRuler[™] Plus 10-250 kDa 26619





Figure 4D

PageRuler[™] Plus 10-180 kDa 26616



Collagen I



Collagen III



 β -actin



Figure 4F

10

PageRuler[™] Plus 10-180 kDa 26616

Claudin 5 $180 \\ 130 \\ 100 \\ 70 \\ 55 \\ 40$ 35 25 15



Occuldin



N-cadherin



Collagen I







Collagen III



Figure 5E

PageRuler[™] Plus 10-180 kDa 26616



Figure 5H

PageRuler[™] Plus 10-180 kDa 26616

ZO-1



VE-cadherin

N-cadherin



Collagen I



Collagen III





Figure 6D

PageRuler[™] Plus 10-250 kDa 26619

p-Foxo1

Foxo1



PageRuler[™] Plus 10-180 kDa 26616

Smad7





VE-cadherin







N-cadherin









Figure S4C



Figure S7A





Figure S7C

PageRuler[™] Plus 10-180 kDa 26616



Figure S8E

PageRuler[™] Plus 10-180 kDa 26616

Foxo1





p-Smad2/3



Smad2/3







Figure S8H

