

	Total		<i>An. aconitus</i>		<i>An. annularis</i>		<i>An. barbirostris</i>		<i>An. flavirostris</i>	
Comparison	Mean Diff.	P-value	Mean Diff.	P-value	Mean Diff.	P-value	Mean Diff.	P-value	Mean Diff.	P-value
Human vs. Cattle	-1.071	<0.0001	-0.515	<0.0001	-0.633	<0.0001	-0.741	<0.0001	-0.210	0.0830
Human vs. Buffalo	-1.306	<0.0001	-0.575	<0.0001	-0.874	<0.0001	-1.054	<0.0001	-0.375	0.0004
Human vs. Horse	-0.835	<0.0001	-0.229	0.0800	-0.329	0.0007	-0.807	<0.0001	-0.093	0.7005
Cattle vs. Buffalo	-0.235	0.0151	-0.059	0.9199	-0.240	0.0190	-0.313	0.0019	-0.165	0.2366
Cattle vs. Horse	0.236	0.0150	0.286	0.0178	0.304	0.0019	-0.066	0.8491	0.117	0.5327
Buffalo vs. Horse	0.471	<0.0001	0.346	0.0030	0.545	<0.0001	0.247	0.0195	0.282	0.0105
	<i>An. kochi</i>		<i>An. maculatus</i>		<i>An. sundaicus</i>		<i>An. tessellatus</i>		<i>An. vagus</i>	
Comparison	Mean Diff.	P-value	Mean Diff.	P-value	Mean Diff.	P-value	Mean Diff.	P-value	Mean Diff.	P-value
Human vs. Cattle	-0.801	<0.0001	-0.439	<0.0001	-0.114	0.0240	-0.506	<0.0001	-1.108	<0.0001
Human vs. Buffalo	-0.966	<0.0001	-0.654	<0.0001	-0.176	0.0002	-0.710	<0.0001	-1.305	<0.0001
Human vs. Horse	-0.664	<0.0001	-0.386	<0.0001	-0.092	0.0947	-0.441	<0.0001	-0.883	<0.0001
Cattle vs. Buffalo	-0.165	0.0781	-0.216	0.0343	-0.062	0.3889	-0.204	0.0643	-0.196	0.2306
Cattle vs. Horse	0.137	0.1860	0.053	0.9005	0.022	0.9385	0.064	0.8519	0.226	0.1342
Buffalo vs. Horse	0.302	0.0002	0.269	0.0053	0.084	0.1446	0.268	0.0081	0.422	0.0008

Supplemental Table 4 represents the Post-hoc Tukey's comparison of *Anopheles* captured from various hosts (Human, Cattle, Buffalo, Horse). Significant comparisons are in bold. Mean Difference (Diff.) informs whether there were fewer (negative) or more (positive) mosquitoes caught per host comparison.