

# **TIHI Toolkit: A Peak Finder and Analyser for Spectroscopic Data**

Kyunghoon Han<sup>a,\*</sup>, Ariadni Boziki<sup>a</sup>, Alexandre Tkatchenko<sup>a</sup>, and Joshua T.  
Berryman<sup>a</sup>

<sup>a</sup>*Department of Physics and Materials Science, University of Luxembourg, L-1511,  
Luxembourg City, Luxembourg.*

E-mail: kyunghoon.han@proton.me

Table S1: Performance comparison between *Tihi*, Spectragraph<sup>1</sup> and OriginPro<sup>2</sup> for the XRD spectrum of anatase.<sup>3,4</sup> This table lists the experimental angles of incidence ( $\theta$ ), the angles detected by each tool, their absolute differences, and the percentage error relative to the experimental data. Missing data is indicated by asterisks (\*). Abbreviations: Exp. for experimental, SG for Spectragraph.

Exp. Data	Tihi Results	Tihi Errors	SG Results	SG Errors	Origin Results	Origin Errors
25.23	25.24	0.01 (0.04%)	25.22	0.01 (0.04%)	24.08	1.15 (4.56%)
36.86	36.80	0.06 (0.16%)	36.83	0.03 (0.08%)	36.22	0.64 (1.74%)
37.72	37.66	0.06 (0.16%)	37.69	0.03 (0.08%)	37.96	0.24 (0.64%)
38.46	38.43	0.03 (0.08%)	38.43	0.04 (0.10%)	*	*
47.89	47.86	0.03 (0.06%)	47.85	0.04 (0.08%)	48.37	0.52 (1.09%)
53.77	53.70	0.07 (0.13%)	53.72	0.05 (0.09%)	53.57	0.20 (0.37%)
54.89	54.87	0.02 (0.04%)	54.85	0.05 (0.09%)	55.31	0.42 (0.77%)
61.92	62.02	0.10 (0.16%)	61.87	0.05 (0.08%)	60.51	1.41 (2.28%)
62.51	62.57	0.06 (0.10%)	62.46	0.06 (0.10%)	62.24	0.27 (0.43%)
68.59	68.59	0.00 (0.00%)	68.53	0.06 (0.09%)	*	*
70.05	70.24	0.19 (0.27%)	69.99	0.06 (0.09%)	70.91	0.86 (1.23%)
74.83	74.85	0.02 (0.03%)	74.76	0.07 (0.09%)	74.39	0.44 (0.59%)
75.78	75.54	0.24 (0.32%)	75.70	0.08 (0.11%)	76.12	0.34 (0.45%)
82.41	82.28	0.13 (0.16%)	82.33	0.08 (0.10%)	81.32	1.09 (1.32%)
82.87	82.52	0.35 (0.42%)	*	*	83.06	0.19 (0.23%)
Average Errors		0.09 (0.14%)	0.05 (0.09%)		0.60 (1.21%)	

Table S2: Performance comparison between *Tihi*, Spectragraph<sup>1</sup> and OriginPro<sup>2</sup> for the UV-Vis absorption spectrum of the petal tip of *Puya alpestris*<sup>5</sup> flower. This table presents the peaks identified by Mizuno *et al.*,<sup>5</sup> alongside the peaks detected by *Tihi*, Spectragraph and OriginPro, including their absolute differences and percentage errors relative to the experimental data. Missing data are indicated by asterisks (\*). Abbreviations used: Exp. for experimental, SG for Spectragraph.

Exp. Data	Tihi Results	Tihi Errors	SG Results	SG Errors	Origin Results	Origin Errors
575	576	1 (0.17%)	*	*	535	40 (6.96%)
614	615	1 (0.16%)	610	4 (0.65%)	612	2 (0.33%)
679	675	4 (0.59%)	*	*	688	9 (1.33%)
Average Errors	2 (0.31%)	4 (0.65%)			17 (2.87%)	

---

## References

- (1) Spectragraph: optical spectroscopy software. <https://www.effemm2.de/spectragraph/>, version v1.2.16.1, 2022; Accessed on June 3rd, 2024.
- (2) Origin(Pro): OriginLab Corporation. <https://www.originlab.com/>, version 2022; Accessed on June 3rd, 2024.
- (3) Lafuente, B.; T., D. R.; Yang, H.; Stone, N. In *The power of databases: the RRUFF project.*; Armbruster, T., Danisi, R. M., Eds.; W. De Gruyter, 2015; pp 1–30.
- (4) Horn, M. S. C. F.; Schwebdtfeger, C. F.; Meagher, E. P. Refinement of the structure of anatase at several temperatures. *Z. Kristallogr. Cryst. Mater.* **1972**, *136*, 273–281.
- (5) Mizuno, T.; Sugahara, K.; Tsutsumi, C.; Iino, M.; Koi, S.; Noda, N.; Iwashina, T. Identification of anthocyanin and other flavonoids from the green–blue petals of *Puya alpestris* (Bromeliaceae) and a clarification of their coloration mechanism. *Phytochemistry* **2021**, *181*, 112581.