PICU Discharge Checklist Admit Time:

Completion Time:

*Completion Time is recorded as the time when the final criteria is met.

CNIC	_ ~
CNS	☐ Stable neurological status.
	□ No concern about persistent, new, evolving or worsening neurological injury.
	☐ Off sedative infusion for at least for 6 hours.
	☐ On stable or decreasing IV opioid infusion.
CVS	☐ Improving or stable hemodynamics and perfusion for at least 12 hr.
	☐ Stable Rhythm.
	☐ Off all cardio active infusions for at least 6 hr.
	☐ In case of a chronic heart failure, on a stable infusion of milrinone @ ≤ 0.5 mcg/kg/min.
	and not requiring continuous intensive care monitoring.
	□ No concern of persistent, new, evolving or worsening cardiopulmonary function or
	pathology.
	□ No planned intervention over next 24 hr needing close cardiorespiratory monitoring.
	☐ Off arterial line.
	☐ Stable on temporary pacemaker.
Respiratory	☐ At least 12-hour post extubation.
	☐ Stable respiratory status.
	□ No concern of persistent, new, evolving or worsening lung pathology.
	☐ Saturations in acceptable range as per underlying CHD.
	Respiratory rate within the normal range 1 for the age.
	□ No work of breathing/respiratory distress.
	☐ On decreasing or stable minimal respiratory support.
	□ Low flow oxygen (0.5 -3 lt/min) via nasal prongs.
	☐ On Stable (Max flow 2 lt/kg) or decreasing high flow nasal settings with a plan of long
	term wean.
GI	☐ Stable GI status.
	☐ Tolerating feeds or at least clear fluids.
	□ No need of close monitoring while advancing feeds.
	□ No concern of persistent, new, evolving or worsening GI pathology.
GU	Acceptable fluid status and urine output (> 0.5 ml/kg) with/out diuretics.
GC	
	No concern of persistent, new, evolving or worsening renal function as indicated by clinical and/or laboratory parameters.
ID	
	No concern of new, evolving, or worsening infection.
Hematology	On stable anticoagulation.
	Not on any anticoagulation medication which requires frequent lab and closed clinical
A '1D	monitoring.
Acid Base	Stable electrolytes parameters with/out supplementation.
and	□ Not requiring continuous intravenous infusion of electrolytes.
Electrolytes	☐ Acid base status in stable range.
	□ No concern of persistent or new or evolving or worsening acid base status.
	☐ Discharged by PICU Attending.