Supplementary material has been published as submitted. It has not been copyedited, or typeset by Acta Dermato-Venereologica

Fig. S1.1. Scatter plot of a) diameter and b) area on the UE in relation to initial screening and followup at 17 to 21 weeks later in pregnant and non-pregnant women. Open circles represent individual patient data, diamonds represent averages at a given examination session. Thin and solid lines connect data points across examination sessions.





Fig. S1.2. Scatter plot of area on the LE in relation to initial screening and follow-up at 17 to 21 weeks later in pregnant and non-pregnant women. Open circles represent individual patient data, diamonds represent averages at a given examination session. Thin and solid lines connect data points across examination sessions.



SUPPLEMENTAL TABLE LEGENDS

Table SI. Additional data on patient characteristics of non-pregnant and pregnant women

Characteristic	Overall, N = 50 ^a	Non-pregnant, N = 25 ^a	Pregnant, N = 25 ^a
No	49 (100%)	25 (100%)	24 (94%)
Yes	0 (0%)	0 (0%)	1 (4%)
Previous pregnancy			
No	36 (72%)	23 (92%)	13 (52%)
Yes	14 (28%)	2 (8.0%)	12 (48%)
Previous birth			
No	42 (84%)	23 (92%)	19 (76%)
Yes	8 (16%)	2 (8.0%)	6 (24%)
Nicotine			
No	40 (80%)	21 (84%)	19 (76%)
Yes	10 (20%)	4 (16%)	6 (24%) (all 6 with cessation during pregnancy)
Alcohol consumption			
Never	4 (8.0%)	2 (8.0%)	2 (8.0%)
Occasionally	46 (92%)	23 (92%)	23 (92%)
Education			