

Supplementary Information

for

Advances in antibacterial agents for *Mycobacterium fortuitum*

Carlos Roberto Tavorari Jortieke, Angélica Rocha Joaquim, and Fernando Fumagalli

Contents:

Figure S1. Relationship between Ligand Lipophilicity Efficiency (LLE) vs antimycobacterial potency.	S2
Figure S2. Relationship between Ligand Efficiency (LE) vs antimycobacterial potency.	S2
Figure S3. Relationship between Hydrogen Bond Acceptor (HBA) vs antimycobacterial potency.	S3
Figure S4. Relationship between Hydrogen Bond Donor (HBA) vs antimycobacterial potency.	S4
Figure S5. Relationship between Molecular Weight (MW) vs antimycobacterial potency.	S4
Figure S6. Relationship between calculated LogP (cLogP) vs antimycobacterial potency.	S4
Figure S7. Relationship between Topological Polar Surface Area (TPSA) vs antimycobacterial potency.	S5
Figure S8. Relationship between Rotatable Bonds vs antimycobacterial potency.	S5




Figure S1. Relationship between Ligand Lipophilicity Efficiency (LLE) vs antimycobacterial potency.
 $LLE = pMIC - cLogP$




Figure S2. Relationship between Ligand Efficiency (LE) vs antimycobacterial potency.
 $LE = (1.37/Heavy\ atoms) * pMIC$




Figure S3. Relationship between Hydrogen Bond Acceptor (HBA) vs antimycobacterial potency.




Figure S4. Relationship between Hydrogen Bond Donor (HBD) vs antimycobacterial potency.




Figure S5. Relationship between Molecular Weight (MW) vs antimycobacterial potency.




Figure S6. Relationship between calculated LogP (cLogP) vs antimycobacterial potency.




Figure S7. Relationship between Topological Polar Surface Area (TPSA) vs antimycobacterial potency.




Figure S8. Relationship between Rotatable Bonds vs antimycobacterial potency.