

Supplemental table 2. Leaf Curling and Flowering time of a *Pro_{35S}:TFT#7 X sep3-2* segregating F2 population.

A.	# Plants ^a	% Early Flowering (less than 3 rosette)		% CURLED	
		In population	Expected	In population	Expected
<i>Pro_{35S}:TFT (L.er)</i>	10	100.0	100	100	100
<i>Pro_{35S}TFT x Col-0 ; F2</i>	29	55.2	75	75.9	75.0
<i>Pro_{35S}TFT(L.er) xsep3-2 (Col-0); F2</i>	36	36.1	75	19.4	18.8

B.	Average number of Leaves											
	Rosette				Cauline				Total			
	All	In 75% earliest	Curled	Uncurled	All	In 75% earliest	Curled	Uncurled	All	In 75% earliest	Curled	Uncurled
<i>Pro_{35S}:TFT (L.er)</i>	2.00	2.00	2.00	-	3.90	3.42	3.90	-	5.90	5.43	5.90	-
<i>Pro_{35S}TFT x Col-0 ; F2</i>	3.38	2.36	2.36	6.57	3.55	2.86	3.68	3.14	6.93	5.77	6.05	9.71
<i>Pro_{35S}TFT(L.er) xsep3-2 (Col-0); F2</i>	4.53	3.37	2.14	5.10	3.33	2.74	3.43	3.31	7.86	6.78	5.57	8.41

^a# Plants = number of plants counted.