

**Table 9. Results from the Taq-Man assay for the *PBX3* gene. Six samples harbored *MLL*-rearrangements, and six samples were controls**

Sample	Detector	CT	Mean	DCT	DDCT	Ratio sample/ref.
<i>MLL</i>	PBX3	22.84	22.865	9.39	-5.63	49.5
	18S	13.54	13.475			
Other	PBX3	28.92	28.98	13.84	-1.18	2.3
	18S	15.19	15.14			
<i>MLL</i>	PBX3	23.22	23.22	12.06	-2.96	7.8
	18S	11.26	11.16			
Other	PBX3	27.55	27.48	13.445	-1.575	3.0
	18S	14.08	14.035			
<i>MLL</i>	PBX3	24.4	24.405	13.175	-1.845	3.6
	18S	11.22	11.23			
Other	PBX3	28.23	28.205	14.065	-0.955	1.9
	18S	14.14	14.14			
Other	PBX3	28.42	28.38	14.275	-0.745	1.7
	18S	14.15	14.105			
<i>MLL</i>	PBX3	24.31	24.31	12.375	-2.645	6.3
	18S	12.17	11.935			
<i>MLL</i>	PBX3	23.52	23.52	11.8	-3.22	9.3
	18S	11.81	11.72			
Other	PBX3	27.23	27.17	13.01	-2.01	4.0
	18S	14.16	14.22			
<i>MLL</i>	PBX3	24.16	24.195	10.46	-4.56	23.6
	18S	13.95	13.735			
Other, ref.	PBX3	28.59	28.94	15.02	0	1
	18S	13.88	13.92			